DECEMBER 1985 \$3.95
VOLUME 3 NUMBER 4

DECEMBER 1985 \$3.95
VOLUME 3 NUMBER 4


DECEMBER 1985 \$3.95


VOLUME 3 NUMBER 4

DECEMBER 1985 \$3.95

VOLUME 3 NUMBER 4

DECEMBER 1985 \$3.95






At last, a 96K Model 100! "The new PG Design RAM should be in every Model 100 built!"

Miniaturized Technology

Our miniaturized RAM chips are state of the art. They are the most advanced memory chips found anywhere in the world. Their tiny size allows us to keep a low profile in the expansion port of the Model 100. We use a technique called vapor phase soldering to ensure that each and every tiny connection is clean - perfect.



The RAM module is precision constructed.

Like The Original

Each 32K RAM bank has its own command of the software that comes in your Model 100. BASIC, TEXT, TEL-COM, ADDRSS, SCHEDL are all there in each bank and you can use them as you would in the original bank. Each bank can be accessed from any of the other banks. We even have an optional data transfer program which allows data to be transferred from one bank to any other bank. It's flawless!

Simple Installation

"Adding this 64K RAM module to your Model 100 is as easy as putting in new batteries." Once you've removed the expansion cover on the back of your Model 100, just snap the PG Design RAM module in. You can't get it wrong! The pins line up perfectly with the expansion holes in the Model 100 compartment. Snap the cover back on and turn your Model 100 over. Turn it on and enter BASIC. Type in the one line program we supply you and presto-you've got a Model 100 with 96K of RAM. You do not need a 32K Model 100 to utilize the PG Design 64K RAM module.

No Need To Remove It

The beauty of this RAM module is that we've enabled you to have a Model 100 with 96K of RAM and we've given you access to the other Model 100 options within the expansion compartment. The DVI connection can be made easily with our rugged connectors. Gone are the flat flimsy pins. And best of all, the ROM slot is clear to insert any ROM modules, (like Tandy's Multiplan on ROM). We designed this RAM module so it wouldn't ever have to be removed from your Model 100. But, if you should remove it, we've installed a lithium

power cell that will keep all the data on the module intact for six months outside the Model 100. Six months! The actual life span of the lithium power cell while in the Model 100 is nearly six years!

Guarantee

We stand behind all the products we manufacture at PG Design. If you are not completely satisfied with your purchase, call us! If we cannot solve your problem, return the product to us and we will refund your money. We are positive that you will be completely satisfied with all our products.

Order Today

64K RAM module — \$375 32K RAM module — \$250

If you want only a 32K version of the RAM module, you may upgrade later for only \$150. The 32K version is constructed exactly as the 64K module

Data Transfer Program — call

Call us at 313/727-2744, or write. We accept Visa and MasterCard, as well as check or money orders. We ship within five days of receiving your order.


Dealer Prices Available

TRS-80 is a trade mark of Radio Shack



Traveling Software introduces everything you would ever want on a single plug-in ROM chip . . .

THE ULTIMATE ROM





WE SET THE STANDARD

With the ULTIMATE ROM, Traveling Software set the standard for packing the most powerful software applications into a single ROM chip. Now, while supplies last, you can purchase this widely acclaimed product for only \$169.95 — with a 30-day money-back guarantee. Later, if you wish, you can upgrade to the ULTIMATE ROM II for just \$49! Who said you can't eat your cake and have it too? Our supplies of the ULTIMATE ROM won't last long. Call now; orders will be filled on a first-received basis.

The ULTIMATE ROM contains three acclaimed programs:

IDEA! — One of the hottest-selling programs for the Model 100 and NEC PC-8201! Organizes anything from simple lists to complex outlines. Easily reorganizes and searchs. Offers many word processing and database capabilities. Develops outlines from rough drafts into finished documents. Original cassette price: \$79.95

T-BASE — The database reviewers have rated as number one for the Model 100! Lets you design relational databases and set up screen files. Borrows information from fields in other databases, Performs math computations. Creates custom-printed or LCD display reports. Original cassette price: \$99.95

T-WRITER — Still the favorite text formatter with owners of the Model 100 and NEC PC-8201. Prints documents created using the built-in TEXT program. Includes justification, headings, footings, underlining, italics, boldface, and more. Produces form letters and mailing labels. Word-Star-like command. Original cassette price: \$49.95

ADDED MEMORY THE ULTIMATE ROM adds another 32K to your computer's memory by storing programs outside precious RAM memory space, freeing RAM for larger data files.



To order call toll free 1-800-343-8080 For technical information call (206) 367-8090

Traveling Software and the Traveling Software logo are registered trademarks of Traveling

Guardian Rom copyright 1985 PEAC

ADDED CONVENIENCE With the

ULTIMATE ROM you don't need to load programs individually, either. Simply plug in the chip and you're always ready to work — without using slow, clumsy cassette recorders.

The ULTIMATE ROM also works with other memory expansions, like PG Design's 64K RAM module or Purple Computing's NEC SideCar. The ULTIMATE ROM works in any active memory bank on your computer no need to copy programs from bank to bank.

Now available through Radio Shack stores by express order:

Product Numbers: M100 90-0409 M200 90-0410




Traveling Software, Inc. 11050 Fifth Avenue, N.E. Cattle IV/A OO1

DOPTADIE 100/200/600

DECEMBER 1985

VOLUME THREE, NUMBER FOUR



ON THE COVER

TANDY TAKES THE HIGH ROAD......19 They already have the largest selling personal portable; now Tandy is taking on the business market with the Tandy 600. It comes with a powerful word processor, spreadsheet, file manager and more. It may be what users need, but is it what they want?

Cover Photo by Benjamin Magro

ARTICLES

	A HIGH-TECH HEARING TEST9 How you stack up against your pet and the U.S. Navy
	A CLOCK-WORK TANDY
	BUGS AND SECRET FEATURES OF MODEL 100 BASIC
	NAVIGATING WITH YOUR 100
HOLIDAY MIXINGS	44
WHAT THE FUTURE HOLDS Annuity and loan calculations on your l	
REVIEWS	
A SIX-GUN BY YOUR SIDE PCSG's Six ROM Bank	31
CASSETTE HELP Traveling Software's T-Backup	
MODEL 100 FIX ALL Tandy's Assembler/Debugger	34
BKInc.'s DO4MAT	36
DEPARTMENTS	
TELCOM	
AD INDEX	

portable

Editor J.D. Hildebrand

Managing Editor Edward M. Jackson

Senior Editor Park M. Morrison

Technical Editor Alan L. Zeichick

Production Director Peter D. Koons

Art Director Paige Garland Parker

Assistant Art Director Elizabeth Maritato

Staff Artists Kenneth Martin Marjorie Strauss Judith E.C. Webster

Advertising Director David Hollis

Circulation Director Nancy A. Wight

Circulation Manager Loriel Peters

Subscriber Relations Melissa R. Andrews Mary W. Holmes

Business Manager April A. Jenkins

MIS Director Bonnie Hellevig

Publisher James S. Povec

Associate Publisher Carl Cramer


Editorial and Business Offices: Camden Communications, Inc. P.O. Box 250 Highland Mill Camden, ME 04843 (207) 236-4365 CompuServe ID: 76703,372 Fax Tel. (207) 236-4738

PORTABLE 100/200 is published monthly by Camden Communications, Inc.; James S. Povec, president; Carl Cramer, vice president, Application for mailing at second class rates pending at Camden, ME and additional mailing offices. Postmaster: Address changes to Camden Communications, Inc., P.O. Box 250, Highland Mill, Camden, ME 04843. Copyright 1985 by Camden Communications, Inc. All rights reserved. Portable 100/200 is an independent publication of Camden Communications, Inc. and is not affiliated in any way with Tandy Corp./Radio Shack. TRS-80, Model 100, Tandy and Tandy 200 are trademarks of Tandy Corp./Radio Shack.

Contributors: Manuscripts and photographs are welcomed. Publisher assumes no responsibility for the return of unsolicited manuscripts, queries or artwork. Materials submitted for consideration should be accompanied by a self-addressed, stamped envelope.

Subscriptions are \$32 for 12 issues. Users group subscription rates available. Please inquire for delivery rates outside the U.S. Dealer inquiries invited.

ISSN 0738-7016



Here's Your Solution For Christmas Gift Buying! Give Portable 100 Subscriptions This Year!

It's easy! Make a fellow computerist happy this Christmas with a subscription to *Portable 100* Magazine.

A gift subscription to *Portable 100* will help your friends and family use their Model 100s or Tandy 200s or Tandy 600s to their highest capacity.

Every month, they'll enjoy an issue of *Portable 100*, and they'll think of you all year long — every time they receive an issue! Order today to be in time for Christmas! Use this order form or the order card opposite this page.

Send a gift subscription to:		
NAME		
ADDRESS		
MY NAME		
ADDRESS		
CITY/STATF/ZIP		
Payment Enclosed	MasterCard/Visa #	
at \$29.97 each	Exp. Date	
	Signature	
*All gift subscriptions must l	be pre-paid.	
Send to: Portable 100, P.O.	Box 250, Camden, ME 04843	

FOR PERFROMANCE YOU WILL WANT TOMORROW...



Power. . .

- Menu driven load/store capability for transferring individual files or total memory to disk.
- CP/M operating system makes available a world of popular software: dBASE II, Wordstar, Supercalc, and much, much more.
- T/Maker software option (\$200.00) provides: word processing, spreadsheet, data base manager, spelling checker, bar graphics.
- Uses 3½" diskettes (360K).
- 64 K bytes of RAM (with your 32K) (8K chips, \$30).

Convenience...

- Totally portable, lightweight, attaches easily.
- Battery powered, rechargeable, plenty of advance warning on low batteries.
- Fragile connectors protected by our gold high-reliability connector.
- Display 40 x 8 window in 80 x 24; 60-column available.

Economy. . .

 Similar disk drive systems with equivalent software can cost \$1,400 - \$2,000. Compare and see for yourself.

CALL US ABOUT:

- Solar Panels/Portable Battery Rechargers
- Second Disk Drive (due February, 1986)
- Video Interface (due February, 1986)
- Transferring your data/programs from 5¼" disks to 3½"

Free Traveling Software Special! \$230.00 Value! Call Today

TODA Y!

714-261-0503 call collect 1-800-421-6300 toll free

*30-Day Refund Guarantee

PIC The Personal Automaton People

CP/M, dBASE II, Wordstar, Supercalc & T/Maker are trademarks of Digital Research, Ashton-Tate, MicroPro. Sorcim, & T/Maker respectively.

ROM WARS

The hottest thing in the Tandy laptop market is option ROM. Packaging one, two, three or more programs on a single chip is the perfect portable idea. There's no fuss, no muss and no blasted cassette tapes to deal with. Firmware ROMs make the portable computer's immense promise a reality, turning low-power general-purpose micros into sophisticated electronic appliances capable of performing a wide range of advanced tasks.

The last few months have seen a rash of ROMware introductions: Portable Computer Support Group's Write ROM, Traveling Software's Ultimate ROM, Polar Engineering's Cleuseau,

Tandy's Interactive Solutions, and on and on.

There are as yet few players in the option ROM market. That's because the obstacles to putting programs on chips are financial, not technological. Thanks to pioneer work by Polar's Tom Bennett, the mechanical and electronic techniques are well understood. But the process of mastering a ROM and manufacturing the first production run is a fiscally daunting one. The high entrance fee in the option ROM derby has limited full-scale participation to a couple of large companies.

MY ROM'S BETTER THAN YOUR ROM

The two main players are Dallas-based Portable Computer Support Group and Traveling Software of Seattle. PCSG and Traveling Software have commanded a lion's share of the Model 100 third-party software market for almost two years. Although a couple dozen other firms offer very fine products for the 100 and 200, only PCSG and Traveling Software (and Tandy, of course, but that's a different story) have the financial clout to be pioneers in the option ROM wilderness.

Predictably enough, the two companies have become fierce rivals. When one introduces a product, the other quickly announces a knock-off with a lower price or extra features. It's the "anything you can do, I can do better" approach to product mar-

keting.

Because of the intense competition, product development is proceeding at a fast and furious pace. Some products hardly have time to establish themselves before they're outdated.

Six months ago PCSG introduced the Six-ROM Bank. The ad proclaimed that it would let users access Lucid, Write ROM and other firmware applications instantly. It cost \$269 — not counting the price of the software.

Then Traveling Software introduced the Ultimate ROM. You

get virtually the same capability for \$239.95.

PCSG responded with Super ROM, an Ultimate ROM clone that includes its best-selling spreadsheet manager, Lucid. If you read the Super ROM ad closely, you'll notice some small italic print in the lower right corner: Got stuck with somebody else's multi-ROM? We'll upgrade it for \$100. There's really no question about whose multi-ROM they mean.

It didn't take Traveling Software long to retaliate. Ultimate ROM II, introduced in the New Products department of this issue, is bigger, better and faster than its predecessor.

Like PCSG, Traveling Software offers a \$100 rebate to owners of selected ROMs. And we all know who tops the "selected" list.

It's easy to get caught up in the spectacle, watching these two companies spend vital resources clobbering each other instead of concentrating on business. It's quite a show.

But the competition isn't just entertaining; it's productive. It's paying off in immediate benefits to all of us who use Tandy

laptops.

In their constant attempts to outdo each other, PCSG and Traveling Software are outdoing themselves, stretching their research and development dollars to the maximum and introducing products that dazzle. The competition is even helping to drive costs down. So we're all better off.

The danger, of course, is that one company might gain the upper hand, might drive the other out of the laptop market and into a safer occupation like crocodile wrestling or exhibition skydiving. If one loses, we all lose.

YOU CAN CALL ME RAY...

As you may have noticed on the cover of this issue, we've made a name change. Thanks to the new Tandy 600 we will, at least for the time being, call ourselves *Portable 100/200/600*. We know it's a mouthful but it's the only name that truly represents what we're all about. Don't worry though. We still respond to *Portable 100, Portable 100/200* and the occasional, "Hey you."

Speaking of the 600, it's the subject of our cover story this month. This is the second issue in a row that's featured a Tandy product on the cover. Are we showing favoritism? Not at all. It's just that Tandy has introduced two significant products at essentially the same time. They were ready to be reviewed and we did just that.

Also included this month are some programs that we think are just downright fun. A hearing test, an egg nog recipe, bearing and distance calculations, and more. In addition, we've reviewed a number of leading products — including PCSG's Six ROM Bank, which lets you use Write ROM, Lucid, Ultimate ROM, Super ROM and Ultimate ROM II all at once in the same machine if you've a mind to.

All together, they make this the largest issue in our history. Appropriately enough, it comes at that time of year when giving is better than receiving. Merry Christmas.

Sanh M. Monin

PARK M. MORRISON SENIOR EDITOR

RUBBING THE LAMP. . . .

A re connect-time and long-distance telephone charges eating away at your budget? Or is the fear of big bills keeping you from exploring the world of telecommunications? If so, then GEnie is for you. GEnie, sponsored by General Electric, is less expensive than most—and offers a wide variety of services for both the novice and veteran telecommunicator.

DIALING UP

GEnie's services are available 24 hours per day, every day. Most dial-up phone lines accept both 300 and 1200 bits per second (bps) — and the connect-time charge is the same for all transmission speeds.

A one-time subscription fee of \$18.00 is charged to open a GEnie account and purchase a GEnie User's Manual. New subscribers through December 31, 1985 will receive three non-prime-time connect hours at no additional charge.

The basic connect time rate is \$35 per hour. The non-prime time rate is a mere \$5 per hour — one of the best bargains in the business.

Non-prime time is between 6 p.m. and 8 a.m. local time weekdays, all day weekends, and on all U.S. national holidays. Prime time is between 8 a.m. and 6 p.m. local time weekdays. Local time zones are assigned by state, with Alaska and Hawaii being assigned to Pacific time.

A few low-density access cities have a telecommunications surcharge of \$2.00 per hour (prime or non-prime time).

All billing for GEnie services is done through Visa, Mastercard, or direct debiting from your checking account.

To join GEnie, call your local access number — and there are hundreds across the country. After connection, type the letter H repeatedly until the U#= prompt appears. Then, enter 5JM11999, GENIE — and this is casesensitive, so be careful. Using this demonstration account number, you can peruse GEnie's features free of charge. If you like what you see, the sign-up process is just another menu option.

Telcom settings for the Model 100 should be either M7E1E or M8N1E, half duplex. If you have any difficulty, call

GEnie Customer Assistance at (800) 638-9636, extension 21.

WHAT TO SEE

One place to visit while on GEnie is the Laptop RoundTable, a new specialinterest group sponsored by the staff of Portable 100. We'll be there!

Check our GE Mail and the National Real-Time Conference — complete with interesting special guest speakers.

The LiveWire CB Simulator provides real-time conferencing with people all over the country. There are 40 channels. For business or private conversations, CB'ers can scramble their conversations — making them unintelligible except to those with the right scrambler key.

New features are being added to GEnie daily. The price is right, the demonstration is free, the modem's built in. So, come on and join the adventure.

Alabama		
Anniston	205-237-4224	S
Birmingham	205-323-7900	2
Dothan	205-793-6390	S
Hartselle	205-773-6551	S
Mobile	205-432-0571	0
		0
Scottsboro	205-259-1855	S
Tuscaloosa	205-758-8356	S
Alaska		
Anchorage	907-276-0911	
Arizona		
Benson	602-586-3681	S
Phoenix	602-266-0260	~
Tucson	602-622-2758	
Arkansas		
Conway	501-327-2237	S
Crossett	501-567-8000	S
Ft. Smith		S
	501-782-0391	5
Jonesboro	501-935-8007	
Little Rock	501-372-6389	
California		
Antioch	415-778-0123	S
Bakersfield	805-833-6260	
Canoga Park	818-884-2127	
Chico	916-342-0262	S
Concord	415-825-9111	-
Dublin	415-829-8840	
El Monte	818-579-6440	
Eureka	707-445-5461	S
Fresno	209-264-4655	0
Garden Grove		
	714-636-5102	
Garden Grove	714-636-5330	
Livermore	415-443-6543	S
Lompoc	805-735-5440	S
Long Beach	213-513-6893	
Los Angeles	213-776-7222	
Los Angeles	213-776-2710	
Marysville	916-742-5139	S
Merced	209-384-2271	S
Modesto	209-529-8055	~
Monterey	408-372-8579	S
Oakland	415-836-5060	D
Oakland	415-836-6800	
Oceansize		
	619-439-9980	0
Ontario	714-983-9841	S
Oxnard	805-487-9871	~
Palm Springs	619-323-2763	S
Redwood City	415-364-0900	
Rialto	714-875-8751	
Roseville	916-726-5697	S
S.J.Capistrano	714-661-2804	S
Sacramento	916-441-6126	-
Salinas	408-455-1020	S
	100 100 1020	-


San Bruno


San Diego

415-871-1522

619-296-5083

San Luis Obispo San Martin San Rafael	805-541-3215 408-683-4195 415-454-5300	S S
Santa Barbara	805-963-6811	C
Santa Cruz Santa Rosa	408-425-1283	S S
Stockton	707-545-8600 209-948-1429	S
Sunnyvale	408-737-8450	D
Sunnyvale	408-738-3635	
Sunnyvale	408-746-0651	
Ukiah	707-462-0384	S
Union City	415-489-9400	S
W. San Francisco	415-433-4211	S
Colorado		
Colorado Springs	303-633-5545	
Denver	303-239-0771	
Loveland	303-669-9281	S
Montrose	303-249-0582	S
Connecticut		
Bridgeport	203-373-2905	
Bridgeport	203-373-2903	
Bristol	203-584-8364	0
Danbury		S S
Groton	203-748-5850 203-445-7466	3
Hartford	203-527-5554	
Hartford	203-727-8400	
New Haven	203-865-7971	
Norwalk	203-853-6733	
Old Saybrook	203-388-4481	S
Stamford	203-348-2448	3
Stamford	203-964-1714	
Waterbury	203-573-9003	
Delaware		
Wilmington	302-652-3074	
	002-002-0014	
Florida		
Clearwater	813-447-9521	
Daytona Beach	904-258-5484	
Ft. Lauderdale	305-791-6202	-
Ft. Pierce	305-464-4300	S
Ft. Walton Beach	904-243-8078	S
Gainesville	904-462-6824	
Jacksonville	904-396-7210	
Kissimmee	305-847-0269	
Lakeland Melbourne	813-688-6020	
Miami	305-724-4660	
Miami	305-633-9772	
	305-635-6431	o.
New Smyrna Beach Orlando	205 420 0000	S
Palatka	305-422-2823	0
Pensacola	904-328-7703	S
Sarasota	904-434-3656	S
Stuart	813-957-0472	0
Tallahasee	305-286-1119 904-222-0859	S
(Listing continu		82)





Software included, transfers from bank to bank. Works like main menu! Includes powerful RAM Basic that lets any program regard the 128K as one continuous bank.

PCSG says: Satisfaction guaranteed or your money back within 30 days

As amazing as it seems you can upgrade your Model 100 to 128K of RAM in just 60 seconds.

It comes to you right out of the box looking just like the picture. You just open the little compartment on the back of your Model 100 with a quarter and it just pushes right into place. You can then put the cover back in its place.

You then have 4 banks of RAM of 32K each. The additional three banks also work just like your Main Menu.

You push a function key and you are in the second bank. Push again and you are in third, again, then fourth. Press it once again for your original bank.

It has its own built-in NiCad battery that recharges right from the Model 100 and its guaranteed for a full year.

What is really great is that you can copy a file from one bank to another with just a function key.

Each bank is like having another Model 100, and all the built-in programs as well as any snap-in ROM programs appear in all four banks and work the same way. Your widebar cursor moves from file to file and you access any file or run any program just by pressing ENTER.

What lets you copy any file from one bank to another is a snap-in ROM from PCSG called RAM+, that comes at no extra charge. It just pushes right into the little socket in that same compartment with the 96K expansion unit.

Not only does this firmware let you copy a file from bank to bank, but you can make a copy of any file within the same bank instantly with a function key. Great for Lucid spreadsheets!

Copy a file from bank to bank with a function key

You can also rename a file, or kill any file with just a function key. Plus you can do a whole lot of other useful things like setting the date, day and time with function key ease. You even have a function key that lets you use non-Radio Shack printers without having to make those tricky dipswitch settings.

RAM + lets you cold start any one of your banks without affecting the other three. That means that anytime you want you can clean out a bank's entire memory, but leave intact all the files in the other banks.

What is also fantastic is that you don't have to have the ROM in place to use the additional RAM. Whenever you take out the snap-in ROM it leaves behind a tiny machine code program that lets you switch from bank to bank just by pressing ENTER.

This lets you use your ROM socket to snap-in other ROMS like LUCID spreadsheet, WRITE ROM text processor, or DISK+ ROM file transfer program, and use them in any or all four banks. All of these, by the way, are available from PCSG.

When you are ready to copy a file from one bank to another or use any of the other fantastic functions we talked about you can just snap the RAM+ ROM back into place.

Everybody that has this 128K system in their Model 100 is so excited, because it gives them four times the capacity and all banks work just like the Main Menu.

And what has made a lot of people happy is that the system bus, located in the same compartment, is left free for you to plug in a DVI or the Holmes Engineering/PCSG portable disk drive.

The ability to copy a file from bank to bank instantly with a function key, plus all of the other features make this RAM extension truly an engineering masterpiece.

Some people hesitate when they think of installing something, and then others are skeptical that any additional hardware could be as good as the Model 100 itself. That's why we sell these 96K expansions on a 30 day trial. Simply return it within 30 days for a full refund if you are not satisfied. Priced at \$425. MC VISA COD.

1 (214) 351-0564

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

VISA / MASTER CARD / C.O.D.

NEW! MODEL 100 3-in-1 ROM

Interactive Solutions*

All the software that you will ever need on the Model 100 Portable:

A Truly Integrated Software 1— Data Base 2— Spreadsheet 3— Word Processor with Mail Merge

Now on a plug-in ROM. Integrated and easy as 1-2-3!

Interactive Solutions

Tandy Cat. #26-3844

Available at your nearest

Radio Shack COMPUTER CENTERS

- The Data Base turns your Mod 100 into a personal filing system. You can store, examine, update select, sort and list a wide variety of information from personnel records and inventory facts to appointment schedules and client lists.
- The Spreadsheet turns your Mod 100 into a powerful decision tool. It is a full featured spreadsheet with 99x99 cells and provides fast decimal arithmetic in formula computation with complete range of scientific functions.
- The Word Processor uses the Text editor of Mod 100 and gives you additional features for formatting and printing. You can set margins, line/para spacing, justify, define header/footer and use special print features like underline, boldface, etc.

MORE MEMORY Interactive Solutions does not occupy RAM memory, so frees your precious RAM for larger data files.

EXTRA CONVENIENCE Interactive Solutions plugs in the optional ROM socket. It is always resident and ready to work. You don't need to load programs from cassette recorder any more.

Interactive Solutions *integrates* all of your data information in Mod 100. With a touch of a function key, you can easily:

- Select and move items from Data Base files into Spreadsheet columns.
- Generate a report in Data Base program and move to the Word Processor.
- Cut any part of Spreadsheet and move to the Word Processor.
- Merge the items (like names, addresses) from Data Base files into a Form Letter and generate multiple letters or labels.

All this and much more in a 32K bytes ROM from


DCM Data Products 1710, Two Tandy Center Fort Worth, Tx. 76102 Tel: 817/390-2762



Radio Shack and Model 100 are trademarks of Tandy Corporation. 1-2-3 is a trademark of Lotus Corporation.

*Copyright DCM Data Products, Licensed to Tandy Corporation.

* Registered trademark of Tandy Corporation.



High-Tech Hearing Test

By Janet Goldenberg

f you've ever experimented with the Model 100's sound generator, you've probably learned how to play simple tunes, using the SOUND command and the table of pitch values on page 180 in the user's manual. Programming music this way is tedious and awkward; but as Samuel Johnson said about dogs walking on their hind legs,

vou're surprised it can be done at all.

What you may find even more surprising, however, is that the Model 100 is not limited to the pitches in the table. The table list ranges from pitches 12535 to 415, but a cryptic phrase above it indicates the full range is actually 16383 to 0. (Despite what the manual says, *lower* numbers sound *higher* pitches, not vice versa.) By trying the following two-line program, you can demonstrate for yourself that the Model 100 will produce notes somewhat lower, and far higher, than the ones in the table. In fact far higher than you can hear. 10 FOR P=16383 TO 0 STEP -50

20 SOUND P.2:NEXT P

Notice how the pitches climb and then vanish entirely, except for the soft on-off click of the tone generator. If you start this *glissando* higher in its range and ascend it more gradually, this auditory vanishing point is more pronounced: 10 FOR I=1000 TO 0 STEP -25 20 SOUND I.16:NEXT I

SOUNDING OFF

In trials on human subjects I've determined this pitch threshold varies with the hearer. For me it's around pitch 200; for you it may be slightly lower or higher. What this implies is that at least some of Model 100's "silent" high notes are actually ultrasonic tones. These are the frequencies, above human hearing, which your dog responds to when you blow a dog whistle and which bats use to navigate in the dark.

Model 100/200 - NEC PC 8201A Olivetti M10



Portable Software

Auto Pack SPECIAL (Model 100 & NEC only) \$89.50 - About all you need on one tape. Includes: AutoPen, AutoPad, AutoBase, AutoSort, TFILE, TRIP, CALC and AutoPen N&A. Over 50% off separate prices.

AutoPen (2.5K) \$29.95 - Word processing using standard formats. 22 text commands for format control. Print from RAM, tape and keyboard; chain files; multiple copies; continuous or cut paper; and more features. Customize for your printer. Best available for size and price.

AutoPen, N&A (3.7K) \$39.50 - Merges names, addresses and saluations into letters, prints labels and addresses envelopes. N&A data management system. Includes AutoPen.

AutoPad (5.4K) \$39.50 - 26 by 99 spreadsheet. Variable column width and format. Math, statistical and financial functions. Sort, replicate, calculator and other features. Printer output with titles and footnotes.

AutoBase (2K)\$29.50 - Database management for limited RAM. Design input forms using up to 16 fields. Use up to 9 keyword or relational field criteria to select records for display or printing. Print forms or specific fields in a list or label format.

AutoSort (.4K) \$14.50 - Sort single or multiple (AutoBase, N&A, INDEX, etc.) field records.

BOOK (3.8K) \$29.50 - Single entry bookkeeping for self employed or small businesses using SCHEDULE C tax accounts. Summary review and detailed printer output.

TFILE (1.4K) \$29.50 - Tape file utility to review, compute size, delete, and auto save or load files. Tape directory with printer output.

TRIP (2K) \$29.50 - Itinerary, expense account and trip report. Review and printer output.

CHECK (2K) \$29.50 - Maintains account balance and records. Review and printer output.

INDEX (3.4K) \$29.50 - Sorts and prints multi column lists. Indexes page references.

CALC (.6K) \$14.50 - Allows you to use your computer like a simple pocket calculator.

Add \$3.00 for mailing and handling Send for FREE catalog

CSA Software, Box 22261 Chattanooga, TN 37422 24 Hr. toll free order desk 800-628-2828 Ext. 508



INFORMATION 615-892-2339



HEARING TEST

Table 1

HEARING & SOUND EMISSION OF SUNDRY ANIMALS & DEVICES IN HERTZ (CYCLES PER SECOND)

HEARING:		SOUND EMISS	SION:
Crococile	20 - 6,000	Dog	452 - 1080
Human	20 - 20,000	Human	85 - 1100
Dog	15 - 50,000	Cat	760 - 1520
Cat	60 - 65,000	Horse	320 - 3040
Bat	1000 - 120,000	Piano	30 - 4100
Moth	3000 - 150,000	Dog Whistle	12,000 - 14,000
Porpoise	150 - 150,000	Sonar	10,000 - 50,000
		Bat	10,000 - 120,000
		*Model 100	150 190 000+

Sources: Life Science Library: Sound & Hearing, Time, Inc., 1965 and The New Columbia Encyclopedia, Columbia University Press, 1975

Why was this talent built into the Model 100? Not only couldn't Tandy explain it when asked recently, but they didn't even know about it. "Ultrasound? You've got to be kidding," responded product manager Stuart Weinstock through a spokesperson. "That's the first we've heard of it. We certainly didn't design it that way." Nonetheless, though I didn't confirm this with an oscilloscope, logic suggests it exists.

To calculate just how high these ultrafrequencies might be, I first calibrated one of the Model 100's lower, audible octaves with its equivalent on the piano, whose pitch frequencies are well known. Then, invoking a basic principle of acoustics, I doubled these numbers to obtain the frequencies for each higher octave. Adult humans normally hear between 20 and 20,000 vibrations per second (also called "cycles per second" or "hertz"). Children can hear as high as 40,000 vps, dogs up to 50,000 vps. The Model 100, by my calculations, can theoretically produce pitches higher than 190,000 vps, which would put it in a league with bats, porpoises and the U.S. Navy. Whether the Model 100's speaker can actually handle frequencies that high is another question. (Top-of-theline stereo tweeters rarely exceed 25,000 vps.) But at the lower end of the scale, at least, I've proved to my satisfaction that sound indeed comes out—even if we can't hear it.

DO YOU HEAR WHAT I HEAR?

To make use of this peculiar feature, I wrote a program that turns the Model 100 into a crude version of the audiometer they used to test your hearing in

				2.0: Pito		es				
NOTE	1	2	3	4	5	6	7	8	9	10
G	12538	6269	3134	1567	784	392	196	98	49	24
G#	11836	5918	2959	1479	739	370	185	92	46	23
A	11172	5586	2793	1396	698	349	175	87	44	22
A#	10544	5272	2636	1318	659	329	165	82	41	21
В	9952	4976	2488	1244	622	311	155	78	39	19
C	9394	4697	2348	1174	587	294	147	73	37	18
C#	8866	4433	2216	1108	554	277	139	69	35	17
D	8368	4184	2092	1046	523	261	131	65	33	16
D#	7900	3950	1975	987	494	247	123	62	31	15
E	7456	3728	1864	932	466	233	116	58	29	15
F	7032	3516	1758	879	439	220	110	55	27	14
F#	6642	3321	1660	830	415	208	104	52	26	13

HEARING TEST

Table 2.1: Frequencies

OCTAVE

NOTE	1	2	3	4	5	6	7	8	9	10
G	196	392	784	1586	3136	6272	12544	25088	50176	100352
G#	207	415	830	1660	3320	6640	13280	26560	53120	106240
A	220	440	880	1760	3520	7040	14080	28160	56320	115640
A#	233	466	932	1864	3728	7456	14912	29824	59648	119296
В	247	494	988	1976	3952	7904	15808	31616	63232	126464
C	264	528	1056	2112	4224	8448	16896	33792	67584	135168
C#	277	554	1108	2216	4432	8864	17728	35456	70912	141824
D	294	588	1176	2352	4704	9408	18816	37632	75264	150528
D#	311	622	1244	2488	4976	9952	19904	39808	79616	159232
E	330	660	1320	2640	5280	10560	21120	42240	84480	168960
F	349	698	1396	2792	5584	11168	22336	44672	89344	178688
F#	370	740	1480	2960	5920	11840	23680	47360	94720	189440

grade school. As you may recall, that device had earphones through which you listened for tones in either ear. When you heard one, you raised a hand. One essential difference in my program is that while audiometers usually test in the 100-10,000 vps range, the Model 100 can test you only at the high end of the range since its absolute lowest pitch (16383) is around 150 vps.

Another difference is that your ability to hear a given pitch depends on how loudly it's played. Since the Model 100's volume can't be increased, it's unlikely you can hear all the way to 20,000 vps. Finally, since the Model 100 lacks stereo channels and earphones, you can't test each ear individually, nor can you exclude outside noise. Within these limits, however, you can have fun hearing how you stack up against friends and pets.

I tried this recently in a friend's living room in the Sierra foothills, where six of us had gathered with sundry dogs and cats. Interestingly, while most of the humans heard an average maximum of around 12,000 vps, the women heard

higher frequencies than the men. One woman, a horse trainer who claimed that as a child she could hear bats squeaking, topped us all by hearing over 16,000 vps.

Though we couldn't measure their responses exactly, the animals' body language seemed to indicate they were registering some "silent" high sounds we were missing. One of the dogs dropped to the rug and rolled his eyes as if pleading with us to stop, and all the cats left the room, though that wasn't too unusual.

Eager to test the Model 100 to its limits, I went outside to try it on Echo, my friends' Appaloosa mare. At the first ultrasonic squeak, Echo perked up her ears and moved closer to the fence — but I can't be sure of the cause. It may have been the Model 100, or it may — just possibly — have been the carrot in my other hand.

Please help us rate this article's value. If you've found it very valuable, circle 161 on the Reader Service Card. If it was moderately valuable, circle 162—and if it wasn't valuable to you, circle 163.

Listing 1: Hearing Test

This program uses the Model 100's ultrasonic range to test your hearing. After playing each note, starting at SOUND 50 or about 49,140 hertz, the computer asks if you have heard it. If you answer no, it proceeds to the next lower pitch value at an interval of 20, then asks you again. When you finally answer yes, the program tells you the highest pitch you heard, in hertz. Note that children and women can generally hear higher tones than can older adults and men.

200	1 4	HEARING TEST	*
	レン・ア・メート・メート・カー		228
40	1 *	(HRTEST.BA)	×
5Ø	1 k	By Janet Goldenberg	*
100	CLS		1
177	:FOR S=1000	TO Ø STEP -5Ø	
1997	:SOUND S,2		180
9999	: NEXT S		10

The Portable Accountant

Accounting System for the Model 100/200

- Allows More Time for Professional Services
 - Improve Report Turnaround
 - Speed Client Writeups
 - Reduce Errors

The PORTABLE ACCOUNTANT provides a fully integrated accounting system for any small business featuring:

Cash Disbursements Journals
Cash Receipts Journals
General Journals
Detailed General Ledger
Trial Balance
Automated Backup
Automated Balance Forward

Mail to: The Portable Accountant

FACS, Inc.

Box 2132, White Flint Mall, Kensington, Maryland 20895 301-933-7092

☐ Enclosed is my check for \$99.95. My Model 100 is a: ☐ 8K ☐ 24K ☐ 32K
Signature
Ship to:
Name
Street
City/State/Zip

Direct from the North Pole Now Through January 15

Model 100 Nec 8201A Tandy 200 SAVE OVER 30%

Christmas Sale

Cleuseau was \$95 NOW \$65

Text Editor and BASIC Inspector. Amazing Edit functions. Overwrite. Search and Replace. Append to the Paste Buffer. Search Backwards. Repeat any function a specified number of times. Inspect your BASIC code. Renumber. Remove every unnecessary byte from your program with one command. Stop points and Print points to follow program execution. Show the GOSUB/RETURN Stack. Kill lines. Copy or Move lines, renumbering GOTOs, GOSUBs, etc. List lines with specific characteristics. A MUST FOR PROGRAMMERS.

Cleuseau + ROM2

ROM2 was \$85 NOW \$55

FAST Macro Assembler (300 lines per minute) and Symbolic Debugger (simulates 1000 instructions per second). Assembler allows User-Defined Macros. Conditional Assembly. Expression evaluation. Complete 8085 instruction translation. Complete error checking. Debugger allows memory inspection by name (label). Interactively execute and patch machine code. Single step, step into, out of and over subroutines. Set breakpoints and simulate up to them. Hex and ASCII memory dumps. The choice of most professional software developers.

was \$145 NOW \$95

Two amazing product together in one ROM. Save \$25 when you buy both. A complete software development system.

Guardian call for prices

Put YOUR BASIC programs in a ROM. Completely customize your computer. Guardian is a service we provide. It seems too simple to be true. You send us up to 30K of .BA, .CO and .DO files on cassette or DVI disk and we will return to you any number of ROMs containing your software. No special programming. No restrictions. Your programs are completely secure; they cannot be listed, copied or altered in any way.

MasterCard and VISA - call to order (907) 776-5529

Please add \$4 shipping and handling

! ROM Software at Cassette Prices !

Plug in a ROM ten times faster than you can read a tape.

Polar Engineering and Consulting

P.O. Box 7188, Nikiski, Alaska 99635

HEARING TEST


```
200 PRINT "This is a text of your high-frequency
                                                                                                                                                                              1200 CLS
                                                                                                                                                                                           :PRINT"LISTEN.
               hearing ...
             :FOR X=1 TO 500
                                                                                                                                                                                            : FOR X=1 TO 500
             · NEXT X
                                                                                                                                                                                            : NEXT X
                                                                                                                                                                              1300 FOR N=50 TO 350 STEP 20
300
             CLS
                                                                                                                                                                                            SOUND N.50
              :PRINT"Listen to the interval between"
                                                                                                                                                                              1400 INPUT"Did you hear that tone (Y/N)";AS
500 PRINT"type 'N <ENTER>', and the compute 'S PRINT"type 'N <ENTER', and the compute 'S PRINT" and 'S P
                                                                                                                                                                               1500 IF (A$="Y") OR (A$="y") THEN 1600 ELSE NEXT N
                                                                                                                                                                              1600 CLS
600 PRINT"will test you with the next lower tone.
                                                                                                                                                                                            :PRINT"The highest pitch adults can normally"
700 PRINT"if you hear something, type 'Y (ENTER)
                                                                                                                                                                                           :PRINT'hear is 20,000 vibrations per second
800 PRINT"and the computer will report what"
                                                                                                                                                                                             (Hz).
                                                                                                                                                                              1700 PRINT"In this test you heard approximately"
900 PRINT"frequency you heard."
                                                                                                                                                                                              INT(110/N*22336) "Hz."
1000 FOR X=1 TO 500
                                                                                                                                                                              1800 FOR X=1 TO 500
               : NEXT X
                                                                                                                                                                                           : NEXT X
                                                                                                                                                                                           :PRINT"
                                                       READY (press (ENTER>)"; R$
1100 INPUT"
                FOR X=1 TO 500
                                                                                                                                                                              1900 INPUT"Do you want to try again (Y/N)"; B$
                                                                                                                                                                             2000 IF (B$="Y") OR (B$="y") THEN 1200 ELSE END
               : NEXT X
```

Listing 2: Pet Reveille

Next time your dog or cat drops off to sleep, try this ultrasonic alarm and see what happens. Note that in the higher audible octaves, the melody may not sound right to you. That's because people normally have trouble distinguishing pitches at the high end of the hearing spectrum.

```
20
    CLS
                                                        2200 SOUND E,8
     PRINT "
                                                            : SOUND C,8
                      Pet Reveille"
     'Transcribed by J. Goldenberg
                                                            : SOUND E,8
30
     PRINT "You can play this tune in any of 9
40
                                                            : SOUND C,8
     octables, each octave higher than the other"
                                                            : SOUND E, 16
                              6 = You and Dog
     PRINT "1-5 = Humans
                                                            : SOUND C,8
50
            7-8 = Dogs, Cats 9 = Bats, NATO
                                                        2300 FOR J=1 TO
    INPUT"Octave (1-9)";R
                                                            : SOUND E, 8
70
80
     IF R=1 THEN X=1
                                                            : NEXT J
90
     IF R=2 THEN X=2
                                                        2400 SOUND GP, 16
   IF R=3 THEN X=4
                                                            : SOUND E,8
100
    IF R=4 THEN X=8
                                                            : SOUND C, 8
110
                                                        2500 SOUND G,8
    IF R=5 THEN X=16
160
    IF R=6 THEN X=32
                                                             SOUND G.4
170
                                                            : SOUND G, 4
180
    IF R=7 THEN X=64
                                                            : SOUND G.8
190
    IF R=8 THEN X=128
                                                            : SOUND G.8
    IF R=9 THEN X=256
200
                                                            SOUND C, 24
    G=12538/X
210
                                                        2600 PRINT
    C=9394/X
220
                                                             :INPUT'ENCORE (Y/N)";E$
   E = 7456/X
230
                                                        2700 IF (E$="Y") OR (E$="y") THEN 20 ELSE END
240
    GP=6269/X
                                                        5000 SOUND G,8
260 GOSUB 5000
                                                        5100 FOR I=1 TO
270
    SOUND C,8
     SOUND E, 16
                                                        5200 SOUND C.8
                                                             SOUND E,4
     SOUND C, 8
                                                            : SOUND C, 4
280 GOSUB 5000
                                                            : SOUND G, 8
290 SOUND G,8
     SOUND C, 24
                                                            :SOUND E,8
                                                        5300 NEXT I
2000 FOR J=1 TO 5
                                                        5400 SOUND C,8
     SOUND E,8
                                                             SOUND E,4
     NEXT J
                                                             SOUND C.4
2100 SOUND GP, 16
                                                            : SOUND G,8
    : SOUND E,8
                                                        5500 RETURN
    : SOUND C.8
```

THE MIGHTY GET MIGHTIER



Traveling Software, the Seattlebased software company for portable computers, has announced its second generation program ROM: The Ultimate ROM II.

The Ultimate ROM II, available for the Model 100, Tandy 200 and NEC PC-8201, is a major upgrade of the company's Ultimate ROM, introduced in the August issue of Portable 100/200. The new firmware contains a new word processor and 80-column display program, as well as enhanced versions of Idea and T-base.

The Ultimate ROM II's new word processing package is T-Word. According to Mark Eppley, president of Traveling Software, "T-Word has many additional text editing and formatting functions such as overwrite mode, page plotting and search and replace. And, with ROM-VIEW 80, you now have full 80-column text editing capability."

ROM-VIEW 80 enables BASIC, TEXT and TELCOM to function in an 80-column display mode. The firmware generates a smaller 60-column character set for the Model 100 or NEC PC- 8201; lines longer than 60 columns are automatically scrolled during editing. All editing functions of the computer's built-in TEXT program are available under ROM-VIEW 80. This program is not currently available in the Tandy 200 versions of the Ultimate ROM II.

Two of Traveling Software's programs included in the original Ultimate ROM, Idea and T-base, have undergone substantial modification, according to Eppley. T-base, a relational database program, now includes advanced math calculation and is five times faster. Idea, an outline processor, is also five times faster.

A new feature of Idea is optional ThinkTank file compatibility. Files created by ThinkTank, an MS-DOS outline processor by Living Videotext, can be converted to and from Idea format. ThinkTank files are compressed five times during the conversion process, so as to fit into the laptop computer's limited random-access memory (RAM). According to Eppley, "It's possible to take a 100K ThinkTank file from your IBM PC and use it in a Model 100 as a 20K Idea

file."

Another feature of the new firmware is a gateway for future support of the new Tandy portable 3.5-inch disk drive. "We don't want to pre-announce any new products," said Eppley, "but we thought it was important to our customers to know that we have built the foundation for disk drive support into the Ultimate ROM II."

The Ultimate ROM II is available for the same price as the original firmware: \$229.85. Upgrades from the Ultimate ROM are \$49, and through January 1, Traveling Software is offering \$100 off with the trade in of selected ROM products. The Ultimate ROM II is also sold through Radio Shack's Express Order Software (EOS) — catalog number 90-0409 for the Model 100 version, number 90-4010 for the Tandy 200. Or, contact Traveling Software directly at 11050 Fifth Ave., Seattle, WA 98125, (800) 343-8080.

Circle No. 81.

So You Think You're So Smart

Test your knowledge of computers and data communications with a new game from Black Box Corporation called King Chip.

The game is comprised of more than 40,000 questions that will challenge the expert and computer novice. Categories include data communications, history and current events, hardware, jargon and acronyms, potpourri and software. The object is to correctly answer more questions than your opponent, thus moving around the board and being crowned "King Chip."


Questions are divided into five difficulty levels. Other handicapping rules equalize varying degrees of knowledge,. Therefore a novice can take on an expert, a marketing manager can challenge a hardware engineer or a technical writer can square off with a software

King Chip is available for \$39.95 from Black Box Corp., P.O. Box 12800, Pittsburg, PA 15241.


Circle No. 82

1200 Baud

Why settle for less with your portable computer?



The TouchBase TRAVELCOMM 1200 MODEM



- Full featured
- Designed to travel
- Battery Power
- Auto 300/1200 Baud selection
- Weighs 6 oz.

And, it fits in your shirt pocket!

Contact your dealer, or ask us at



1447 So. Crest Dr., Los Angeles, Ca., 90035 (213-277-1208)

Graphs for Your 100 or 200

Finally a graphics package you can call your own. Graph Pak from Data Transfer, Inc. produces line graphs, bar graphs, pie charts, scatter graphs and histograms on the Model 100 or Tandy 200.

Graph Pak is menu-driven and allows you to either read data from data files or input variables directly from the keyboard. It plots multiple sets of data points for comparing charts and graphs. It also lets you either supply your own labels and scaling parameters, or does it for you.

Graph Pak is available on cassette tape for the Model 100 and Tandy 200. Contact Data Transfer, Inc., 306 Roncocas Blvd., Roncocas Woods, NJ 08060, (609) 234-6506.

Circle No. 83

Printing Secrets

Everything you ever wanted to know about Epson printers but were afraid to ask is covered in a new book from Merdyne Publishers, Inc. called *Epson Printers: Tips and Secrets*, by W.H. Darnall and D.B. Corner.

It contains a wealth of practical printer knowledge from how a dot matrix character is printed to the secrets behind bit image graphics. It includes insider's techniques, troubleshooting tips — everything you need to use the full power of your Epson printer, and keep it in top condition.

Epson Printers: Tips and Secrets is available for \$19.95 from your Epson dealer or it can be ordered from Merdyne Publishers, Inc. 184 Fifth Avenue, New York, NY 10010. □

Circle No. 84

Converting to New Horizons

A problem cropped up when a new industry specification called RS-422 was developed to overcome speed and distance constraints of the RS-232 interface. What do you do with all the RS-232 ports in the world?

You convert them with the new Model 63-2, RS-232 to RS-422 converter from Remark Datacom Division of Telebyte Technology Inc. The Model 63-2 supports full duplex transmission from an RS-232 port while providing necessary conversion circuitry to accommodate differential input and output required by RS-422.

RS-422 utilizes differential signaling techniques to provide the capability of driving a twisted pair transmission line 4000 feet at 9600 bits per second (bps).

The 63-2 provides data transmission over 4000 feet of a twisted pair at 38,400 bps.

The Model 63-2 features a programmable termination to allow matching the cable impedance into the RS-422 receiver which reduces reflections and ringing.

Power is supplied by a wall mounted transformer which produces low voltage AC that's applied via an eight foot cord to power supply circuits in the 63-2. A 115 volt transformer is standard, but 220 volt units are optionally available.

The Model 63-2 is housed in a small aluminum container. Units are available at \$110 each or \$88 apiece in quantities of 100.

Contact Telebyte Technology, Inc., 270 E. Pulaski Road, Greeenlawn, NY 11740, (800) 835-3298 or (516) 423-3232.

Circle No. 86



While We're on the Subject

Performance Interconnect, Inc. has begun shipping an interface converter of their own. Only this one includes both parallel to serial and serial to parallel data conversion.

Called the Adapta, it comes with a switchable 2048 byte buffer and its own 9 volt AC adapter.

Serial features include eight selectable baud rates (110 to 19.2K baud), seven to eight data bits, one or two stop bits, selectable control signal polarity and DTR and CTS control logic. The serial connector is a standard DB-25.

The parallel interface uses ACK and BUSY to control the parallel port data stream. The connector is Centronics-type parallel.

Suggested retail price is \$89.95. Contact Performance Interconnect, Inc., 8950 Villa La Jolla Drive, Suite 2144, La Jolla, CA 92037, (619) 457-0665.

Circle No. 87

What Disappears When You Stand Up?


The trouble with portable computers is you need something to put them on when typing — a desktop or more commonly a laptop. As journalists, construction workers and others know, when in the field, these luxuries are not always available. Until now.

Hearthside Enterprises has developed Porta-Pro, an adjustable, light-weight aluminum frame for holding your Model 100 when your desk or lap can't.

Built for comfort, Porta-Pro is made of padded aluminum and can be adjusted to accommodate users of different sizes and shapes. And it folds for ease in storage and portability.

Porta-Pro attaches to your computer using the 100's front screw holes.

Porta-Pro is priced at \$99.95 and is now available for the Model 100. Development is underway on frames for other laptop computers. Inquiries are welcome.




Contact Hearthside Enterprises, P.O. Box 609, N. Amherst, MA 01059, (413) 256-0050.

Circle No. 85



A Plan for Efficiency



For the TRS-80 Model 100

More than a Calendar

TMPC helps you organize your day. It is more than a calendar program; it is a toolbox to help you keep your most urgent tasks at top priority.

Efficiency is no Game

When you use TMPC, you enter the system of screens and corridors shown above and access features by moving through the rooms with the arrow keys. The screens may resemble an adventure game, but TMPC is a serious tool. The user interface will become second nature to you, like walking through the rooms in your home.

Functions for Efficiency

Each screen has its own function. For example, one

screen includes a perpetual calendar, and another shows a "warehouse" of tasks to be done. In other screens you can set entries that repeat weekly, monthly, quarterly or yearly; request a warning of up to 999 days for any entry; sort your to-do list by stress level and priority; and more.

Organization Philosophy

TMPC has more than just "features;" it has a philosophy of time management inspired by Stephanie Winston's best seller, The Organized Executive. You won't learn all there is to know about TMPC in five minutes, but after using it, you'll feel more organized, not just more computerized.

Circle 2 on Reader Service Card

Spreading the Word

One user told us that he felt *guilty* to get so much functionality at so low a price. Find out for yourself. Order TMPC today.

TMPC by Ac'rō a'tix

\$49.95 + \$3.00 Shipping

For more information, including how to get a *Free Sample*, call or Write:

Acroatix Incorporated P.O. Box 273 Wilmington, MA 01887 (617) 658-5550

Phone orders only call


(800) 225-5800





COD or Courier shipment available at extra

It's the Holmes Engineering/PCSG "chipmunk"



Uses the main menu concept. You see the disk directory instantly, arranged on your M-100 screen like your main menu. Just move the widebar cursor and transfer files with a function key. You can run a file directly from the diskette with the ENTER key. Uses $3\frac{1}{2}$ microfloppy diskettes that have a rigid plastic casing and a metal core. They're tough and nonflexible. You can carry several in a shirt pocket without damage. There's 358K on a diskette. Ten of these in your briefcase and you've got $3\frac{1}{2}$ megabytes.

Drive weighs only three lbs. and it works directly from the 110 outlet and recharges at the same time. It recharges in six hours with thousands of pages transferred between charges. It's compact, with dimensions of $2\frac{1}{4}$ " x $5\frac{1}{2}$ " x 7.5"; and fits easily into your briefcase along with your Model 100 or 200.

Machine code programs, BASIC programs, Lucid files and documents all are saved and retrieved with no protocol—instantly, ready to run.

In a special association, Holmes Engineering and PCSG have worked together combining the hardware knowledge of Holmes and the software expertise of PCSG. The result is a product that can only be regarded as excellent.

You see the disk directory instantly; works just like the main menu

Here is what is really exciting. The portable disk drive has Random Access. Included as part of the operating system in the drive (ROM) is a very powerful disk BASIC.

This means that you can have BASIC programs that will access the diskette and read and write records directly on the diskette.

Just imagine yourself with this kind of capability.

Database – The portable disk drive stores your mailing list, inventory items, part #s and descriptions or any other data that you need to recall.

358K on a diskette

Invoice (purchase order)—At the touch of a button you can print out your sequentially numbered, professionally done invoices. This is truly professional invoicing capability.

Purchase orders are just as easy.

Sort – This excellent utility allows you rapid sorting of any records you have compiled. You can write the newly sorted list back in the same file on the diskette or to a new file.

Telecom interface – If you are a user that likes to access other computers or databases (for example CompuServe) by telephone then this powerful facility alone is worth the price of the disk drive. You can automatically download and upload information onto the diskette.

Calendar - Everyone who has seen this program has said, "This is the first calendar/

diary/scheduler on any computer anywhere that I can use. It is so functional."

The calendar program is usable for two reasons, first it is designed correctly, and second you have the memory (358K) on the diskette to log and access a tremendous amount of notes over a long period of time.

Personal Finance Manager – This wonderful program truly lets you keep track of your finances.

All your records are kept on the diskette. Bank accounts (checking and savings) and charge accounts such as MasterCard and Visa.

We at PCSG believe we have the ultimate Model 100 system, the Portable Disk Drive plus the *Lucid* spreadsheet on snap-in ROM, *Write ROM* word processing and the new 64K RAM expansion now available from PCSG.

We want you to find out for yourself at no risk. If you aren't totally satisfied within 30 days, simply return the disk drive for a full refund. Priced at \$499.95, including the software library. MasterCard, Visa, COD.



"Ask about our new \$399 budget model"



11035 Harry Hines Blvd., #207 Dallas, Texas 75229

■PCSG offers a 30-day/money-back trial!

Tandy Takes The High Road

By J. D. Hildebrand

A mid speculation, controversy, prophecy, before-the-fact second-guessing and a fair amount of fanfare the Tandy 600 was introduced October 28, 1985.

The introduction followed months of media guesswork and official denials, most centered around a non-existent MS-DOS laptop capable of running programs written for the IBM PC. Speculation continued even following an official denial from Radio Shack market planning director Ed Juge.

For Tandy watchers and laptop-industry enthusiasts the Tandy 600 is immediately a disappointment. Never mind

that the benefits of IBM compatibility haven't been proved in the laptop market. Never mind that the 600 is easier to use than MS-DOS computers by several orders of magnitude. Never mind that it's got more power than most laptop users are ever likely to need. The widespread reaction will be that it's behind the times, obsolete upon introduction — not Tandy's best effort.


In introducing this system at this time, Tandy has chosen to follow a perilous strategy. The company isn't following the current wisdom that says users want MS-DOS laptops. Instead, they're focusing on feedback to the Model 100

and Tandy 200, introducing the system users say they *need*.

The success of the Tandy 600 will ultimately depend upon whether computer purchases are based on hype-fueled wants or business needs.

SYNERGISM

Buckminster Fuller defined synergy as the quality distinguishing a system whose behavior couldn't be predicted from the behavior of its parts. All computers are synergistic systems to some extent. The Tandy 600 is more unpredictable than most.




TANDY 600

Still, a discussion of the whole is meaningless without some enumeration of the parts. For the record, here they are:

- 32 kilobytes (K) of random-access memory (RAM), expandable to 224K.
- A flip-up, 80 by 16 liquid-crystal display (LCD).
- A built-in 300 bits-per-second (bps) modem.
- An internal 3.5-inch disk drive that stores 360K of programs and data.
- A 16-bit 80C80 complementary metal-oxide semiconductor (CMOS) microprocessor.
- An RS-232 port and a Centronicscompatible parallel printer interface.
- An expansion bus for addition of an external floppy drive or other peripherals
- Built-in rechargeable batteries, and an AC adapter/charger.
- Read-only memory (ROM)-based applications: System Manager, Word, Calendar, File, Telcom and Multiplan.
- One option ROM socket (accessible by removing Multiplan) that holds BA-SIC or other ROMs.

The entire package retails for \$1,599 with 32K of RAM. Memory upgrades from Tandy cost \$399.95 for each 96K of add-on RAM.

Like the 100 and 200, the 600 has a 72-key keyboard. Current Tandy laptop users will feel comfortable with its layout: 10 programmable function keys, an embedded numeric keypad, plus dedi-



The 600's 16-line, 80-character display locks at any convenient viewing angle.

cated keys for Break/Pause, Print, Ctrl, Label, Alt and Num.

A recessed button marked "Power" sits above the first four function keys, just where a similar button is placed on the 200. However, its operation is different. The 200's pop-up button is designed to turn the computer on and off when users open and close the case. But Tandy found users got into the habit of turning the computer off when they were done. Then when they closed the case they turned it back on, diminishing battery life. So the 600's power must be turned on and off deliberately.

Power is an important issue with the 600. Because Tandy rates its battery life at just six to 11 hours (depending on disk, printer and RS-232 use), the built-in nickel cadmium batteries, or nicads, need frequent charging. This is probably Tandy's poorest design decision. Imagine you're traveling on business when your power runs low. Would you rather pull some spare batteries out of your briefcase and replace them, or find a power outlet to plug in the bulky recharger and leave the computer sitting for 14 hours to recharge?

Compounding the problem is the fact

W. W.	The state of the s	360	200	an	0	THE PARTY NAMED IN	Transfer Street
- 1	ow 1	ha	6	And I	4.5	14 3 T C	123
	B. B. W.		Section 1	4.25.2	S.P.:		CONTRACTOR OF THE PARTY.

Model	Price	Screen/Mod	em Memory	Applications	Storage
Model 100	\$599	8x40 LCD yes	24K RAM 32K ROM	BASIC, TEXT, TELCOM, SCHEDL, ADDRS	
Epson Geneva	\$995	8x80 LCD no	64K RAM 32K ROM	CP/M, BASIC, WordStar, Portable Calc, Portable Scheduler	internal cassette
NEC Starlet	\$995	16x80 LCD yes	64K RAM 32K ROM	CP/M, BASIC, WordStar, Portable Calc, Portable Scheduler	
Tandy 200	\$999	16x40 LCD yes	24K RAM 72K ROM	BASIC, TEXT, TELCOM, MULTIPLAN, SCHEDULE, ADDRS	
Tandy 600	\$1,599	16x80 LCD yes	32K RAM 160K ROM	WORD, CALENDAR, FILE, TELCOM, MULTIPLAN	360K micro-floppy
Data General One	\$2,695	25x80 LCD no	256K RAM 32K ROM	MS-DOS, BASIC, memo writer terminal emulation	360K micro-floppies
HP 110	\$2,995	16x80 LCD yes	272K RAM 384K ROM	MS-DOS, MemoMaker, Lotus 1-2-3, terminal emulation	

What People Are Saying About Traveling Software. ...

For TRS-80 Model 100, NEC PC-8201, and Olivetti M10 laptop computers:



66 This thing is fantastic. I can write proposals in about 50% of the time it took previously, I can organize presentations better - I use it for just about everything 59 Jonathan W. Pearce, C.P.A.

66 I found it an invaluable tool. It has become as much a part of my 100 as Text and Telcom, like a second skin 🗩 John P. Mello, Portable 100/200, March.

Organize anything from simple lists to complex outlines. Easily reorganize and search. Use word processing and database capabilities. Develop outlines from rough drafts into complete papers, \$79,95

Tebackup

66 Your program is super, and a real time saver 99 Bruce Arnold, special sales

66 Your T-backup program is the most useful that I have ever purchased for my Model 100. Keep up the good work 🤧 Thomas Febsenfeld, customer.

Save the entire contents to cassette from RAM in minutes, rather than back up files individually. Check the integrity of saved data copies. Restore data from cassette: \$19.95

T-base

GCramming the complexity of a relacomputer ... may seem ambitious ... Yet Traveling Software's T-base handles the challenge with surprising grace. 99 P. Gregory Springer, InfoWorld, December 10 1984

Design relational data bases. Set up screen files. Borrow information from fields in other data bases. Perform math computations. Create custom-printed or LCD display reports. \$99.95

T-Writer

all that it is advertised superior in many aspects to the WRITE+ program that I used previously 99 John J. Atkins Jr., food service director.

Print documents created using the built-in TEXT program. Include justification, headings, footings, underlining, italics, boldface, and more. Produce form letters and mailing labels. \$49.95

Traveling Manager

66 The program and manual were user Appointment friendly an excellent value. 99 Mary Jeann Batham, Portable 100/200, May

Maintain a detailed list of appointments and things-to-do. Consuit on-screen or printed records. Automatically reschedule recurring appointments. \$59.95

Traveling Expense Manager

66 the Traveling Expense Manager is well-thought-out and keeps track of exactly the type of information that you need while you are on the road. It's everything you need to keep your boss --and the IRS -- happy 🕶 Dan Robinson. InfoWorld, July 30, 1984

Define expense categories. Record expenses to any account. Indicate if a business expense is billable. Produce reports by client or project, and the type of expense \$59.95

Traveling Project Manager ...

6. very useful in helping me track my projects .. simple .. provides useful data and printouts \$9 J. Michael Masterson. strategic projects manager

Simultaneously manage several projects — small or large. Enter dollar or other unit expenditures. Produce a variety of summaries and printed reports. \$59.95

Traveling Sales Manager IM

66 I spend a lot of time on the road and find the Traveling Sales Manager useful. The manual, in particular, was outstanding 🤧 Don Gillespie, salesman

Keep a detailed log of customers and contacts. Record what customers purchase and when. Store important biographical data and reminders to call on customers. \$59.95

Traveling Taline Manager

6 . first-class software, a valuable tool for consultants and others billing clients by the hour 99 John P. Mello, Portable 100/200, April 1984


Track time spent on projects or for a client. Apply your own billing rate. Indentify time expenditures as billable or nonbillable, \$59.95

CALL 1-800-343-8080

CALL (206) 367-8090



Traveling Software, Inc. 11050 Fifth Avenue, N.E. Seattle, WA 98125 (206) 367-8090



TANDY 600

that running the unit from AC power via the recharger/adapter doesn't recharge the batteries. And the user manual cautions, "Always allow enough time for a full charge when recharging the batteries." You've had your six to 11 hours of use — now leave the computer alone for 14. This restriction limits the 600's use as a portable.

Further compromising portability is the 600's sheer bulk. Users marvelled at the 200's specs — 11.75 by 8.5 by 2.25 inches, it weighs just 4.5 pounds. The 9.5-pound Tandy 600, in contrast, measures 12.75 by 11.5 by 2.5 inches. It's too big to fit into a briefcase and too heavy to carry far without major motivation.

Is this a fair complaint? Yes and no. A

computer this big, especially one without a handle, isn't conveniently portable. But it's probably the smallest computer you can build with an internal disk drive. If portability is more important to you than disk storage, choose the 100 or 200. If you need a drive, the 600's for you.

The 600's 80-character, 16-line LCD isn't as readable as the 100's or the 200's. This probably isn't a fair complaint either; the 100 and 200 have the most legible LCDs in the industry, and anything else suffers by comparison. On its own merits the 600's screen is perfectly readable under most lighting conditions, at least for short periods of time. A thumbwheel on the side of the com-

puter allows users to vary contrast, and the unit's case mechanism allows the operator to lock the screen at virtually any angle.

MICROSOFT WORKS

The key to the 600 is its bundled software, developed — like MS-DOS and the firmware that comes with Tandy's other laptops — by Microsoft of Bellevue, Washington. The ROM-based programs are collectively called Microsoft Works, and they include a System Manager, Word, Calendar, File, Telcom and Multiplan. In a departure that gives keen insight into Tandy's plans for the 600, BASIC isn't included. This computer is for professional users, not primarily for hobbyists or programmers. For the latter, a \$129.95 BASIC ROM is available. It fits into the unit's single option ROM socket, replacing Multiplan.


The 600's 80C88 microprocessor — a CMOS version of the 16-bit chip that controls the IBM PC — is capable of addressing far more memory than the eight-bit chip inside the 100 and 200. The prospect of 224K of RAM should have most current Tandy laptop users foaming at the mouth, or drooling a little at least.

Expansion memory is expensive but important. Each of the built-in applications requires work space (ranging from 3,700 bytes in Word to 6,500 bytes in Telcom). While the built-in disk drive makes memory-based file storage space less necessary, most users will probably purchase at least one 96K RAM upgrade. Economies of scale and third-party suppliers should eventually drive the cost of the upgrade far below Tandy's current \$399.95 retail price.

In contrast to the "invisible operating system" that controls the Model 100 and Tandy 200, the 600's System Manager is dismayingly visible. This is the first Tandy laptop you can't thrust into a new user's hands confident of immediate adoption. Hours of practice and thorough manual reading are required. With practice, using the 600 could eventually become second nature, but never intuitive.

When you turn the computer on you're confronted with a list of applications and a command line across the bottom of the screen. The arrow keys step you through the applications, allowing you to highlight selected programs with the familiar wide-bar cursor.

The space bar moves a second widebar cursor over the commands that appear on line 14 of the 600's LCD. You may select Copy, Delete, List, Name, Options, Run or Set. These are operating



Like its tiny Tandy cousins, the 600 (center) has a 72-key keyboard with an embedded numberpad.

Method in Tandy's Madness

Though this be madness, yet there is method in 't.

William Shakespeare Hamlet, Act II, Scene 2

Everyone expected Tandy's next laptop computer to run MS-DOS. Everyone. IBM-compatible laptops are the next big thing, after all, and anyone who introduces one will quickly and automati-

cally become rich. Right?

Wrong. IBM-compatible laptops were released at an astonishing rate during the past 12 months, beginning with the introduction of the Hewlett-Packard 110, Texas Instruments Pro-Lite and Data General One in late 1984. Today more than 20 such units are available from almost as many vendors, Market analysts continue to cite surveys proving conclusively that the PC-in-a-briefcase will meet unheralded success among corporate buyers who need full-

powered computers they can carry around.

Reality hasn't kept pace with the analysts' predictions. The truth is that the MS-DOS laptops currently on the market don't sell in the consumer market-place. They're the perfect solution to problems virtually no one has.

To be fair, some IBM-compatible laptop vendors have found limited success in vertical and niche markets. Grid Systems Corp. has posted slow but steady growth specializing in government and military applications. Auditors prefer the DG One. The TI Pro-Lite has evolved into a portable adjunct to a desktop artificial intelligence workstation based on the TI Professional. But these are small successes compared to the researchers' prophecies and the vendors' hopes.

Let's face it. The number of executives affluent enough to part with \$6,000 for a complete IBM-compatible laptop system and gung-ho enough to recalculate Lotus 1-2-3 spreadsheets at 35,000 feet in-

stead of relaxing over a cocktail with their compatriots is limited. Severely limited.

Contrast the philosophy behind these products with the thinking behind Tandy's laptop line and you'll see a clear distinction. The other manufacturers design the most sophisticated laptops technology allows, build them, and think about the users later. Tandy designs systems based on what users need.

Tandy has confounded the analysts and the second-guessers by refusing to introduce an IBM-compatible laptop—a task the company is singularly well qualified to do. The 600 pleases, but doesn't astound. It fails to blaze new

technological trails.

Tandy's main distinction from the rest of the industry, most of whom are suffering reduced sales and layoffs, is commitment to the user's needs and priorities. It's an old-fashioned approach to doing business, but it serves the company well.

—J.D. Hildebrand

system utilities that allow you to manipulate files, set the system clock and configure the computer for a given printer. So far so good, except that you've got two input modes governing selection of a file or program.

But that's not all. Toggle the Label key (the command line disappears) and you'll see definitions for the system's 10 programmable function keys. Press Shift-Label and you get a second set. Ctrl-Label yields a third set.

Confused yet? Hang on. There's more. Press F3 and the list of applications at the top of the screen disappears, replaced by a second screen that includes the programs along with the data files associated with them. So if you've created text files with Word, they show on one of the screens but not the other.

Now insert the utility disk that comes with the system. It has programs for formatting and copying disks, installing device drivers and so on. (Device drivers? Is this really a Tandy laptop?)

Tap F3 to display the installed applications and — nothing from the disk appears. You have to instruct the computer to search the disk drive for applications with a command confusingly called "Options."

The Options utility prompts the user for a drive name. Search the manual and you'll find the internal drive is named A.

(Options accepts any single letter as a drive name, but B through Z refer to external units. You don't get an error message — but you don't get any data from the drive, either.)

Once you've used the Options command to inform Microsoft Works that there's a disk in the drive, the applications display changes. Below the built-in applications are mysterious entries: .!60, .!70, .!90, .DVR and .LIB. Next to these in a second column are the names of the programs on the supplied utility disk: Format, Install, Diskcopy, Printer, Dbcalls. The gibberish in the first column turns out to be file extensions like the .BA and .DO extensions used by the Model 100.

Now that the system knows where to find the disk-based applications you can run them with the Run command, right?

Wrong. Before the 600 can execute any disk-based program (or manipulate any disk-based file) the user must load it into RAM with the Copy command. It really isn't all that complicated — it's all explained on page 237 of the Owner's Manual.

There's a logic behind these operations that eventually makes sense, but the fact remains: The 600 isn't as intuitive, friendly or simple as the 100 and 200. Before the owner can use it, he or she must do some homework.

BUILT-IN APPLICATIONS

The Word that comes with the 600 bears no true relationship to Microsoft's similarly titled desktop-computer classic. It is nonetheless an excitingly powerful and easy-to-use product.

Editing commands are available via the programmable function keys in regular, shifted and Ctrl modes — a total of 30 options. The program supports both one-by-one and global search-and-replace, and includes a strikeover option for those users frustrated with the 100's insert-only dictum. Right justification, page numbering, variable tab-setting, paragraph formatting, centering, negative indenting, margins and on-screen repagination are all available.

A unique feature is Word's Jump % command, which allows the user to scroll immediately to an approximate place within a document — 50 percent through, for example, or 75 percent through. Jump Page scrolls immediately to the top of the selected page of documents that have been paginated on the LCD.

Tandy's owners manual claims that Calendar is merely an appointment manager, but its potential applications are actually much broader. The program is a primitive project manager that allows users to define and view the starting and ending dates of subtasks that make up a

Changes your Model 100 into a totally different computer with capability you never thought possible.



Infoworld rated Lucid's performance "excellent"

NOW AVAILABLE ON M-200

PCSG says "Satisfaction Guaranteed or your money back within 30 days!"

LUCID® is here now. It is on a ROM cartridge that snaps into the compartment on the back of your Model 100. It takes no memory to load and no memory for operating overhead. That means you have the full 29.6k bytes free to store your data.

First, LUCID® is memory conserving. It will let you build a large spreadsheet – 255 row by 126 column capacity. You build huge spreadsheets in your Model 100's RAM that could consume 80 to 100K on a desktop computer.

Secondly, LUCID® is fast. LUCID® is so rapid, a 36 column corporate financial statement took less than 4 seconds to calculate.

Thirdly, LUCID® has features you won't find in most other spreadsheets. For example, when you type a label (text) it will cross column boundaries; in other words when you type a label or title it will appear as you type it irrespective of column or width. LUCID® also allows you to set column widths individually, and of course LUCID® has insert row and insert columns, as well as other standard features. LUCID® even lets your formulas refer to cells in other spreadsheet files

other spreadsheet files.

Further, LUCID® has what no other spreadsheet has: Cut, Copy, and Paste. It uses the same keys as Cut and Paste in TEXT, but here's the difference: it takes all the formulas with it when you paste and they all automatically recalculate with the entire sheet.

And here is what is really amazing. You can copy or cut from one spreadsheet and paste into another spreadsheet or even a

LUCID®supports all BASIC math functions as well as Log, sine, cosine, tangent, exponentiation and other sophisticated math functions.

LUCID® has so many features that you will say "this is what I need in a spread-sheet", such as automatic prompting of an incorrectly typed-in formula showing just where the mistake was made.

LUCID® has expanded "go to" functions that remember and produce a windowing capability.

But perhaps most remarkable is that LUCID® is not only a spreadsheet but a program generator as well. First, LUCID® lets you protect all cells against entry or change, and then unprotect just the cells you want for someone else to use as input fields.

LUCID® will not only process values, but text input as well so that the facts other than numbers can be responded to. LUCID® has the ability for you to refer in a formula to cells containing words. This feature combines with the capacity of doing "if then" statements that work by doing table lookups against even massive X/Y charts of text or numerical information. You can produce a program that responds to inputs with no programming knowledge whatsoever.

You can prepare a report section in your spreadsheet with instructions to your user for printout, and they can produce a personalized printout that responds to their input. All your formulas and tables that did the calculations and provided the facts are invisible to that user. LUCID® is useful for doctors for patient questionnaires, trouble-shooting technicians, purchase clerks, people doing job quotes, stores for customer workups, insurance agents and anybody who needs to process specific facts and numbers to produce a report based on those responses.

LUCID® comes with a manual that explains not only the characteristics of LUCID®, but will train you how to use a spreadsheet even if you have never seen one before. You are shown how to do budgets, forecasts, breakeven analysis amortizations and many other types of personal and business reports and calculations.

User friendly is such an over-used term in this industry, but a typical comment has been "I have never seen a spreadsheet that does so much, and yet LUCID® is so much

easier and faster to use."

LUCID® is a result of a most exhaustive developmental effort in which PCSG's objective was to develop a spreadsheet that was better than the state-of-the-art. We are so pleased because LUCID® provides for the Model 100 spreadsheet capability you cannot equal on a desktop computer.

LUCID® is, in our opinion and that of those who have examined it, a break-through. We sell it on a 30 day trial. If you are not completely satisfied, return it within 30 days for a full refund. Priced at \$99. on snap-in ROM. MasterCard, Visa or COD.

© PCSG 1984

First with software for the Model 100

PORTABLE
COMPUTER
SUPPORT
ORQUP

1-214-351-0564

11035 Harry Hines Blvd., #207 Dallas, Texas 75229

PORTABLE BASICS

For your Model 100, TANDY 200,

or NEC 8201

UTILITY PROGRAMS: Everyone needs at least one of these programs. THEY ARE AN EXCEPTIONAL COMPUTING VALUE. Written in BASIC — No conflict with Machine Language programs, DVI, or other peripherals. Only \$14.95 for your first program, \$9.95 for each additional one (in the same order). Buy 3 and choose a 4th program free!

RENUMBER — 2K — Renumbers Basic Programs in place. (Models 100 and 200 only).

DISASSEMBLER — 1.3K — Perhaps the smallest disassembler around. Output to LCD, LPT, RAM, COM, or CAS.

ASSEMBLER — 2.2K — Compile your own machine language programs. Improved to 150 bytes/minute.

CONVERT — .5K — Conversions between Decimal, Hex, and Binary numbers.

HEXSAVE — .5K — Save and Reload Machine Language programs using ASCII data. Allows uploading to your desktop computer.

ANNUITY CALCULATOR — 1.5K — Present Value, Future Value, Payments, Interest Rate. Compare loans or plan for the future!

CALENDAR — 1K — Display any month since 1582 AD! Scroll forward, backward, or enter new month with one key.

TIMER/ALARM — 1 K — Countdown timer, stopwatch, or alarm. Perfect for eliminating missed wake-up calls!

FILE SIZE — .6K — Display the RAM address and number of bytes used by each of your files. Helps with memory management.

LINE FEED — .3K — Enable/Disable Line feeds instead of flipping DIP switches. Status displayed or changed from main menu. (Models 100 and 200 only).

SCREEN DUMP — .5K — Send Graphics to your printer! Most Daisywheel and Dot Matrix printers can be used. Send us your printer control codes so we can set up the program for you.

STATISTICS — 1K — Compute Mean, Standard Deviation, and Variance of a Normal distribution. Reads data from a text file.

WEIBULL STATISTICS — 1K — Characteristic Life, Reliability, and Confidence. Multiple Samples, Suspended Tests.

MACHINE LANGUAGE PROGRAMS: \$17.95 each. All of them are Relocatable! And none of them need any free RAM. None

CASSETTE — 2K — Back up all your files at once. Only takes 4 minutes for a 32K save or load. (Models 100 and 200 only).

SCREEN DUMP — .5K — Similar to the BASIC version, but much faster. Send us your printer codes when ordering this.

ASSEMBLER — 1.4K — Includes ORG, DATA, STR, RES, EQU, and \$ pseudo-ops. Compact and FAST!

Need something that isn't here? **CUSTOM** Software services available, too. Send me your application, I'll send you a quote. Most jobs \$50-\$250.

These are good, well-written programs. Don't let their size fool you. A lot of work was done to insure minimum use of your portable's RAM. The prices are low because the author and seller are the same person. That also means excellent customer support!

Complete collection of all programs \$59.95

ORDERING INFO:

Add \$2.00 S&H per order. Michigan Residents add 4% sales tax. Checks, MasterCard, and VISA accepted. No Purchase Orders unless payment is included. No COD's. Thank You very much!

PORTABLE BASICS, INC. P.O. Box 696 Comstock, MI 49041 616-343-9315

TANDY 600

complete job — and to assign them priorities. Based on monthly calendars and daily lists of events, the program is as easy to use as it is powerful. It even includes an alarm that beeps at the user when it's time to start an appointment — even if the computer is turned off.

File is similar to the database subprogram of Lotus 1-2-3. It arranges records and fields of data as rows and columns of a spreadsheet. Simple, clear commands allow the user to specify the type and format of data that can be included in each column (field), and to sort the database in ascending or descending order based on any field.

What File lacks is a report generator. However, it does share data files with Word and Multiplan. While it isn't a true database manager, it does organize information and help verify its accu-

Telcom is a more powerful version of the Model 100's TELCOM, with some important additions. The program has four modes: Command, Script, Terminal and Answer.

Command mode is the most similar to Model 100 TELCOM. The screen clears except for the command line, which reads Answer, Connect, Disconnect, Modify, Options, Run, Script and Transfer. Modify is similar to Model 100 TELCOM's STAT, but presents a menu of communications options instead of forcing the user to wing it. Users can set word length, protocol, baud rate, parity, duplex, stop bits and more from the menu. Connect is similar to Model 100

TELCOM's CALL option.

Script mode is a fancy name for the program's auto-logon and auto-dial functions. Prompts guide the user through established session scripts. (Choosing Respond, for instance, prompts the user with Respond to:...With:) With the 600's Set Wake command option, it allows the operator to direct the computer to wake up in the middle of the night, log onto CompuServe or The Source, send a message, download data and log off — all in unattended mode.

Terminal mode is just like Model 100 terminal mode. It's the state the computer is in when it is communicating with another computer.

Answer mode allows the 600 to function as a simple bulletin board. The operator can instruct the computer to answer the phone, prompt the remote user for a password, transmit and receive information, and hang up.

Tandy 600 Multiplan is similar to Tandy 200 Multiplan, except that the larger LCD makes its use more convenient and practical. Microsoft's ROM-based laptop implementation of Multiplan is powerful and useful.

CO-RESIDENT FUNCTIONS

In addition to the applications that appear on the menu, two utilities are almost always available via function keys.

Calc is an adding-machine emulator that appears in a window at the right side of the screen. It allows users to total a column of numbers quickly without interrupting a Word or File session. It's

The 600's specs are suspiciously similar to those of the \$2,999 HP-110 from Hewlett-Packard.

most convenient when used with the embedded numeric keypad.

Alarm displays any appointments from Calendar whose start times have passed. It allows users to postpone or reschedule appointments without ceasing work.

POSITIONING IS ALL

Tandy frequently surveys its users for feedback on its computer products. That's how the 200 was born — Tandy found that corporate clients needed a slightly larger screen, a spreadsheet and so on.

This was also the process that led to the introduction of the 600. But in this case the survey was more likely based on non-users than users. The Tandy 600 meets the objections of corporate buyers who rejected the 100 and the 200 as too limited. As such, it's probably not the right computer for users who are happy with their current Tandy laptops.

The best-selling laptop computers on the market are the Model 100 and its NEC counterpart, the 8201, both of which were designed by Kyocera in Japan. Second on the list is the Hewlett-Packard HP 110, a nine-pound portable with built-in word processing, telecommunications, spreadsheet and simple filing firmware. These specifications are almost identical to the Tandy 600's.

Further similarities suggest that the 600's design was dictated in part by the success of the HP 110. Both have 16-line, 80-character LCDs, for instance. Both have 300-bps modems. Both communicate conveniently with desktop computers — the HP 110 via a proprietary interface card and the 600 via serial port-to-serial port communications and a null modem. Both feature proprietary operating systems.

In the 600, Tandy has delivered a product competitive with the second-best laptop on the market — at half the price. Better, even — one of the main complaints against HP's portable is its lack of an internal disk drive.

Maybe this is the reasoning behind those features of the 600 that make Model 100 and Tandy 200 users shake their heads in bewilderment.

After all, Tandy was already responsible for the best-selling laptop of all time. With this one stroke the company may steal the second largest share of the market from the competition. \square

Please help us rate this article's value. If you've found it very valuable, circle 164 on the Reader Service Card. If it was moderately valuable, circle 165—and if it wasn't valuable to you, circle 166.

A Clock-Work Tandy

By Alan L. Zeichick

T ime is Money. That's the theme that we expounded in the July, 1985 issue of Portable 100/200. Five months later, we have another theme: Time is Fun.

For some arcane reason, clock programs are always favorites. I've written lots of clocks for IBM 370 mainframes, my old TRS-80 Model III and various IBM-compatible microcomputers.

Less than 24 hours after I saw my first Model 100, I had completed a small analog clock program in BASIC. That program, in addition to drawing groans from the Portable 100/200 staff, taught me how the little wonder worked.

Some programmers use prime number generation as a programming benchmark. Others use disk-based random-

access file sorting. So, what's wrong with clocks?

LITTLE BOXES

When the Tandy 200 appeared, everyone said, "Oh, no! Not another clock program!" So, I didn't write just any old clock — I created a random-pattern masterpiece.

The Tandy 200 analog clock, BIG-BEN.BA, does more than give the time—it displays an ever-changing pattern of dots on either side of the clock. Why? Don't ask.

Features such as alarms, hourly chimes and a sweep-second hand aren't included in this implementation. Feel free, though, to add any features your imagination desires.

ALAN IN PROGRAMLAND

The BIGBEN.BA listing is pretty straightforward.

Lines 1000 through 1220 indicate the commands used to control BIGBEN and variables used in the program. Pressing Z zeros the seconds — useful for synchronizing with a time signal. R redraws the clock face if the random pattern becomes too atrocious. The M key (or F8 if defined to MENU) returns to the Tandy 200 main menu screen.

Variables and the BASIC environment are initialized between lines '.240 and 1280. The variable RD is se' to the reciprocal of the number of radians in a circle. This constant is used for the angle calculations for the clock's hands.

(Text continues on page 54)

Listing 1: BIGBEN.BA.

```
Alan L. Zeichick
1000
1010
       Analog Clock for Tandy 200
1020
1030
       Keys Used
1040
1050
       M. F8
                Return to MENU
1060
                Redraw clock
1070
                Zero out seconds
1080
1090
       Variables Used
1100
1110
       APS
                AM/PM flag
1120
       DX
                Dot X-coordinate
1130
       DY
                Dot PSET/PRESET flag
1140
       HX
                Hour X-coordinate
                Hour Y-coordinate
1150
       HY
                Keyboard input
1160
       INS
1170
       RD
                Constant for radians
1180
       MX
                Minute X-coordinate
1190
       MY
                Minute Y-coordinate
1200
       OH
                Old hour
1210
       OM
                Old minute
1220
       T$
                Old time
```

28

```
1230
1240 CLEAR 100
1250 DEFINT D. O
1260 CLS
1270 \text{ OM} = 99
1280 \text{ RD} = 3.1415926535 \# / 180
1290
1300 ' Put in the box
131Ø
1320 LINE (\emptyset, \emptyset)-(239,123),1,B
1330 LINE (58,0)-(182,123),1,B
1340
1350 ' Put in hour marks
1360
1370 FOR OH = 0 TO 11
          MX = 120.5 + 58 * SIN(OH * 30 * RD)
1380
          MY = 62.5 - 58 \times COS(OH \times 30 \times RD)
1390
1400
          LINE (MX-1, MY-1)-(MX+1, MY+1), 1, B
1410
          NEXT OH
1420
1430 \text{ MX} = 0
1440 \text{ MY} = 0
                         (Listing continues on page 53)
```

We've done it again!!!

More super software for your Model 100, Tandy 200 & NEC PC8201A!

MEN-U-TILITY

Men-u-tility is a powerful new utility for your Model 100. Once installed it is completely automatic and comes up when ever you would normally return to the main menu. As you move the cursor bar over the files, the length of each file is instantly displayed in the upper right corner. Men-u-tility adds 8 function keys to your main menu. You can kill files, rename files, make files invisible, set the day, date and time without ever leaving the menu.

Men-u-tility is also a print formatter. With F3, you can print any .DO file to your printer and you decide the right and left margins, top and bottom margins and page length! F8 sets an alarm that will go off no matter what mode you are in, BASIC, TEXT, TELCOM. etc.

If you have the Disk Video Interface (not required), the menu will appear on whatever screen you are using.

Men-u-tility only requires 1.8K of RAM and won't conflict with your other machine language programs.(100)

\$24.95


Feb 04.19	85 Mon 00	11:04 28	8006 2
BHSIC	TEXT	TELCOM	ADDRSS
SCHEDL			
			-, -
-,-			
	-,-		
Name Kill	Prnt Inv	l Date Day	Time Alrm

LET'S PLAY MONOPOLY*

It's you against the computer and the computer is a tough competitor. The computer makes all its own decisions. Super fast machine language graphics display the whole board at all times. You can tell at a glance who owns what property and the number of houses on each. It never takes more than 1 or 2 seconds for the computer to decide what to do. The computer is such a good player that you'll be lucky if you even win half of the time. [100,200,NEC]

*Monopoly is a trademark of Parker Brothers.

\$29.95



ASSEMBLER

Our assembler is the answer to your assembly language programming needs. It has all the features you expect in an assembler and morel it requires less than 3K of your valuable RAM space and is relocatable to any convenient place in memory. There are several useful macros already built in. You can output all or any portion of the assembled listing to your screen or printer. An extensive 56 page manual covers the use of the assembler, the complete 8085 instruction set, useful sample programs and LOTS of information on the ROM and reserved RAM areas. (100,200,NEC)

\$32.95

Melody Maker

Melody Maker is a musical program generator. Simple cursor controls are used to select a note and position it on the staff making it easy to enter in sheet music. You can even use Melody Maker to add musical routines to your own programs. (100,200,NEC)

\$19.95

BYTEFYTER

Now you can expand the memory capacity of your portable computer by reducing the size of the programs that you store in it. Bytefyter is a 100% machine language program that does just that. It is relocatable so that it won't conflict with any other machine language programs that you use now, or may use in the future.

Bytefyter works on your BASIC programs just as they are, IN PLACE. It strips unneeded spaces and remark lines. But that's not all! Bytefyter is smart! Bytefyter combines the lines of the BASIC program to whatever maximum length you specify. Each line of a BASIC program takes 5 bytes just for the line number and pointer information. By combining lines, Bytefyter saves a tremendous amount of space, space that could be used for another program or text file. Bytefyter actually checks the logic of your programs and doesn't combine lines that would cause the program to crash.

Bytefyter is amazingly fast. It will do its job on even the largest BASIC program in just seconds You'll want to use Bytefyter on all your BASIC programs, whether you wrote them or bought them. (100,200,NEC)

\$24.95

RENUMBER

Renumber is a machine language program that lets you renumber the lines of your BASIC programs IN PLACE! Renumber adjusts all references to line numbers throughout the program. It is completely relocatable so it won't conflict with your other machine language programs.

Renumber is FASTI It will renumber even the largest BASIC program in just seconds. You can renumber all or just part of a program. You decide the starting line number and the increment to use. It couldn't be any simpler. This is one utility that the serious BASIC programmer just can't afford to be without (100.200)

\$24.95

CBUG

CBUG is the ultimate debugging tool for your lap computer. It only requires 3K of your precious RAM space and is relocatable to any convenient place in memory. CBUG is not just fast, small and easy to use, it is POWERFULII With CBUG you can step through an assembly language program or the ROM while it displays the registers, the status of the flags, and associated memory locations. You can set breakpoints and excecute your code to that point. You can step through call instructions with a single keystroke and return to the point after the call. CBUG does number base conversion, hex addition and subtraction, search and display, search and replace and block moves of memory. CBUG allows you to alter the values contained in the registers, display memory and loadvalues into memory like a monitor program. [100,200,NEC]

\$29.95

SORT

Our Sort utility lets you sort any TEXT file in place. You can sort the file by any field. Sort is 100% machine language and only requires .8K of RAM. (100,200,NEC)

\$19.95

CUSTOM SOFTWARE

1308 WESTERN • WELLINGTON, KS 67152




Please include \$1.00 per program for postage.

Be sure to specify Model 100, Tandy 200 or NEC PC-8201A.

For orders outside the U.S., include sufficient postage for airmail delivery. U.S. funds only.

DIAL 1 (800) 732-5012 TO ORDER

FOR YOUR TANDY 200 OR MODEL 100



CALL FOR LATEST PRICE


TANDY 200 24K Expansion Modules only \$99

Expand your computer's memory in less than 5 minutes and save over \$100 on each expansion module.

Take a dime and pop open the hatch, plug-in one or two of our 24K expansion modules, and increase your memory up to 72K.

Do you care about quality? Whether you are writing a letter home or projecting the corporate sales-the reliability of your memory is paramount. Purple Computing's 24K modules are designed specifically for the TANDY 200 and use the highest quality components.

- · Uses the lowest power and most reliable memory chips available.
- · Pins are made specifically for the sockets used in the TANDY 200.



Expand your computer's memory with our most popular product. Tens

MODEL 100, NEC PC-8201A AND OLIVETTI M10 8K Expansion Modules \$29

Three for \$79 — Six for \$149

of thousands sold. Now you can save even more. You get the same

high quality part and great service now at reduced prices.

- · Easy to follow installation instructions included
- · 30-day absolute satisfaction money back guarantee.
- · Two-year replacement warranty.

Tandy 200 24K Expansion Modules (#T200R) Model 100 8K Expansion Modules (#M1008K) PC-8201A 8K Expansion Modules (#NEC8K) Expansion Modules (#OM108K) FREE SHIPPING, HANDLING, AND INSURANCE for Cont. USA. Ordered today-shipped tomorrow UPS. 30-day total satisfaction, money back guarantee. We honor Visa, M/C, AmExp, and Money Orders. Checks take three weeks to clear. California residents add 6% tax.

In a hurry? Ask for UPS BLUE (2-day air) only \$4/order or UPS RED (1-day air) only \$12/order.

*TANDY 200 is a trademark of TANDY CORP.

Circle 49 on Reader Service Card

It's Easy To Order By Phone

CALL TOLL FREE (800) 732-5012

Orders only (8am.-5pm. PST)

(805) 987-4788

For orders in California and for Customer Service

VARs, OEMs, Corporate users call for quantity prices.



420 Constitution Ave., Camarillo, CA 93010

A SIX-GUN BY YOUR SIDE

6 ROM Bank

ROM expansion device Portable Computer Support Group 11035 Harry Hines Blvd Dallas, Texas 75229 (214) 351-0564 \$269 Circle No. 141

By WOODY LISWOOD

To paraphrase, "I have met the future and the future is the 6 ROM Bank."

The 6 ROM Bank from Portable Computer Support Group (PCSG) makes the Model 100 into a truly portable management executive work station. Add another 96K RAM bank and you have 128K of on-line memory to carry with you. You can leave that damnable cassette recorder home to use for off-line storage and for loading software not yet committed to read only memory (ROM).

LOADING HER UP

The 6 ROM Bank attaches to the Model 100 with two prongs which insert into the screw holes on the back of the Model 100. When attached, it holds the 100 at a reasonable angle for viewing.


You also must connect a flat cable from the 6 ROM Bank to the ROM chip holder in the compartment on the bottom of the 100. Next you attach a small cable into the power cord plug. That's all there is.

The 6 ROM Bank contains a rechargable battery with approximately 30 hours of normal use between charges. The actual amount of usage depends on what you're doing with your 100. Running a printer, disk drive or both will take more juice than doing simple text editing. It uses the same charger which comes with your Model 100 so you won't have to spend money on one you don't need.

PRETTY STRAIGHT SHOOTER

The 6 ROM Bank, in addition to the 6 ROM-chip holders and rechargable battery, has a small rotary switch on the right side which allows you to select which ROM chip you wish to use.

Here is how I set up my system.



Portable Computer Support Group's 6 ROM Bank let's you access six different option ROMs, individually, with a minimum of effort.

First I put in the 128K RAM Bank from PCSG. I put RAM Plus which accompanied the RAM Bank into chip holder number 1. That means there's now active ROM-based software to manage all four banks of information. If you read my comparison review between PG Design and PCSG RAM banks, my main reason for liking the PG Design setup is that it came with cassette based software to manage the RAM banks, while the PCSG would only load software to switch between banks when the RAM Plus chip was taken out. Now, with RAM Plus in holder number 1, I needn't waste any of my precious memory to hold memory management software.

I placed Lucid in chip holder number 2. Now, I'm keeping all my working spreadsheets in Bank 2. Since I have a total of four separate 32K RAM banks available for use, I keep each of my favorite programs in separate areas. This makes for less confusion when I want to work on something and need to find it immediately.

For example, say I'm currently in

Bank 4 using my text processing program, Write ROM. I finish writing a report and want to go over to Bank 2 to continue development work on a spreadsheet. I exit Write ROM and turn off the machine. Then I turn the rotary switch to ROM-bank 2 and flip the 100 back on. While in RAM-bank 1, I enter BASIC and type CALL 63012,1 which activates RAM Plus. By pressing F3, I can put a "GOTO Bank #" program into each memory bank. Now I can move the cursor to GOTO2.CA, enter BASIC and key my CALL numbers to bring up my spreadsheet.

If, when I was in Write ROM, I'd already left the GOTO program in each bank, the process would be even easier. Either way, it is not much work for such convenience.

In chip holder number 3, I keep a Disk Plus ROM. If you have an older version of Disk Plus, you should consider getting the latest version. In addition to all the normal goodies about using your disk-based microcomputer as a storage media, you can now convert a Lucid spreadsheet to a VisiCalc format, which can then be loaded directly into other spreadsheets such as Lotus 1-2-3 and Multiplan.

MOVING SPREADSHEETS

If I now wanted to activate DISK Plus to move the spreadsheets up to my Compaq, I turn off the 100, move the rotary switch to chip number 3 and turn the machine back on. Then I place the cursor over GOTO2.CA in the main menu to return to Bank 2. Next I place the cursor over Lucid, press Return and DISK Plus is now active. When I exit DISK Plus, I'll find it in the main memory menu in place of Lucid.

Yes the Model 100 now, in addition to being a really neat working machine, has become an ideal development machine. Since I travel constantly, I can work on client's spreadsheets while on a plane. Then when I arrive home, plug in my Smartcable between my Compaq and portable, switch to Bank 2, activate DISK Plus, transfer up the Lucid spreadsheet, go to the Compaq, convert that spreadsheet to a VisiCalc format, boot 1-2-3, read it in and then continue to work with or expand the spreadsheet to my heart's content. Too bad it doesn't work in reverse.

I also tested the 6 ROM Bank with Traveling Software's Ultimate ROM, and found that it worked fine. So if you already own it and wish to use it with DISK Plus and the other PCSG programs, you'll have no problem.

Perhaps you noticed that I did not mention documentation. It is the typical complete yet chatty type of documentation produced by PCSG for all of its products. However, in this case it is not necessary to completely understand it to use 6 ROM Bank. There are only two rules you must remember to make things work out and to avoid erasing memory banks when changing chips.

First, always return to the Model 100 main menu *before* you do anything. Do not change the rotary switch to address a new chip when you are in any type of program whatsoever.

And second, turn off the Model 100 before you move the rotary switch to select your new chip.

The second step is not always necessary. But I'd recommend it, rather than to try to remember which programs you can and cannot switch out of, and which chips are where and why.

I can say that you do not need the documentation from experience. I tested unit number 2 and have had absolutely no problems with it. That says a lot to

me, since in using and beta testing much hardware and software over the years, I'd expect that number 2 off a "production line" would normally fry a chip or two and I'd need to get to number 1,000 or so before everything worked with no problems, and as advertised.

I only had one problem with the 6 ROM Bank. I couldn't remember which ROM chip I had in which number chip holder. The accepted practice was to lift it up and see what color of ribbon is sticking out the top side of the 6 ROM Bank. I found out that PCSG color codes the ribbon attached to each of its chips. For example, Lucid is blue, Write ROM is pink, RAM Plus is gray and Disk Plus is dark green. Well, I immediately looked and discovered that my Disk Plus chip had a plaid ribbon. That's the trouble with working with early versions prior to standardization, not to mention using other chips that aren't color coded.

Anyway what I finally did is just list the ROMS in order, by position, in pencil across the front of my Model 100. If you were to see my Model 100, you'd find all sorts of pokes, calls and small one line programs written there. Now I have my semi-permanant 6 ROM Bank menu reminder there also.

Try as I might, I couldn't come up with any other problems. Perhaps PCSG could figure some way to switch banks and chips by reading my mind? □



Cassette Help

T-backup. Version 2.3

Cassette storage/recovery program for Model 100, NEC PC-8201 and Olivetti M10 Traveling Software, Inc. 11050 Fifth Avenue NE Seattle, WA 98125 (206) 367-8090 \$19.95 Circle No. 145

By J. R. WILSON

In the beginning there was the cassette and the way it worked made Model 100 users scream. Next came the Tandy Disk/Video Interface (DVI) — and more screams. Finally some relief

with Chipmunk and PIC's portable disk drive.

However, the cassette remained the only truly portable "permanent" storage device for these new highly portable computers. Improved hardware, such as Tandy's paperback-sized CCR-82 cassette recorder, made life easier, but still not perfect. Far from perfect.

Most cassette users followed the pattern established by software companies, loading each file onto tape at least three times. The reasoning was that the first attempt almost never took, the second frequently failed and "third time's the charm."

Unfortunately, the only way to be certain of all this is to reload the file, which is time consuming and sometimes impossible if you're pushing the limits of your random access memory (RAM).

Now, Traveling Software has made the first serious effort to do something about the first — and almost certainly still most prevalent — mass storage device for portables. T-backup is a cassette storage/recovery program that copies everything in a memory bank to tape. It's fast, taking only three and a half minutes to dump an entire 32K of RAM. Data can be recovered in the same amount of time.

So what?

Alright. It also *verifies* the dump, directly comparing what's in RAM with what was stored on tape — again in three and a half minutes — and tells you if it worked or not.


You want more?

More you get. When storing files, T-backup asks you to give the backup file a six-character name, to distinguish it from other saves you make. Then you're given another 28 spaces for any other comments you desire (perhaps a shorthand listing of all the files you're storing)

When you verify a save, you identify the backup file you want verified by the six-character name. T-backup searches the tape for that name, then displays the file information: name, size of memory bank stored (based on the maximum RAM installed in your computer when the files were stored), date, time and the descriptive comment you wrote at the time.

To restore, you also respond with the file name and, once located, the file's descriptive information is displayed. If you've given several files the same name, you can page through them by answering "no" to the "Begin Y/N" prompt and running T-backup's restore mode again. When you do order it to begin, the

USE YOUR DESKTOP COMPUTER AS A DISK DRIVE FOR YOUR M-100.



Try *Disk* + for 30 days. If you aren't as excited as we are, return it for a full refund.

When we designed *Disk* + we did it out of necessity. We wanted a way that we could just connect a Model 100 to our desktop computer with a cable and save files onto the desktop's disk drive. We wanted it to be so simple to use it would be self-explanatory.

Picture this. *Disk* + comes to you on a Snap-in ROM and a diskette for your desktop. You take a quarter and open the little compartment on the back of your Model 100. Then you just press the ROM into the socket. *Disk* + appears on your main menu just like a built-in.

You connect your Model 100 to your other computer using an RS232 cable (available from PCSG for \$40).

You just place the *Disk* + diskette into the desktop's drive and turn on the computer. It powers up automatically and says "awaiting command" on your desktop's screen. Then you just put the widebar cursor on the Model 100 main menu on *Disk* + and press ENTER. You are shown your RAM files arranged just like the main menu.

To save a file to your other system's disk drive, you just move the widebar cursor to the file you want to save and press ENTER. It is saved instantly with no further action.

To look at the disk directory, you just press a function key on your Model 100. You see immediately the disk directory on your Model 100 screen, and it is arranged just like your Model 100's main menu.

To load a file from the diskette to your Model 100, you just move the widebar cursor to the file and press ENTER. The file is transferred to your Model 100's RAM instantly. You can press F8 and go back to the main menu, and the file you loaded from diskette is there, ready to use.

It is so nice to be able to keep your documents, programs (both BASIC and machine code) and *Lucid* spreadsheet files on the diskette, and bring them back when you need them. All files are ready to run or use with no changes or protocol by you.

If you have access to a desktop computer and don't have *Disk* +, then evidently we have done a poor job telling you about it.

All files and programs that you load or save, go over and come back exactly as they are supposed to be because of full error checking. This guaranteed integrity is really a comfort. *Disk* + is wonderful in so many other ways. For example, you can do a "save all" of all your RAM files with just a touch of a function key. That group of files is saved on the diskette under a single filename with a .SD (for subdirectory) extension. Any time you want, you can bring back all those files at once, or just one or two if you like, again with one-button ease.

Disk + takes up no RAM. That's zero bytes either for storing the program or for operating overhead.

What really excites most *Disk* + users is text file cross compatibility. Your Model 100's text files are usable on your desktop computer, and your desktop's text files become Model 100 text files.

This means you can write something on your Model 100, and with Disk + transfer it

1-214-351-0564

instantly to your desktop and start using it right away on your bigger computer. Or the way we like to work is to type in a document on the desktop computer and then transfer it to our Model 100 with Disk + . Then we print out the document, beautifully formatted, using WRITE ROM.

Disk + works with just about every micro sold, from IBM PC and its clones, to all Radio Shack computers (yes, all), to Apple II, Kaypro, Epson and most CPM. Just ask us. More than likely, your computer is supported.

Incidentally, hundreds of Model 100 owners have gone to their Radio Shack stores and bought a color computer because it is so low priced, and with *Disk* + they have an inexpensive disk drive.

And if that weren't enough, how about this: Disk + also provides cross-compatibility between different computers like IBM, Apple or the Model 4 using the Model 100 as the intermediary device. Quite a feature!

The snap-in ROM is really great because you can use other ROMs like *Lucid* or WRITE ROM. They snap in and out as easily as an Atari game cartridge and you never lose your files in RAM.

Anyone who ever uses *Disk* + simply can't do without it. But so many times we have had new users call us and say, "Wow! I had no idea when I ordered it that *Disk* + would be so fantastic. I just couldn't believe that I could use my desktop computer's disk drive with my Model 100 just like it is another main menu."

That's why we sell *Disk* + on a thirty-day trial. If you aren't completely satisfied, return it within thirty days for a full refund. Priced at \$149.95 on Snap-in ROM. MasterCard. Visa or COD.

PORTABLE COMPUTER SUPPORT GROUP

REVIEWS

backup file will be reloaded in — you guessed it — three and a half minutes.

If the transfer is good, the program displays: TRANSFER OK PRESS SPACE. If not, you get: TRANSFER BAD! PRESS SPACE. The latter can be caused by a number of factors, including improper equipment connections, tone or volume problems, a bad tape, or even a mismatched recorder.

Speaking of the latter, my experience while preparing this review leads me to urge strongly that you use the same recorder both coming and going. For that matter, the most reliable recorder I've used, both with T-backup and the old fashioned way, is the CCR-82, which is beautifully designed with the user in mind.

T-backup is simplicity itself to use. You need load only one file from, naturally enough, a cassette (the traditional Traveling Software audio tutorial is on the flip side) and the excellent documentation guides you through its few operating points. If that doesn't work, the function-key driven screens tell you exactly what to do—including a little reminder to verify each backup.

This is not to say all is perfection, of course. For instance, you can run into problems if you're using certain RAM expansion modules. Also, there have been reports on CompuServe's Model 100 SIG of recorders continuing to run after the program should have finished, and other lesser problems.

I didn't encounter any of these, but I did have a real scare when I tried to reload files saved from one memory bank into another. Basically, it didn't work.

The reason, however, makes sense. Say you dump the contents of bank two to tape, then later try to reload them into bank one. The bank-switching .CO files which downloaded bank two with the rest of RAM are not the same as the ones used in bank one. The result is chaos in .CO city and real problems for the would-be user. That is why I simply name my T-backup files Bank1, Bank2 and Bank3. Then I make certain that's where I put them when it comes time to reload.

T-backup is a good companion for the lap portables. It speeds up cassette storage/recovery, gives the user greater confidence in the medium and offers a nice identification system that enables you to create a library of backups.

And at \$19.95, it's a bargain!

So, even with these few minor faults, T-backup rates 3.5 stars on a 4-star scale. \square

Model 100 Fix All

Assembler/Debugger

Debug, write, and assemble machine language code. Tandy/Radio Shack Fort Worth, Texas \$49.95 Circle No. 142

By RONALD F. BALONIS

On the basis of the short description in the Radio Shack Catalog, you'd think this was just another ordinary assembler and debugger. The description, however, is deceiving. This is definitely not an ordinary one; it's a veritable programmer's toolbox. If you write, or want to write, machine language programs for a Model 100, this assembler and debugger, along with perseverance and persistence, is all you need to do it.

I've been waiting for this one. Machine language makes the bytes go farther and faster, and with a little computer like the Model 100, it also makes it bigger.

PACKED FULL OF FEATURES

The Model 100's 80C85 processor is a first cousin to the ubiquitous 8080 microprocessor of the early days of computing. Its instructions are a subset of the Z80. That makes machine language programming on the Model 100 easier for both novice or expert. There's a decade of published software, technique and practice to learn from. And, the Model 100's ROM's routines are well documented too, just waiting to be used.

The Assembler/Debugger's manual really impressed me. The manual follows the same writing style as the Model 100's: it's clear, concise and leads you through the Assembler/Debugger with a sequence of examples that explain the commands and show what they do. Step by step, it takes you from the initial loading of the Assembler/Debugger program, ZBGASM, through an assembly example program which fills the screen with a graphic character. Then through ZBUG's commands by debugging the example program. And on to examples that demonstrate its programmer's calculator mode: +, -, /, *, MOD, and Logicals.

Then it documents and tells how to use some of the read-only memory (ROM) routines. Finally, in its last section, the manual documents and describes the 8085 op code commands using Intel mnemonics.

The Assembler/Debugger is written by Microsoft and its style is a blend of the first machine language tools, ED-TASM and TBUG, that Radio Shackers grew up on. The source file format is the same: tab between the fields — label, opcode and operand. Use a semicolon to precede remark documentation. The assembler supports, essentially, the same functions as EDTASM except that the mnemonics are Intel's instead of Zilog's.

The assembler's source files are written with the 100's text editor. The source file for assembly can be either a cassette or random access memory (RAM) file, and the object code can be assembled directly to memory or as a file to cassette or RAM. The assembler is machine language quick: assembly of the (30 byte) example program, without listings, took just one second. With listings it assembled at the speed of the listing device, about five seconds for the LCD and 30 seconds for the printer.


It is the debugger, ZBUG, that differentiates this assembler and debugger from the ordinary. ZBUG does all the usual debugging things: examines and changes memory, sets and removes break points, examines registers, moves memory, loads and saves to cassette or RAM

But, ZBUG also works in any of three number bases input or output: decimal, octal or hex, It also displays memory in byte, word, ASCII or mnemonic chunks. In the mnemonic mode, it functions as a disassembler. And, when a machine language program is assembled directly to memory, you can debug it using either the usual memory address mode or the symbolic label mode. It means that, with ZBUG, you can debug using the symbols of your program.

As with all Microsoft programs, the Assembler/Debugger is user friendly. An extensive list of error-prompts guides your use and programming efforts. The error-prompts in combination with the unique commands make debugging machine language almost as easy as BASIC.

There's another feature, the one I like most, that sets it apart from the ordinary debugger. It has a command to select its console device: LCD, LPT, or COM. COM is the RS-232 port. By making COM the console device and using the T (type out) command, it sends an ASCII listing of a range of memory out the port. The ASCII listing file can then be edited into a source file. It saves a lot

The Ultimate Battery System for your Portable Computer



Prairie Power™ introduces a brand new battery, charger and carrying case that greatly extends the power and efficiency for lap-top computers such as the Tandy 100 & 200, NEC 8201, 8401, Apple IIc, Epson and Sord.

The heart of the **Prairie Power** sytem is the lightweight rechargeable battery pack that can, for example, power the Tandy 200 up to 160 hours. By comparison, its "AA's" last a mere 10-15 hours. By the time a Tandy 100 has used up 10 packs of "AA's" **Prairie Power** is ready for its first charge (180 hrs.) Our new battery system can even power the Apple IIc for 8 hours and contains a sophisticated circuit to warn when the battery is low.

A Compact System!

The Prairie Power system fits under any airline seat and measures only (17x13x5"). With Tandy 100, battery, case and charger, weight is only 12 lbs. Apple IIc system weighs 20 lbs. Battery is fully rechargeable, sealed, maintenance free, useable in any position and air transportable. Never again worry over shelf-worn "AA's"



The new two--step charger simplifies recharging by showing when the battery is charged and then switches to standby. You always know the battery is charged and ready-to-go, whether for emergencies or long trips on the road. Besides the assuredness and efficiency of a powerful battery system, **Prairie Power** will pay for itself over the cost of "AA's".

Best of all, the battery system and computer are housed in a handsome water-resistant padded Cordura case protected by support panels and thick foam inserts that hold computer, battery, charger, cables and accessories. A padded pocket can also hold a flat-panel screen, small recorder or 3.5 "drive and manuals. Call our toll-free number today!



Prairie Power Systems, Inc. 768 Twelve Oaks Center 15500 Wayzata Blvd, Wayzata, MN 612-475-1945

Model 10 Battery (\$59.95) Cable (\$19.95) Two-Step Charger (\$55.95) Cordura Case (\$99.95) M /C, Visa, Check, MO \$US only.

Total System Price \$169.95*
Toll-free1-800-435-8721

*Apple 12-volt system (\$249.95) Freight extra (\$6.00)

REVIEWS

of programming time and effort, and gives you the ability to make source files of the machine code routines in your

That's it, for the real good things about it. Now, for the two things that might not be so good because they require some effort on your part.

OF COURSE THERE'S A CATCH

The first is memory. ZBGASM is 8,203 bytes long and needs 5,121 bytes of running room in RAM. This means

that if ZBGASM is saved as a RAM file, you need a 32K Model 100 to use the Assembler/Debugger. However, all is not lost. If you just load it from cassette and run it, a 24K machine will do. Basically, to use the Assembler/Debugger you've got to develop good memory management practices. A good idea anyway, because the fatal error is a fact of machine language life. When you're assembling, the machine should only contain the files and programs you need.

The second is mnemonics. ZBGASM

recognizes the original Intel mnemonics, not the Zilog ones that Radio Shackers grew up on. Of course, becoming bilingual isn't so bad. If you're going to be able to use the machine language technique created for the Z80 or 8080, you'll have to be.

Overall, the Assembler/Debugger contains almost all the tools you need to write machine language programs for the Model 100. All that's missing are the algorithms and the technique. But, fortunately, they're available too. They come with time and practice.

The Radio Shack Assembler/Debugger for the Model 100. I like it, this one's going to work for me.

Axonix PACKS

PERFORMANCE IN YOUR PORTABLE

ThinPackTM Battery/A.C. Powered Peripherals include: **PRINTERS**

ThinWrite: Dot matrix impact - 40 and 80 column models ThinPrint: Thermal dot matrix - 40 and 80 column models ThinType: Impact letter quality - 80 column model

DISPLAY SYSTEMS

ThinView: 80 x 25 LCD intelligent display terminal ThinE/L: Electroluminescent backlight for Model 100 ThinVid: Video interface for Model 100/200

MASS STORAGE

ThinDisk: 3½" drive - compact, battery-powered ThinStore: Microcassette data and oral dictation storage

INTERFACES

Thinl/L: HP (82166A) HP-IL parallel interface converter ThinMac: Macintosh to parallel printer interface

ThinCom: Serial interface for Async, Bisync, SDLC, Protocols

ACCESSORIES

ThinChargers: Automobile and foreign current adapters ThinPower: Add-on rechargeable battery packs (solar optional)

SYSTEM INTEGRATION SERVICES

Axonix provides custom design and packaging services for application specific requirements

> FOR MORE INFORMATION, CALL (800) 821-7093 or (801) 582-9271



The Portable Peripherals People 417 Wakara Way Salt Lake City, Utah 84108

More For Less

DO4MAT BKInc P.O. Box 218 College Park, MD 20740 (301) 345-9473 \$39.95 Circle No. 147

By PAUL J. PERRY

M odel 100 owners who ve set in text ing along using the built in text odel 100 owners who've been limpprinting facilities might pounce on DO4MAT as one of the first low cost, powerful text formatters available. But saying that it's low cost and has great features does not do it justice.

OH NO, NOT ANOTHER ONE

This may be exactly what you are thinking right now. But companies selling text formatters today are serious about it. Most of the "fly by night" software outfits are all working on programs for the Amiga computer. They've abandoned the portable market.

DO4MAT sold by BKInc has some wonderful features and a great low price in the bargain. Be forewarned though, it is not simple to use. DO4MAT has advanced features not available with other cassette-based text formatting programs. The more experienced you are,

the better off you'll be.

The Model 100 is used mainly for word processing by most of its owners. Yet it's a well known fact that the Model 100's text printing abilities are limited, to say the least. A lot of text formatters have been developed to right this wrong. Some have hit the mark, many have fallen far short. DO4MAT fills an important gap.

REVIEWS

This program comes on cassette tape and requires that you first load a program called INIT.BA. This readies your computer to load and execute the program. Once it's been done you can load DO4MAT anytime.

Unlike other text formatting programs, there's no worry about loading machine language code. I had no problems loading the program. If you have trouble, however, try using the BASIC Soundoff command. The Model 100 performs more reliably when this command is in effect.

DO4MAT, like other text formatters, allows you to set right, left, top and bottom margins. Variable line spacing, centering and justified right margins are all permitted as well. But this is where the similarities with other programs stop.

ADVANCED FEATURES

DO4MAT uses "dot commands" which are included in the text of the input file to produce formatted output. Also called embedded commands, dot commands are instructions to DO4MAT for formatting your document. For example, .ce turns text-centering on. These are the same type of commands which powerful word processors like Wordstar use. Your documents are created with the TEXT processor, and the dot commands are inserted into the file using TEXT.

The manual says "The design goal for DO4MAT is to provide a powerful and comprehensive set of commands that allows the cassette based Model 100 system to be useful for reasonably sophisticated document applications." This is true, but it takes some reading and rereading to learn how to use all the features.

The program includes the ability to use headers and footers. The header can include the date, time and page number. It supports cut sheet mode where the program will wait after each page is printed for you to put a new piece of paper into your printer. Conditional skipping of text is also supported.

A special feature of DO4MAT is that it includes a special file called PRT-CAP.DO which specifies special printer codes for your printer. Just specify what type of printer you own while ordering the program. If BKI does not support your printer, instructions are included to show you how to create your own customized file. This lets you embed easy to use dot commands to allow use of special features within your printer — like underlining, italics, bold print, subscripts and superscripts. You can also easily

change the width of your printed text by using a dot command.

An exciting capability is a keystroke reduction feature which lets you assign a word or string to a single character. An example would be while writing this review I could define E to mean DO4MAT. Then whenever I want to use "DO4MAT" in my review all I have to do is type E.

DO4MAT provides a comprehensive set of tab specifications which allow a high degree of control over the formatting of tables and columns. Up to ten tab positions may be specified. Each position may individually specified to be left justified, right justified, centered, or aligned on a specified character. Also the intervening space between the text that was entered prior to depressing the Tab key and the text that is positioned according to the tab specification is filled with the tab fill character. The default tab fill character is the blank. The tab fill character may be changed to (continued on page 51)

Circle 61 on Reader Service Card

STOP BUYING BATTERIES!!

COMPU-CHARGER™ powers or charges the batteries in your portable computer while you drive.
Plugs into car cigarette lighter.
For Model 100/200, NEC-8201, OLIVETTI M-10.
Includes 4 AA Nicad batteries.

\$29.95 postpaid

COMPU-CHARGER

25171 Costeau

Laguna Hills, CA 92653

(714) 859-8286

TEXT »COMPRESSION« ADDS MEMORY

with Lap Coder©

A NEW PROGRAM

FOR MODEL 100, 200, NEC 8201

- Store up to 50% more text Without adding RAM!*
- Cut cassette save-load and modem time by 1/3*
- Machine language Codes 3400 characters/second
- Only 510 bytes long Relocatable in memory
- Not "Vaporware" Immediate delivery

Lap Coder replaces words in your text files with a tightly packed code. Simply move the cursor over the name of the file to be compressed or expanded and press return. No typing or commands needed!

*While the amount of compression varies, and not all text is compressed, our tests on newspapers and novels showed that 46-53% more text could be stored in the same memory space using LAP CODER! Up to 42K per full bank (M100, NEC).

Only \$20 plus \$2.00 shipping & handling

Check, Money Order, Visa, MasterCard accepted (Include card number and expiration date)

California residents add \$1.20 sales tax. Specify Model 100, 200 or NEC

Mu-Psi Computer Consulting

1010 Turquoise St. #250, San Diego, California 92109 619/488-2350

Bugs and Secret Features of Model 100 BASIC

Minor details that Tandy neglected to tell us about our favorite programming language.

By Gary F. Simons

The documentation on BASIC in the Model 100 owner's manual leaves something to be desired. Missing information and even misinformation are prevalent. And the software isn't without blemish either.

In developing text processing software, I've discovered a number of bugs and undocumented features in Model 100 BASIC's file and string handling capabilities. These are described below. The accompanying table summarizes the problems found in the implementation or documentation of 25 BASIC keywords.

SOFTWARE BUGS

RUN,R (page 176) is supposed to run a program without closing the files currently open. Instead it gives a ?SN (syntax) error and does nothing.

TAB(n) skips to column n+1 before printing the next item in a PRINT statement. Although the argument may range from 0 to 255, when the total length of the line to be output approaches or exceeds 255, TAB comes up short. For instance, open a test file in random access memory (RAM) for output as file 1, then execute the following:

PRINT #1, TAB(250);"1234" PRINT #1, TAB(250);"12345" PRINT #1, TAB(250);"123456"

We expect lines of successively increasing length. Instead, the result is three lines, each 254 characters long. The second TAB gives 249 spaces and the third only 248. The statement PRINT #1, TAB(250);"1234567" produces a line of length 255 (thus a TAB of 248).

When PRINT has no expression list, it produces a blank line on the screen.




Similarly, PRINT #1 by itself should produce a blank line in file 1. Instead it gives a ?SN (syntax) error and halts program execution. To achieve the desired result it is necessary to say PRINT #1, ""

The LINE INPUT # command in direct mode gives a ?SN (syntax) error. The message turns out to be a bogus one

and the requested input operation is in fact performed. Oddly enough, the errant message is not given if the length of the input string is 2 or less.

The function INPUT\$(n,f) reads n characters from file f. When such an input operation detects end of file, the operation aborts altogether and any characters.

(continued on page 47)



The popular 24K Model 100 portable computer... a ready-to-use gift sensation for only \$499.

To help you with your giftgiving decisions we are offering special savings of \$100 on the most talked-about. most-wanted portable computer—the Radio Shack Model 100. It is one present that can be used by anyone! Give one to the student headed for college, to selfemployed family members who need an "assistant" to get ahead, and to the movers and shakers at your office who are constantly on the go.

Just turn on the 24K Model 100 and it's ready to go to work anywhere, anytime. Five built-in personal management programs make the Model 100 a word processor, an electronic file for notes, addresses and telephone numbers, a telephone auto-dialer and appointment scheduler. You can write your own programs in BASIC, or add ready-torun software from our library of cassette, disk and ROM programs. With the built-in

direct-connect modem, national information services can be easily accessed by telephone. Add a printer, cassette recorder, disk drives and a monitor for expanded versatility.

Surprise someone special with a Model 100 (26-3802, Reg. \$599). Or give a Tandy 200 (26-3860, Reg. \$999) for only \$799 and save \$200.

Radio Shack The Technology Store

A DIVISION OF TANDY CORPORATION



Navigating On Your 100


By R. D. Boudinot

The art of navigation is one of the great and romantic accomplishments of our civilization. Navigators use the same techniques as Magellan, Sir Francis Drake and Captain Cook.

It comes down to fixing location, and determining bearing and distance, whether in boat, plane or your car.

The principles of navigation were developed over the centuries. The tools used by sailors included the octant, the taffrail log and later the chronometer.

The calculations that were the bane of many an ancient mariner are much easier for your Model 100. A simple program makes you the master navigator, or at least hearing finder. (cont. on p. 56)



SUPER ROM

Lucid Spreadsheet Write ROM Database

Outliner



NOW AVAILABLE ON M-200

NOW YOU CAN REALLY HAVE IT ALL!

All on one ROM. Truly the finest four programs available for the Model 100 — guaranteed. Try it for 30 days. If you aren't blown away by the excellence return it for a full refund.

The four best programs for the Model 100 all on one ROM. 32K of power without using any RAM for program storage. This is the PCSG Snap-In ROM that just presses easily into the little ROM socket in the compartment on the back. You access the four right from the main menu like built-ins.

Write ROM — the definitive word processor for the Model 100. Function key formatting or dot commands. Search and replace. Library feature inserts words, phrases or whole documents into text from just a code. MAP lets you see a picture of your document. In all there are 60 features and functions. No one can claim faster operation. FORM lets you create interactive forms with on-screen prompts that you can answer from the keyboard. Nothing else for the Model 100 compares with the features of Write ROM. Exactly the same as the Write ROM sold as a single program. Infoworld says it "makes the Model 100 a viable writing unit ... sur-

@ PCSG

passed our highest expectations for quality and clarity.

Lucid Spreadsheet: This is the one PICO magazine says "blows Multiplan right out of the socket" and Infoworld performance rated as "excellent" and said "makes the Model 100 compute." Gives you features you cannot get with Lotus 123. Lets you build spreadsheets in your Model 100 that would consume 140-150K on a desktop. Program generating capability with no programming knowledge required. Variable column widths. Includes find and sort with function key control. It's fast, recalculates like lightning. No feature has been taken from the original, only new ones added.

Database: This is a relational data base like no other. You can do everything from mailing lists to invoices. No complicated pseudo-coding, you create input screens as simply as typing into TEXT. You are not limited by size: you can have as large an input screen as you wish. Prints out reports or forms, getting information from as many files as

(214) 351-0564

you like. Complete math between fields. Total interface with Lucid worksheets.

Outliner: Does everything that Thinktank does on a PC but a whole lot better. Includes a Sort for your headlines. Lets you have headlines of up to 240 characters. Has cloning, hoisting and sideways scroll up to 250 characters. Like Lucid. this one sets a new standard for outliners. This is the way to plan and organize your projects.

Present Lucid and Write ROM owners can upgrade for \$100. If you have both it's \$75.

As usual PCSG sells the Super ROM on a thirty day guarantee. If for any reason you are not satisfied, simply return it for a full refund.


We are excited about this product. Super ROM gives the Model 100 the true power of a desktop. No other multiprogram ROM has software that compares. But don't take our word for it. We invite you to make that comparison yourself. Priced at \$199.95 on Snap-In ROM.

Got stuck with somebody else's multi-ROM? We'll upgrade it for \$100.

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd., #206, Dallas, TX 75229

MC, Visa, American Express, Check, or C.O.D.





ggnog. It's a traditional holiday drink made with milk and beaten eggs. Through the years, changes to the recipe have reduced the art of making eggnog from measuring exact proportions of milk and beating eggs just right to fighting lines at the local supermarket for premade "nog" and visits to personal liquor cabinets.

BY FRED W. FORRESTER


Despite less fanfare, some eggnoggers haven't lost their creativity — as Fred Forrester of Santa Barbara,

California proves.

"We usually have a large eggnog party at year's end," he writes. "Since they vary in size, it's necessary to compute amounts of ingredients. This program helps you do that.

"A six ounce cup has been used as a basic serving. It's about right for a drink of this type. I'd suggest assuming three drinks per person for a large party. It's a good average."

And so we offer this progr. . . uh, recipe to you, our readers with every good wish for a happy holiday season and prosperous New Year. Cheers.



Give them the full power of our advanced Tandy 200 portable computer for only \$799.

The Tandy 200 is a breed apart from other portables. Just turn it on and get power that's equal to some desktop computers. Indeed, the Tandy 200 is the only portable computer which comes complete with six built-in applications, including Multiplan (which is an extra-cost item on desktop computers).

More than a status symbol

The Tandy 200 is a working onthe-go computer. It's a favorite of journalists and students because of its built-in word processor. Take notes or write reports then transmit the files by phone to the office or attach a printer for a paper copy. You can also use the Tandy 200 as a personal appointment calendar, address and phone directory and telephone auto-dialer. The 16-line by 40-character flip-up display features over-sized characters for superb readability.

With the Tandy 200's built-in direct-connect modem, information services and other computers can be easily accessed by telephone. A

printer, cassette recorder, disk drives, monitor and ready-to-run software can be added at any time.

Sale ends Dec. 24

Surprise someone special with a Tandy 200 (26-3860, Reg. \$999). Or save \$100 and give our famous Model 100 portable (26-3802, Reg. \$599) for only \$499.

Radio Shack The Technology Store

A DIVISION OF TANDY CORPORATION

Sale ends 12/24/85. Special orders required at some locations. Prices apply at Computer Centers and at participating Radio Shack stores and dealers. Multiplan/TM Microsoft Corp.

BUGS

acters read thus far are lost. For instance, if the statement A\$=IN-PUT\$(5,1) reads 3 characters and then hits end of file, the operation aborts with an ?EF (end of file) error and the last 3 characters of the file are thrown away. The value of A\$ remains what it was before the attempted INPUT\$ operation. File 1 is set to the end of file and any subsequent attempts to read from it give end of file. There is no way to get back the unknown final characters of the file.

The implementers of Model 100 BA-SIC may regard this to be an undocumented feature of the language rather than a bug. If so, it was a poor design decision. Anything that loses valid data sounds like a bug. A reasonable implementation would be to set the target string (A\$ in the example above) to the characters input thus far, and then signal end of file. Under the present implementation, the INPUT\$(n,f) function can be safely used for file input only when n equals 1, in which case the parameterization of n is not a very useful feature.

DOCUMENTATION BUGS

There are a number of points at which the implementation behaves correctly as one would expect BASIC to behave, but the manual's description is incorrect. At a superficial level there are typographical errors, like the failure to indicate the closing quote in the example for DAY\$ on page 135, or the description of DEFSTR (Define String Variables) on page 136 which says that the example "defines as integer type all variables" listed. This is clearly a word processing mistake in which the explanation for DEFINT was copied but not sufficiently edited. Other documentation bugs go deeper than these.

The documentation for TAB(n) says that "TAB skips n spaces before printing the next data item" (page 182). That description more accurately describes what SPACE\$(n) does in a PRINT statement. TAB(n) moves the print position to column n and then prints the next item in the next column (that is, n+1). If the print position already exceeds column n, then TAB(n) has no effect.

The owner's manual states that "MAXRAM contains the memory size of your Model 100" (page 157). That statement is misleading at best. I got suspicious when on my 24K machine, PRINT MAXRAM produced 62960 which made it look like I had a full house of 32K ROM plus 32K RAM. It turns out that the lower 32K are taken up by the ROM,

and then the 8K RAM blocks are filled in from top to bottom. Thus the empty 8K on a 24K machine are in the middle at hex addresses 8000 to 9FFF. The MAXRAM function therefore has nothing to do with memory size; it merely tells the highest address the system will let you use.

STR\$ converts a numeric expression to a string representation of its value. The documentation (page 182) fails to


mention one important feature. The first character in the resulting string gives the sign of the number, either as "-" if negative or as a space if positive. Therefore the example given in the manual is wrong. If BAL is set to 133, then B\$ = "\$" + STR\$(BAL) + ".00" does not set B\$ to "\$133.00", but rather to "\$ 133.00".

MID\$ may occur on the left hand side of an assignment statement to replace

ALPHABETICAL SUMMARY LISTING

A summary of bugs and undocumented features of Model 100 BASIC listed alphabetically by keyword. Also given is the number of the page in the owner's manual on which these notes can be written in the margin.

KEYWORD	PAGE	COMMENT
ABS	127	missing; returns absolute value of numeric expression
ASC	127	missing; returns ASCII code for first character in a string; null string gives ?FC
CONT	132	altering program clears all variables, closes all files
DAY\$	135	closing quote omitted in example
DEFSTR	136	defines as string, not "integer"
END	138	also closes all files
FILES	140	marks ".BA" program currently loaded with asterisk
INPUT\$	147	loses last characters if EOF hit in middle of opera- tion
KILL	150	trying to delete current program file (starred in FILES) gives ?FC
LINE INPUT #	154	missing; reads to next carriage return or 255 characters, whichever comes first; carriage return and following line feed not returned; gives ?SN in Direct Mode on lines 3 or longer, but gives result
MAXFILES	157	clears all variables and closes all files
MAXRAM	157	not memory size, but highest address you can access; empty RAM blocks at bottom
MID\$	159	position parameter of 0 gives ?FC
MID\$ =	160	length parameter is not ignored
NEW	161	also closes all files
OPEN	165	?BN error means MAXFILES must be set higher
PRINT	168	expression list is optional; gives blank line if absent
PRINT #	169	terminates lines in RAM files with carriage return (code 13) followed by line feed (code 10); gives ?SN if expression list omitted
PRINT @	169	missing; prints at given screen position, where position is row * 40 + column (see worksheet on page 210)
RUN,R	176	gives ?SN
SAVE	177	gives ?FC if there is a starred file in FILES display
STR\$	182	returns a leading space on positive numbers
STRING\$	182	gives ?FC on null string
TAB	182	skips to column n+1, but only if that column not passed; comes up short when total line length nears 255
VAL	184	ignores leading blanks and trailing non-digits; returns zero if no digits
	211	BKSP generates 8, TAB generates 9, ENTER generates 13



Circle 64 on Reader Service Card

You call. He's out.

He calls back. You're out.

You can lose hours that way-and countless sales.

That's why you need MCI Mail.® It lets you use your PC to contact your sales force directly anytime of the day. Send and receive messages instantly.


Or get sales forecasts and competitive information.

MCI Mail makes your sales force more productive so they can close more deals. And boost your bottom line.

Call 800-MCI-2255 or in Washington, D.C., 833-8484 and increase your profits instead of increasing your phone bill.

NOW IS THE TIME FOR MCI MAIL.

© 1985 MCI Communications Corp. MCI Mail® is a registered service mark of MCI Communications Corp.



KEYBOARD

Finally! A keyboard cover that remains in place during use!

SafeSkin prevents costly downtime and repairs due to liquid spills, dust, smoke, cigarette ashes, paper clips, staples and other environmental hazards. SafeSkin is made of ultra-thin, ultra-tough, clear flexible plastic, molded to fit every key and contour, allowing normal key response and feel. This custom fit cover is easily removed for cleaning and gives years of dependable service. Available for the Model 100, NEC PC-8201, IBM PC, XT, AT, Apple, C64 and many other popular computer models. Send 29.95, Check or M.O., Visa & MC include expiration date. Specify computer type. Dealer inquiries invited. Free brochure available.

MERRITT COMPUTER PRODUCTS, INC.

2925 LBJ Fwv., Suite 180 / Dallas, Texas 75234 / (214) 942-1142

BUGS

characters in the middle of a string. It takes three parameters: the string to change, the position in the string at which the characters are to be replaced and a length parameter. The owner's manual says, "Length is optional; if present it is ignored" (page 160). Quite to the contrary, the length parameter when present tells how many characters in the target string are to be replaced.

The manual gives the following example: 1000 MID\$(A\$,5) = ``ABCDEF.'' If A\$ equals "00000000" beforehand, then this statement sets A\$ to "0000ABCD." The documentation would lead us to believe that 1000 MID(A\$.5.2) ="ABCDEF" would have the same effect. But the length parameter is not ignored; it says to replace only 2 characters, beginning with the fifth. Therefore A\$ is set to "0000AB00".

UNDOCUMENTED COMMANDS

There are a number of commands missing altogether from the "BASIC Keywords" section of the owner's manual (pages 127 to 185). What should be the first two in the list are missing: ABS which returns the absolute value of a numeric expression, and ASC which returns the ASCII code for the first character of a string expression. These do appear on page 12 of the Quick Reference Guide. Two other missing commands are PRINT @ and LINE INPUT #. These appear in the Quick Reference Guide, but not with enough documentation to explain their use.

PRINT @ prints the named items at a specific screen position. For instance, PRINT @140,TIME\$ prints the current time at position 140. The trouble is, the documentation doesn't explain where position 140 is. The key to the puzzle is found in the "Print @ Worksheet" on page 210. There we find that the rows of the screen are numbered from top to bottom as 0 to 7, and the columns from left to right as 0 to 39. A screen position for PRINT @ is computed as R*40+C, where R is the row address and C the column. If you prefer counting from 1 to 8 and 1 to 40, then the formula becomes (R-1)*40+(C-1).

So where is position 140? The row address is the integer quotient of 140 divided by 40, or 3, and the column address is the remainder of 140 divided by 40, or 20. Counting from 1, that is row 4 and column 21.

The LINE INPUT command for keyboard input is documented, but not the corresponding command for file input. For example, LINE INPUT #1,A\$ reads the next line from the file opened as 1

BUGS

and puts it into A\$. As documented for LINE INPUT (page 154), this command assigns the next line of input (including all commas, leading blanks and quote marks) to the string variable. But there are a number of extra details one must know to use the command on a typical RAM file.

Since the maximum length of a string variable is 255 characters, the command can input no more than 255 characters. Therefore, the command inputs all characters up to the next carriage return (ASCII code 13) or it inputs the next 255 characters, whichever comes first. When 255 characters are read, the end of the line has not yet been reached. The next LINE INPUT # command continues reading with the 256th character of the line. If a line is exactly 255 characters long, then the first call to LINE INPUT # reads the 255 characters, and the next call hits the carriage return and returns a null string of length 0. The terminating carriage return is not returned as part of the string. Thus the only way to know if the string returned by LINE IN-PUT is a complete line, or only part of a line, is to test the length. If the length is less than 255, then the string had a terminating carriage return and there is room to concatenate a CHR\$(13) to the string if that would simplify processing. If the length is 255, then the end of the line has not vet been reached.

When outputting to a RAM file, PRINT # puts both carriage return and line feed (ASCII codes 13 and 10, respectively) at the end of a line. LINE INPUT # reads everything up to the next carriage return. If the character after that is a line feed, then that character is consumed as well and not returned. If, however, one uses the INPUT\$(n,f) function to read a RAM file, all the carriage returns and line feeds are returned as individual characters. Thus, LINE INPUT # appears to have a bug. If a line feed immediately precedes a carriage return, LINE INPUT # misses the carriage return and reads two lines at once.

UNDOCUMENTED FEATURES

It is well documented that the CLEAR command sets all numeric variables to zero, sets all string variables to empty and closes all open files. However, there are three undocumented instances where Model 100 BASIC performs the clear function as a side effect: on MAX-FILES, on NEW and when a program is altered. Setting MAXFILES does a clear. This means the MAXFILES command must precede any statements which initialize variable values. NEW

Here's \$10 Bucks

To introduce you to our line of SUPER SOFTWARE for the Model 100. Tandy 200 & NEC 8201A

That's right! Use the coupon below (or a reasonable facsimile), and take \$10 off your next order. Limit one per customer. Coupon expires February 28, 1986.


So Hurry!

Custom Software • 1308 Western • Wellington Ks 67152



DATA ACQUISITION & CONTROL

Batttery powered interface for the Model 100. Gives Analog and Digital I/O capabilities to your Radio Shack, NEC or Epson. Whether in the lab or in the field, Data Acquisition and Process Control are now more affordable than ever. Easy to program using BASIC input and output statements. Systems from \$549.



- · Expansion boards available:
 - · High Accuracy 12 Bit Analog I/O
- · Digital I/O-Counter/Timer
- · Combination Analog & Digital I/O
- Relays, TRIACS, Opto Isolator, Thermocouple, etc.
- Serial Interface available communicates with any computer. (IBM, Apple, etc.)

Complete PL-100 System includes:

- Expansion Chasis (holds 3 boards)
- · Combination I/O board with
- · 16 Channel 8 or 12 Bit A/D
- 4 Channel 8 Bit Analog Output
- 4 Analog Level Sense Inputs
- 16 Bits Digital Output
- 16 Bits Digital Input
- Battery Charger / AC Adapter
- · 2 Empty expansion slots
- Interface Cables
- · Uses rechargeable batteries
- · Provides power to the computer

Call the factory.

ELEXORASSOCIATES

(201) 299-1615 P.O. Box 246, Morris Plains, NJ 07950

BUGS

not only clears the variables as stated in the owner's manual (page 161), but it also closes all open files. Whenever a program is altered, all variables are cleared and all files closed. This can be a nuisance in program debugging, for every time a patch to the program is made. all variables and files must be set up again before retesting. This feature should be noted under CONT (page 132) where it is observed that you cannot resume program execution if you alter the program; the reason is that BASIC does a CLEAR. Also undocumented is the fact that the END command (page 138) automatically closes all open files (but does not clear variables).

The documentation often fails to describe what happens with functions on boundary conditions, and what the sources of error are. For instance, with ASC and STRING\$, if the string argument is null then the result is an ?FC (illegal function call) error. If the string is longer than one character, only the first character is used and the remainder is ignored.

On the string segmenting functions (LEFT\$, MID\$, RIGHT\$), if the string argument is null there is no error; the result is null. If the position parameter

exceeds the length of the string, then no error results; a null string is the answer.

Zero values for the length parameter in these functions yield a null string. However, a zero value for the position parameter of MID\$ results in ?FC (illegal function call). Always initialize a variable before using it for the position pointer.

VAL (page 184) converts a string to its numeric value. All leading blanks are ignored. All trailing non-digits are ignored. If the string contains no digits, then zero is returned without an error.

The OPEN command (page 165) generates the ?BN (bad file number) error if MAXFILES has not been setup in advance to handle the required number of files.

The description of PRINT (pages 168-9) fails to mention that the expression list is optional and that PRINT by itself produces a blank line.

The description of FILES (page 140) fails to describe the meaning of the asterisk that appears at times following the name of a file. This appears to mark the name of the ".BA" file which is currently in use. When you enter BA-SIC by selecting a ".BA" file in the menu, that file will be starred. When

you enter by selecting "BASIC" in the menu, no file is starred. However, once you SAVE a program to RAM, that file is starred. Also, if you enter via "BASIC", but then LOAD a ".BA" file, that file is starred.

The SAVE command has a built-in interlock with the asterisk (another undocumented feature). Whenever the FILES display has a starred current program file, any attempts to SAVE the program to RAM (even under a different name) are blocked by an ?FC (illegal function call) error. Saving the program in ASCII format with the ",A" suffix is not prohibited. Similarly, it is not permitted to KILL the currently loaded ".BA" file. This too generates an ?FC error.

Three of the keys which generate ASCII codes are not documented in the "ASCII Character Code Tables" on page 211. Bksp (backspace) generates code 8. Tab generates code 9 and Enter generates code 13.

Please help us rate this article's value. If you've found it very valuable, circle 167 on the Reader Service Card. If it was moderately valuable, circle 168—and if it wasn't valuable to you, circle 169.

SHED A NEW LIGHT ON YOUR MODEL 100 The Glare Shield® The Glare Shield® eliminates glare and eases eyestrain when using the M100. The frosted Acrylic diffuser spreads light evenly across the LCD for improved visibility without hot spots. · Diffuser closes to form a dust cover. All cable ports remain accessible. Send your check or money order for \$29.95 to: CORIOLISINGORPORATED 1924 Cedar Lake Parkway Minneapolis, Minnesota 55416 (Postage and handling included) Minnesota residents add 6% sales tax.

8K RAM

\$29.95

+ \$2.00 SHIPPING No assembly required.

NEW

LAPWORDTM

Machine language word processor for M100, M200, NEC 8201A. 3,280 bytes. \$49.95 plus \$2.50 shipping. \$10.00 discount with RAM CHIP order.

Call or write The Covington Group / 310 Riverside Drive, Suite 916, New York City, NY. 10025 / 212-678-0064, 846-1700.

REVIEWS (from page 37)

anything you like, such as a period.

A wonderful feature is the ability to call up an alternate input file. This allows you to set up one commonly used file such as your letterhead which would include your name, address and phone number. You can then specify a command which allows you to call up the information in that file at the beginning of each of your letters. You would not have to re-type this information each time. This saves time as well as memory because the desired text does not take up memory at the beginning of each text file.

This feature can be extended into a mail merge file. An example would be to set up two different files. One file would be a form letter and the other would be a list of names and addresses. You can then command DO4MAT to print your letters. Presto! You have a personalized letter for each person on your list.

The first version of the program I received was Rev. 1.0. I did not have any problems with it. Approximately a week later BKI sent Rev. 1.1, which corrects a bug which made the program lose the last word of a page in cut sheet mode (pause at end of page). The new version was fixed.



THERE'S ALWAYS SOMETHING

By now you probably have your check signed, sealed and delivered. I don't blame you. It's a great program but nothing's perfect. I've left the bad news till last. DO4MAT is a BASIC program approximately 8.5 kilobytes (K) long. This means it requires a 24K computer but works better on a 32K machine. Execution speed isn't slow considering that it's in BASIC.

Another gripe I have is with the manual. It's not very well written. First it was printed on a dot matrix printer, making it hard to read. Second, there's no index, making it hard to find something without looking through all 70 pages.

Furthermore there's no quick reference card you'd expect with a program this advanced. I wouldn't recommend this program to a beginner because in BKI's quest to include as many advanced features as possible they dropped that old standby: user friendliness. The company's customer support, however, is very good.

Despite the above gripes, DO4MAT is a good program. Some of the features rival those available on a desktop computer. I'd recommend it to anybody who wants or needs a very powerful cassette-based text formatter but at the same time doesn't want to shell out all his hard-earned bucks to buy a more expensive program on ROM.



Lets You Know Values the EASY Way

Fine Art Appraisal - Made Portable

Oil Painting, Watercolor, Pastel, Drawing 1000
Early day Western American painters and 500 very collectable
Western contemporaries included.

Ground-breaking ROM allows anyone to accurately evaluate originals from \$100 to \$1,000,000 and more. Program + semi-annual updates put you in business. System provides High/Low price range; lists galleries, authorities by painter's name.

Diamond Appraisal - Once In A Lifetime

The diamond doesn't change, values do - ENCompass reappraisal revolutionizes ancient art on your Model 100.

Easy Does It - With Easy Budget

At your fingertips - an incredibly flexible budgeting tool designed for home and business use. With EZB multiple calculations can be made simultaneously within exacting zero based constraints.

Monthly figures become instantaneously weekly/daily/hourly/ yearly/and percentages, etc. The package contains "make sense" household budgeting and food cost profiles for immediate use.

Get all three programs on a ROM for \$195.; EZBudget still available on cassette for \$29.95, VISA and Mastercard. Make checks payable to:

ENCompass™ **en***


1373 E. Whitton, Phoenix, AZ 85014 (602) 955-3124

EZB - One Honey of a Program

Circle 21 on Reader Service Card

TRS-80 ALWAYS AT SALE PRICES WE SHIP FAST! DFW COMPUTER CENTER 326-MAIN ST., GRAPEVINE, TEXAS 76051 (817) 481-SALE OUR TRS-80s Have the Radio Shack warranty To get YOUR SALE price CALL: 1-800-433-S A L E

PROTECT YOUR APPLE . . .



IN A CABBAGE!

Now, take your computer with you anywhere you go . . . completely protected . . . in a custom-designed case by Cabbage. Any brand . . . including any peripheral hardware. We design . . . just for you.

Unsurpassed quality and craftsmanship . . . that's a Cabbage!

Best Protection for . . . Anything!

- Audio-Visual Equipment
- Electronic/Optical Equipment
- Computers
- Musical Instruments
- Medical Equipment Scientific Instruments

CABBAGE CASES

2458 Wood Avenue Columbus, Ohio 43221 (614) 486-2495

"Nothing's Tougher . . . Than a Cabbage"

Music Composer's Toolbox

M100 + MIDI = MUSIC

512K RAM Disk stores 220K notes. Complete software and hardware for any MIDI synthesizer.

only \$1195.

RMD & Associates

1210 N. Jefferson Suite H Anaheim, CA 92807 (714) 632-9391

EGGNOG (from page 45)

```
100 'EGGNOG PARTY PLANNER
110 by FRED W. FORRESTER
120 PRINT
    INPUT "How many guests will you serve"; G
   :PRINT
130 PRINT "How many drinks will you serve each"
140 INPUT "guest (allowing 6 oz. per guest)";D
160 '(E)GGNOG; (B)OURBON; (R)UM; WHIPPING (C) REAM
170 E=4.75
   : B = .9
   : R = .45
   : C= . 6
180 \text{ E1} = (\text{E*G*D})/8
   : E2=INT(E1)
   :E3=(E1-E2)*8
   :E4=INT((E3+.ØØ5)*1ØØ)/1ØØ
190 B1 = (B*G*D)/8
   :B2=INT(B1)
    B3 = (B1 - B2) * 8
   :B4=INT((B3+.ØØ5)*1ØØ)/1ØØ
200 \text{ R1} = (R*G*D)/8
    R2 = INT(R1)
   :R3=(R1-R2)*8
   :R4=INT((R3+.005)*100)/100
210 C1=(C*G*D)/8
   :C2=INT(C1)
   : C3 = (C1 - C2) *8
   : C4 = INT((C3 + .005) * 100) / 100
220 PRINT "You need the following for your party
    of";G
230 PRINT
240 PRINT "Press Q for quantities needed"
250 Z$=INKEY$
   :IF Z$="" THEN 250
   :CLS
260 PRINT "You need the following"
                            ": E2: "CUPS AND ":
270 PRINT "EGGNOG
    E4; "OZS."
280 PRINT "BOURBON
                            "; B2; "CUPS AND ";
    B4; "OZS."
290 PRINT "RUM
                            ": R2: "CUPS AND ";
    R4: "OZS."
300 PRINT "WHIPPING CREAM "; C2; "GUPS AND ";
    C4; "OZS."
310 PRINT
   :PRINT "Press I for instructions"
320 XS=INKEYS
   : IF XS="" THEN 320
330 PRINT "Pour the eggnog into a large bowl. Add"
340 PRINT "the liquors one cup at a time, stirring"
350 PRINT "slowly. Whip the cream (no flavoring),"
360 PRINT "cover and chill. When ready to serve,"
370 PRINT "fold in the whipped cream, and sprinkle"
380 PRINT "with nutmeg. HAPPY HOLIDAYS!"
```

52

CLOCK (from page 28)

```
1450
1460
     ' put in random dots
1470
1480 DX = RND(1) * 113 + 1
1490 DY = RND(1) * 2
1500 IF DX > 57 THEN DX = DX + 125
1510 IF DY THEN PSET (DX, RND(1) * 122 + 1) ELSE
     PRESET (DX, RND(1) * 121 + 1)
1520
1530
      ' Check for keyboard commands
1540
1550 INS = INKEYS
1560 IF IN$ = "" THEN 1630
1570 IF IN$ = "M" OR IN$ = "m" THEN MENU
1580 IF IN$ = "R" OR IN$ = "r" THEN 1260
1590 IF INS = "Z" OR INS = "z" THEN TIMES =
      MID$(TIME$,1,5)+":00"
1600
1610 ' Calculate & display time
1620 '
1630 \text{ T$} = \text{MID$}(\text{TIME$}, 1, 5)
1640 \text{ OH} = VAL(MID\$(T\$, 1, 2))
1650 IF OH < 12 THEN AP$ = " AM" ELSE AP$ = " PM"
1660 IF OH > 12 THEN OH = OH - 12
1670 IF OH = 0 THEN OH = 12
1680
1690 PRINT @256, DATE$
1700 PRINT @374,STR$(OH)+MID$(TIME$,3,6)+AP$
1710
1720 ' If it's the same minute, reiterate
1730
1740 IF VAL(MID$(T$,4,2)) = OM THEN 1480
1750
1760 ' Remove the last minute's hands
1770
1780 LINE (120,62)-(120.5+MX*54,62.5-MY*54),0
1790 LINE (120,62)-(120.5+HX*40,62.5-HY*40),0
1800
1810 ' Calculate new hand positions
1820
1830 \text{ OM} = VAL(MID$(T$,4,2))
1840 \text{ MX} = \text{SIN}(\text{OM}*6*\text{RD})
1850 \text{ MY} = \cos(\text{OM} \times 6 \times \text{RD})
1860 \text{ HX} = \text{SIN}((OM/60+OH)*30*RD)
1870 \text{ HY} = \cos((\text{OM}/60+\text{OH})*30*\text{RD})
1880
1890 ' Draw new hands
1910 LINE (120,62)-(120.5+MX*54,62.5-MY*54)
1920 LINE (120,62)-(120.5+HX*40,62.5-HY*40)
1930
1940 Return to infinite time loop
1950
1960 GOTO 1480
```

CHARGE ON!

NEVER RUN OUT OF BATTERIES AGAIN!!!

- Power Accessories for Model 100, M10, and NEC 8201
- Special CHARGE ON KIT comes with charging unit, battery holder (batteries not included), mounting material & special cables for use in car or home.

CHARGE ON KIT \$24.50

Auto connection cables only \$10.00

(allows portables to work off car battery only)

- Unit will not damage computer or auto charging system.
- No installation required or modification to computer

30 day money back guarantee Add \$3.00 for shipping & handling. Make checks payable to:

CHARGE ON! P.O. BOX 6087-C ANAHEIM, CA 92806

MC/Visa also accepted
Allow 4-6 weeks for delivery.

Tandy 200/100 Software

Loan Manager

\$19.95

Computes regular payments of a .
 loan, term of a loan, remaining balance, last payment, annual interest, principal, amortization tables

Investment Manager

\$24.95

 Computes future values of investments, savings, annuities & much more

Graph Pak

\$19.95

—Plots data from a text file or you can enter data as you work, line graphs, bar graphs & pie charts, also a mailing label program & a print formatter are included

Basic Pak

\$19.95

 Basic program debugger, program packer (to conserve memory), renumber, rename, listing formatter

Ram Pak

\$19.95

 Memory dumps, disassembler, hex/ decimal conversions

These menu driven programs come with clear, concise documentation which is written in English—not computerese.

Check—Money Order—C.O.D.

N.J. Residents add 6% sales tax


Add \$2.00 shipping & handling

Data Transfer, Inc.

306 Rancocas Blvd. Rancocas Woods, NJ 08060 609-234-6506

Circle 62 on Reader Service Card

COMET WATCHERS - NAVIGATORS



Spot Halley's Comet among the stars, planets, Moon, and Sun, displayed just as you see the sky, at any time, from any place. Point out any of 180 celestial bodies with the cursor. ASTRO shows name, brightness, direction, and altitude. Manual and cassette for 24K TRS-80/100. \$39.95 + \$2.00 S/H, Visa, M/C. Loquor Enterprises, 3 Heneage Lane, Hanover, NH 03755

ASTRO — A PLANETARIUM IN YOUR LAP

NEW MASS STORAGE SYSTEM FOR ONLY \$69.95

GREAT PERFORMANCE — INCREDIBLE PRICE

A&J Micro Drive would like to announce its new portable System 100. This mass storage system, designed for the Radio Shack Model 100, offers high speed storage for the price of a cassette.

The System 100, with electronics and software designed by A&J Micro Drive, uses the latest Micro Wafer Technology developed by Entrepo Inc. The new system combines high speed digital electronics with low

cost, high performance Micro Drive Technology.

INTERESTED . .

The 100's compact operating system is smaller than that of the Radio Shack Disk Drive.

The latest release of the operating system may be down loaded by calling the computers at A&J Micro Drive using the simple instructions included with the unit.

The System 100 may be small enough to fit into a corner of your briefcase and require only 4 "AA"-size batteries for months of use — but don't be fooled, our new unit is packed with state of the art electronics. It will give you ultra reliable program loading as fast as the disk, and twenty times faster than the cassette.

The System 100 uses a miniature endless loop tape cartridge called a Micro Wafer. The Micro Wafer, approximately the size of a credit card, is completely enclosed in a protective

credit card, is completely enclosed in a protective housing. A built-in cover retracts as the tape is inserted into the drive, exposing the video-grade digital magnetic tape to the read/write head. Micro Wafers come in several lengths, allowing the customer to choose the length best suited to his application.

STILL INTERESTED . . .

The price of \$69.95 includes a drive system with cable attached, one Micro Wafter, operating instructions and one-year membership to the A&J Bulletin Board. Price effective through 1985. Wouldn't you like to have on under your Christmas tree?

Manufacturer's Specifications

System 100

A&J Micro Drive
1050 E. Duane Ave. Ste "I"

Sunnyvale, CA 94086 (408) 732-9292

Price: \$69.95

Baud Rate: 14,000 bits/second Tape Speed: 8 inches/second Capacity: 2K bytes/foot tape


10' = 20K bytes 62' = 124 K bytes Lengths: 10, 20, 35, 50, & 62' Power Supply: 4 "AA" cells Connection: Uses RS-232 port Cable: 30 inch RS-232 attached Size: 6 x 4 x 2.5 inches Weight: 24 ounces

CLOCK (from page 28)

Lines 1320 and 1330 divide the screen into three boxes. The large square in the middle of the LCD is the home of the clock face. The two side rectangles are used for the random dot patterns.

The hour tick marks are drawn by the FOR-NEXT loop at lines 1370 through 1410. Coordinates (120,62) indicate the center of the LCD display, and the ticks are to be located 58 units from the center. As the variable OH varies from 0 to 11, 30 times that value moves between 0 and 330 degrees in 30-degree increments. The process of calculating the x and y-coordinates from the angle and length is called polar to rectangular conversion — see Figure One.

Figure 1: In a circle, if r is the radius (length of the hand) and theta is the angle in radians, then $x = r \sin(theta)$ and $y = r \cos(theta)$.



DOT TO DOT

The random dots are created in lines 1480-1510. Two random-number calls generate the x-coordinate and color (black or white) of the dot. If the dot's x-coordinate is located between 1 and 57, then it goes in the left side. If it's greater than 57, add a displacement of 125 to move the dot to the right side. Another random-number call determines the y-coordinate of the dot.

If the angle θ is in radians,

then $x = r \sin(\theta)$; $y = r \cos(\theta)$

The keyboard is scanned between lines 1550 and 1590. If no key has been depressed, then the individual comparisons are skipped.

The correct time is read and processed in lines 1630 through 1670. The 24-hour format time is converted to 12-hour AM/PM format. Lines 1780 and 1780 print the time and date on the screen, and can be deleted if that feature's not desired.

Line 1740 checks the current minute

CLOCK

against the last time the hands were drawn. New hands are drawn only on a new minute.

Every minute, the old hands are removed by lines 1780 and 1790. The hour hand is 40 units long, the minute hand 54 units long.

The coordinates for the hour and minute hands are calculated by lines 1830 through 1870. The hour hand is accurately moved fractionally with the minute hand.

The new hands are drawn in lines 1910 and 1920. Line 1960 returns to the perpetual loop, and another round beings.

CUP OF SUGAR

The BIGBEN.BA program is more than just an exceptionally clever clock — it's a source of a few programming tips.

The "clock hand" problem is a common one. A game that simulates the sweeping bar on an aircraft radar, for example, will need to be able to calculate the proper coordinates for the moving lines.

Lines 1370-1410 can be a guide for drawing circles: Just change the value 58 to the radius and 120 and 62 to the desired center. Set the 11 in the FOR statement to a multiple of 360 less one, such as 35 for 10-degree increments. In figures, that's (360/10)-1. Finally, adjust the 30 in the trigonometric function to that same degree increment.

Changing 24-hour times to the normal AM/PM clock is always exciting, and much more user-friendly. Here's the process:

1. Extract the hour from TIME\$ (the first two characters) or from the time variable. Be sure to convert it from character to numeric format, if necessary.

2. If the hour is less than 12, then it's AM. If the hour is greater or equal to 12, then it's PM. Note that the hour 12 (as in 12:00 through 12:59) is afternoon, and the hour after midnight is morning.

3. If the hour is greater than 12, then subtract 12. So, 13:00 becomes 1:00 and 21:30 becomes 9:30. Of course, 12:00 stays 12:00.

4. If the hour is the hour after midnight — 00 — then make it hour 12. Some 24-hour clocks call that hour 24, some (including the Model 100 and Tandy 200) call it hour zero. We'll just call it 12:00 AM. □

Please help us rate this article's value. If you've found it very valuable, circle 170 on the Reader Service Card. If it was moderately valuable, circle 171—and if it wasn't valuable to you, circle 172.

LAPSTAR

The WORDSTAR' like text processor that

lets your M100 NEC8201 display 55%

by 10 lines

60 columns

more text on the screen than before. Plus gives you many more text entering and editing commands than TEXT. Now with free text formatter included.

Now! Available NEC 8201 version N

CISS

3780 Manor House Drive, NE Marietta, GA 30062

(404) 992-2200

\$74.95


*WORDSTAR is a trademark of Micro-Pro Inc.

For 16k and larger machines.

PORTABLE EXPANSIONS

MODEL 100/200 EXPANSION MODULES!

SEE OUR FULL PAGE AD IN THIS ISSUE



TTXpress MODEL 1280 \$99 Portable Thermal Printer

FREE printer cable

Half the size of a Model 100, battery operated (4 "C" cells, internal), 2.2 lbs., uses 8½" wide white thermal paper, 40 cps unidirectional (50 cps with A/C adaptor), 80 or 160 chars./line, condensed, enlarged, emphasized, bit graphics, true descenders, underline, H/V tabs. . .

Accessory kit for above \$24

Includes A/C adaptor, 80 ft. roll of paper, and a simulated leather case.

THINGS JUST FOR THE NEC PC-8201A

SideCar 128K RAM cartridge \$259

See our August '85 Full Page Ad

PSCALC \$88

A spreadsheet program in a 32K ROM CHIP. Plugs into the ROM socket.

FREE SHIPPING, HANDLING, AND INSURANCE

for Cont. USA. Ordered today—shipped tomorrow UPS. 30-day total-satisfaction, money back guarantee. We honor Visa, M/C, AmExp, and Money Orders.

Checks take 3 weeks to clear.



(800) 732-5012 (805) 987-4788 (in Calif.)

420 CONSTITUTION AVE., CAMARILLO, CA 93010

METAB

Calculates metabolic rate, caloric intake and change in weight.

\$15.00

ADDRESSER

Prints from "ADR S.DO" labels, letterheads and envelopes.

\$10.00

D ADDRESS

Stores or prints addresses, disk-formatted letterheads and envelopes.

\$20.00

SPELLER 2

".DO" file spelling checker.

\$30.00

D SPELLER

".DO" file spelling checker from 1000 word + dictionary stored on disk.

\$60.00

PSYCHI

A psychiatric evaluation.

\$40.00

All programs come on 51/4" disk or cassettes with documentation.

SOFTMATE

P.O. Box 15157 Portland, OR 97215-9998

503-238-1490

Circle 52 on Reader Service Card

NAVIGATING (from page 41)

BEARDI BASIC Program Listing

```
100 REM BEARing and DIstance calculator BEARDI 110 REM given Latitude and Longitude
120 REM of two points
190 PRINT "ENTER FROM LAT/LONG"
200 INPUT"enter LAT deg,min ";F1,F9
205 F1=F1+F9/60
210 INPUT enter LONG deg, min ": F2, F9
215 F2=F2+F9/60
220 PRINT "ENTER TO LAT/LONG"
230 INPUT enter LAT deg,min ":T3,T9
235 T3=T3+T9/60
240 INPUT enter LONG deg, min "; T4, T9
250 T4=T4+T9/60
560 Z=57.2958
570 A=F1/Z
580 O=F2
590 B=T3/Z
600 L=O-T4
610 IFL>180 THEN L=L-360
620 IFL<-180THEN L=L+360
630 L=L/Z
640 D=(SIN(A)*SIN(B))+(COS(A)*COS(B)*COS(L))
660 D=-ATN(D/SQR(-D*D+1))+1.5708
670 C=(SIN(B)-(SIN(A)*COS(D)))/(COS(A)*SIN(D))
690 C=-ATN(C/SQR(-C*C+1))+1.5708
700 IF L<0 THEN H=360-(C*Z)
710 IF L<0 THEN GOTO 730
720 H=C*Z
730 CLS
740 PRINT USING "Bearing = ###.# Degrees";H
750 PRINT USING "Distance = ####.## Nautical Miles";D*Z*60
760 PRINT USING "Distance = ####.## Statute Miles";D*Z*60*1.15078
770 PRINT USING "Distance = ####.## Kilometers";D*Z*60*1.8518518518
780 INPUT H
790 CLS
```

There are many reasons for calculating bearing and/or distance between two known locations. Applications include, among others, making enroute "fixes" for aircraft flight planning, similar calculations for marine navigation and even determining what direction to point an antenna for amateur radio or television purposes.

When you can do these calculations other uses arise, such as calculating how many degrees off course KAL 007 would have had to be in order to brush Russian airspace. Invention is the mother of necessity.

LATITUDE AND LONGITUDE

Using this program requires that the location of two points stated as latitude and longitude be known. The combination of latitude and longitude are also referred to as coordinates.

Latitude defines locations relative to the equator. The equator is zero (0) degrees latitude, the North Pole is 90 degrees north and the South Pole is 90 degrees south. When using the BEARDI program enter north latitudes as positive numbers between zero (0) and 90. Enter south latitudes as negative, between zero and -90.

Longitude defines positions east and west of a line connecting both poles and passing through Greenwich, England, a borough of London which was formerly the site of an astronomical observatory. Locations west of the prime meridian are defined by the range zero to 180 degrees west. Locations east of the prime meridian are defined by the range 0 to 180 degrees east. The line connecting the poles on the opposite sides of the earth is ambiguously defined as both 180 degrees east and 180 degrees west of the prime meridian.

When using BEARDI, latitudes between 0 and 180 degrees east are entered as positive and western latitudes are negative. For example, because all the United States lies east of the prime meridian and north of the equator, all latitudes and longitudes are positive.

SPHERICAL TRIGONOMETRY

Two equations based on spherical trigonometry (see Table 1) are required to calculate bearing and distance between two points. The first equation calculates distance between the two points in degrees of arc relative to the center of the earth (one degree = 60 nautical miles). The second calculates the bearing between the two points in degrees.

The bearing calculated is from the first point to the seond point; north is zero degrees, east is 90 degrees, south is

NAVIGATING

Table 1.

EQUATIONS USED TO CALCULATE BEARING AND DISTANCE

 $\cos D = \sin A \sin B + \cos A \cos B \cos L$

 $\cos C = \frac{\sin B - \sin A \cos D}{\cos A \sin D}$

where: A = FROM latitude in degrees

B = TO latitude in degrees

L = FROM longitude – TO longitude

If the result is outside the range +-180

360 is algebraically added or subtracted to give a result between +180 and -180.

D = Distance along great circle path from FROM to TO in degrees of arc relative to the center of the earth.

C = True bearing from North is L is positive

If L is negative then true bearing = 360-C

Table 2.

LATITUDE AND LONGITUDE OF SOME MAJOR AIRPORTS OF THE WORLD

Facility	Latitude (deg, min)	Longitude (deg, min)
Boston (BOS)	+42,22	+71.0
Chicago (ORD)	+41,59	+87,54
Dallas (DFW)	+32,54	+97,02
Los Angeles (LAX)	+33,56	+118,24
Miami (MIA)	+25,54	+80,17
New York (JFK)	+40,38	+73,46
San Francisco (SFO)	+37,37	+122,23
Washington, DC (IAD)	+38,57	+77,27
Barbados (MKPB)	+13,04	+59,30
Bermuda (MXKF)	+32,22	+64,41
Brazil (RIO)	-22,49	+43,15
London (LHR)	+51,28	+0,27

180 degrees and west is 270 degrees. The bearing identifies the shortest path to the other point over the face of the earth. This path is generally referred to as the great circle route.

Note that it is a quirk of spherical geometry that, with few exceptions, the great circle bearing between two points is almost never simply the opposite direction. The bearing calculated by BEARDI is the great circle heading from the first point to the second. To cal-

culate the bearing from the second point to the first, the data must entered in reverse order.

USING THE PROGRAM

Latitude and longitude are sometimes coded as fractional degrees but more often either as degrees and minutes or degrees, minutes and seconds. The relationship is very simple. Sixty seconds equal one minute, and 60 minutes equal one degree.

Financial Decision Making with your TRS-80TM Model 100 Including 18 Programs by Leslie Sparks

ENTREPRENEUR ... EXECUTIVE ... BROKER ... BANKER ... BUSINESSMAN ... HOME OWNER ... ANYONE WHO WANTS TO MAKE HIS MONEY WORK HARDER AND TO HAVE BETTER CONTROL OVER HIS FINANCIAL FUTURE WILL APPRECIATE THIS EXTREMELY WELL-WRITTEN AND EMINENTLY PRACTICAL SOURCEBOOK. It'S A HANDS-ON GUIDE TO TRANSFORMING YOUR TRS-80 MODEL 100 INTO A POWERFUL AND RELIABLE ASSISTANT FOR FINANCIAL PLANNING AND DECISIONMAKING. 144 PP., 96 ILLUS. PAPERBACK. PUBLISHER'S LIST \$9.95 ORDER NO. 1799P

TO ORDER, CALL TOLL FREE: 800-233-1128 (IN PA, HI, OR AL, CALL DIRECT: 717-794-2191)



TAB BOOKS Inc.

P.O. Box 40 Blue Ridge Summit, Pa. 17214

INVEST BY COMPUTER

Central Asset Account National Network FREE On-Line Access

Harness your computer's power with UNI\$AVE

- Deep Discount Brokerage Rates
- Money Market Sweep Account
- . Unlimited Check Writing
- Portfolio Accounting
- Open with only \$1,000

Many FREE Computer Services FREE Access to View Account FREE Entry of Brokerage Orders NO Application Fee NO Software Purchase Required On-Line Investment Research

Data for over 40,000 securities
Quotes - Stock Performance Ratings
Research Fees based on connect time

Discount Stock Commissions

Up to 240 Shares... \$30.00 241 to 799 Shares... 12½¢ per sh 800 to 1099 Shares... 10 ¢ per sh 1100 to 2099 Shares... 8 ¢ per sh 2100 to 3099 Shares... 7 ¢ per sh 3100 Shares or More... 5 ¢ per sh

Call 1-800-UMC-SAVE Unified Management Corporation

Guaranty Building • Indianapolis IN 46204 MEMBER: Midwest Stock Exchange. NASD SIPC

Circle 73 on Reader Service Card

8K \$25 RAM MODULE

F

R E

- Ramtest software and
- · Prop Legs with order
- Shipping

E

ULTRA LOW POWER Cmos design

Easy step by step installation instructions

1 YEAR WARRANTY MC VISA COD MO ship same day \$25 each or 3/\$70

WE SERVICE WHAT WE SELL HOBBYIST SPECIAL: Kit form all parts except 6264LP \$16

ECONOMY COMPUTER CONCEPTS Box 2047, N. Babylon, NY 11703

Voice: 516 587 6947 24 HR MODEM LINE: 669 4764 300 Baud 7 Bit No Parity

GPIB



GPNET model 10

- . CPU Z8 Single chip controller (8 MHz)
- ROM 4KB RAM 2KB
- GPIB Controller NEC uPD7210
- RS232C I/O (300-19200bps)
- IEEE-488 bus connector
- GPIB function:

SH1 AH1 T6 TE6 L4 LE4 SR1 RL2 PPO DC1 DT1 C1 C2 C3 C4 C7

- Power Supply: DC.5V 450mA DC 12V 30mA
- 126mm w x 29 mm h x 151 mm l
- 18 oz. weight
- \$350.00

Does not require specific OS Only BASIC needed to support network


GPNET 12V Power Unit available

NICTRIX

26 Court Street Brooklyn, NY 718-522-4941

Dealer inquiries invited

NAVIGATING



The BEARDI program prompts for degrees and minutes. Two entries *must* be entered in response to the prompt. If rough calculations are being made, and only degrees are known, you must enter a value of zero for minutes.

You should keep in mind that at the equator one degree equals 60 nautical miles (at sea level). Errors introduced by such rounding could, therefore, be significant. In most cases minutes are available and should be used.

The program doesn't prompt for seconds but they may be included by dividing them by 60 and adding the fraction to the minutes entry. A prompt for seconds could easily be added to the program also. The value entered for seconds must be divided by 3600 and added to the fractional degrees currently calculated by the program.

The program first prompts for the latitude and longitude of the FROM point and then prompts for the coordinates of the TO point. The Model 100 will pause for approximately two seconds after the data are entered before displaying the results.

If you want to use the routine as a subroutine called by an application program delete lines 100 through 250, add a


Return statement at line 800, and from the calling program GOSUB 560 with F1, F2, T3, T4 set to the FROM and TO latitude and longitude, respectively.

LIMITATIONS

One caution must be noted regarding limitations of the program. Three situations cause a significant error. They are:

- If the FROM location is one of the poles. The bearing from the North Pole can only be south and from the South Pole, it can only be north. In these two unique cases, adequate information for proceding from the FROM point to the TO point is not provided.
- If FROM and TO are antipodes exactly opposite points on the earth's surface. When calculating between antipodes an error of more than a few miles is introduced. However, the distance between antipodes is approximately 12,428.44 statute miles and this error is not likely to be significant. What's more, in a navigation application, if the bearing and distance are again calculated enroute, the error would no longer be present.

NAVIGATING



• If the points being measured are extremely close together. One second off represents an error of 88 feet at the equator. In such cases, the error may be only a matter of feet but could represent a significant percentage.

The bearings calculated by the program are with reference to true north (the axis of rotation of the earth). If referencing a magnetic compass, a correction for magnetic deviation must be made. The magnetic North Pole is not exactly at the true North Pole. Also, in a few regions major mineral deposits of ferrous ores cause compasses to be further compromised. To give a few examples, the magnetic deviation in Miami, Florida is one degree west, the deviation in Washington D.C. is nine degrees west, in Dallas, Texas it's seven degrees east and, incredibly, magnetic disturbances as great as 47 degrees exist near the peak of Elk Mountain, Colorado.

General purpose maps do not routinely indicate magnetic deviation. However, virtually all visual aviation and marine maps plot reference lines of variation. When using a map which gives an easterly magnetic variation, subtract that number of degrees from the true bearing calculated by BEARDI.

If the variation is west then add it to the true bearing. By making this correction the actual compass bearing to the detination point is derived.

For applications such as aiming an antenna mounted on a rotor, no complicated corrections need to be made. The rotor should simply be adjusted once, when true north has been determined. However, for vehicles in motion, such as aircraft or ships, the correction for magnetic deviation must be periodically adjusted.

WHERE TO FIND DATA

In addition to general purpose maps which routinely depict latitude and longitude with some degree of accuracy, the National Ocean Survey publishes several series of both aviation and marine naviagation maps of the world. Some of these depict latitude and longitude in considerable detail. Local zoning and planning maps also generally note latitude and longitude.

Please help us rate this article's value. If you've found it very valuable, circle 173 on the Reader Service Card. If it was moderately valuable, circle 174—and if it wasn't valuable to you, circle 175.

THE GREAT COMMUNICATOR

Work anywhere on your lap-size computer, then transfer files directly to your desk-bound micro. Or use your lap-size as a go-between to move files from one brand of desk computer to another.

All you need is HardWire[®], the menudriven program that speeds files between lap-size and microcomputers. Use it with any combination of the NEC 8201/8401, Radio Shack Model 100/200, or Epson Geneva lap computers with the IBM-PC, PC-compatibles, Kaypro, or Otrona Attache. Add a cable and go!

HardWire[©] program and easy-to-follow manual:

only \$3095

Specify MS-DOS, or Kaypro CP/M Or get any two versions for just \$59.95.

VISA and MasterCard accepted.

To order or for information,
call or write:

POMERLEAU COMPUTING SYSTEMS of Hyde Park P.O. Box 337585

Chicago, IL 60637 (312) 667-2075

Call us for information on other lap-size computers.



- . STORE DATA IN OPTIONAL ROM SPACE
- WRITE PERSONAL VERSIONS OF OPERATING SYSTEM
- PROGRAM ADD-ON CAPABILITIES LIKE THE "BIG SYSTEM" HOUSES


Translator Board for option ROM-OPT \$60 ROM socket to 27C256 Translator for Standard ROM ROM-STD \$60 socket to 27C256 Test Clip and Jumper Cable for TCJ-28 programming above units from \$50 your programmer Program the units directly from LL-100 the M100 System bus socket

Prices include taxes, shipping and handling (US only). For faster service use money order or COD.



9235 Chesapeake Drive, Suite B San Diego, CA 92123 Advertisemen

Text processing power that no other program can equal.



PCSG says "Send it back in 30 days for a full refund if you don't agree."

WRITE ROM is the definitive word processing extension for the Model 100. PCSG produced the first text formatter for the Model 100, now sold by Radio Shack as Scripsit 100. Now, 18 months later, PSCG introduced WRITE ROM. Those who have experienced it say WRITE ROM literally doubles the power of the Model 100.

WRITE ROM — as its name implies — is on a snap-in ROM. You simply open the little compartment on the back of the Model 100 with a quarter and press WRITE ROM in. It's as easy as an Atari game cartridge. You can use other ROM programs like Lucid whenever you wish.

WRITE ROM lets you do every formatting function you'd expect, like setting margins, centering, right justifying and creating headers and footers. But it does them under function key control.

WRITE ROM remembers your favorite format settings so you can print a document without any setup, but you can change any formatting or printing parameter instantly with a function

WRITE ROM's "pixel mapping" feature shows you an instant picture on the screen of how your printout will look on paper.

In all there are 64 separate features and functions you can do with WRITE ROM, and some of these features are truly breakthroughs for the Model 100.

First, WRITE ROM lets you do search and replace. Any word or phrase in a document can be searched for and replaced with any other phrase where the search words appear.

Second, WRITE ROM lets you send any text (formatted or not) to any other computer over the phone with just a function key. What's more, it dials and handles sign-on and sign-off protocol automatically.

Third, WRITE ROM has a wonderful feature called Library that lets you record favorite phrases, words or commonly used expressions (often called boilerplate).

Any place you wish Library text to appear you just type a code. WRITE ROM automatically inserts the text just like a Xerox Memory Writer. Picture what you can do with that kind of capability.

WRITE ROM is blindingly fast. No one can claim faster operation. Because it is on ROM it uses virtually none of your precious RAM. It works with any printer, serial or parallel. You can make a duplicate copy of a document file under a new filename. Rename or delete (kill) any RAM file with function key ease.

This description only scratches the surface of this amazingly powerful piece of software. Dot commands allow control of such things as margins, centering, line spacing and other changes in the middle of a document. Most are WordStarTM compatible.

A mailmerge feature allows you to send the same document to every name on your mailing list, personalized for each recipient.

WRITE ROM enables you to do underlining, boldface and correspondence mode as well as any other font feature like superscripts that your printer supports, in a way that many users say "is worth the price of the program."

To underline you don't have to remember a complicated printer code. You just type CODE u, and to stop underline, CODE u again. The CODE key is to the right of your spacebar. Boldface? CODE be ostart and stop. Easy to remember and do. Five different printer features of your choice.

We couldn't list all the features here. For example, you can select not just double space but triple or any other. You can use your TAB

key in a document. WRITE ROM allows you to undent. This means you can have paragraphs with a first line projecting to the left of the rest of the paragraph. WRITE ROM has a feature unique for any word processor on any computer. It's called FORM. FORM is an interactive mechanism that lets you create screen prompts so that you or someone else can answer them to fill out forms or questionnaires.

With FORM, any place that you had previously typed a GRAPHT and a prompt in a document, WRITE ROM will stop and show you that prompt on the screen. You can type in directly on the screen and when you press F8 you see the next prompt. It goes to a printer or a RAM file.

Think how you can use FORM. A doctor or nurse could use it for a patient's history with each question appearing on the screen. An insurance salesman could use it for his entire questionnaire. You could construct a series of prompts to answer correspondence, typing the answers, even using Library codes. This feature lets you answer letters in rapid-fire fashion, each with personalized or standard responses.

Before WRITE ROM you had to be a programmer to create a series of prompts. Now it's as simple as GRAPH T.

PSCG makes the claim that WRITE ROM is the easiest, fastest and most feature-rich formatter for the Model 100. We're happy to offer WRITE ROM because it expands the 100 to a dimension of text processing you cannot equal on even larger computers.

We brashly state that WRITE ROM is the best you can buy. But put that to the test. If you aren't as excited as we are, return it for a full refund. Priced at \$99. on snap-in ROM. MasterCard, VISA, American Express and COD.

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

VISA / MASTER CARD / AM. EXP. / C.O.D.

1-214-351-0564

GIGO

EQUIVALENT FUNCTIONS

In the table accompanying Larry Berg's letter "A Basic Comparison" in your September issue, the Model 100 is shown as having no equivalent function for EQV, IMP and MOD.

This is untrue. The table shows NOT(A XOR B), NOT(A OR B) and A-INT(A/B)*B as "identical functions and parameters." These also work but on experimenting with my Model 100, I found the original commands work equally well with less typing, memory usage and execution time.

Examples of command format: A MOD $B = NOT(A \ XOR \ B)$ A IMP $B = NOT(A \ OR \ B)$ A MOD B = A-INT(A/B)*B

My Model 100 has been a constant companion for over a year and I appreciate your magazine very much as a source of information and ideas.

Bruce P. Williams Detroit Lakes, MN

A FUNNY THING HAPPENED WHILE WRITING A PROGRAM

I accidently created this program trying to accomplish a graphic setup.

Though small, it draws about 119 different graphic kaleidoscope designs using the line-box command.

I thought it might be of some interest to your readers.

1 CLS

:FOR Z=1.5 TO 60 STEP .5

2 B = 0

:FOR P=1 TO 5

:FOR A=0 TO 32 STEP Z

:X = 239-B

:Y = 63-A

:GOSUB 7

3 LINE (B,A)-(X,Y),1,B

:B=B+Z :NEXT A

4 FOR A=32 TO 0 STEP -Z

X = 239-B

:Y = 63-A

:GOSUB 7


5 LINE (B,A)-(X,Y),0,B

:B=B+Z

:NEXT A,P,Z

6 END

7 IF X<0 THEN X=0



8 IF Y<0 THEN Y=0 9 IF X>239 THEN X=239 10 IF Y>63 THEN Y=63 11 IF B>239 THEN B=239 12 RETURN

> Richard C. Hobbs Lisbon Falls, ME

Thanks for the program. We're only too happy to share it with our readers. However, since some of them out there are Tandy 200 users, we'd like to make an addendum. To take advantage of the full screen on the 200, change the number 32 in lines 2 and 4 to 64 and the 63 in lines 2, 4 and 10 to 127. — Ed.

THAT'S NEWS TO US

I've been told by NEC that you publish a monthly newsletter dealing with the NEC 8200 line. I have a NEC 8201A and am interested in seeing a copy of your publication and possibly subscribing if it looks good. Please send information about subscribing and a copy of the newsletter.

H. Noel Thomas Seminole, FL

Camden Communications, Inc. does not publish a NEC specific newsletter at this time. However, Portable 100 magazine reviews and advertises many products that are pertinent to the NEC PC-8201 user. — Ed.

USER GROUP NOTES

The Calgary Portable Computer Group has been founded and presently consists of 60 members and is growing. They are actively soliciting information from other user groups as well as product and computer seminars and exhibit information. Anyone involved in promoting the Model 100/Tandy 200, M-10 and NEC portables is invited to contact Craig J. McLay, 41-1011 Canter-

bury Drive S.W., Calgary, Alberta, Canada, (403)238-0990.

Model 100 and Tandy 200 owners who would like to start a users' group in the Detroit area should contact J.R. Cairns, 836 Dover Drive, Dearborn Heights, MI 48127

The Leesburg (Indiana) BBS has a new telephone number: (219) 594-5843. LBBS can be accessed 24 hours a day, seven days a week.

PORTABLE NOTEBOOK

I found the article "Take Note" in your September issue interesting and expect that the "code" choices the author has devised are quite useful. When I first became aware of the Model 100's existence, its potential as a portable notebook struck me immediately. Our office is obtaining several for this use.

We have developed a concept for integrating an outliner program into a system (using IBM PCs) which should add considerable power to the organization of notes in a report larger than the Model 100 can handle. Do you know of anyone who has employed an outliner program in this manner and what luck they may have had with it? I hope to be able to try some things soon, but have not had time as yet.

Robert B. Person Montana Legislative Council Helena, MN

Funny you should ask. We just received a press release from Traveling Software about Ultimate ROM II (see New Products). This upgraded version of their Ultimate ROM chip includes an improved Idea outline processor which features optional Thinktank file compatibility. This means files created with Thinktank can be converted to run in Idea format and vice versa. It would be something worth looking into. — Ed.

* What The * * Future Holds * *

Last month we explored compound interest and its effect on investments. This month we expand on that principle and learn what impact interest rates have on such things as annuities and loans.

The following is reprinted from "Financial Decision Making With Your TRS-80 Model 100 Including 18 Programs" by Leslie Sparks (Book No. 1799), with permission of the publisher, Tab Books Inc., Blue Ridge Summit, PA 17214.—Ed.

A lthough there are many cases where we are interested in lump sum payments, it is more common to be interested in the effects of time on periodic payments. For example, we may want to know how much we will have in five years if we can save \$100 per month. Or we may want to know how much we can withdraw from savings each month if we want the savings to last four years. These are examples of annuity problems.

An annuity is defined as a payment (or receipt), usually of a fixed amount, made at stated predetermined intervals. Most commonly payments are made at the end of the payment period and is called an *ordinary annuity*. If the payment is made at the beginning of the period, the annuity is called an *annuity due*.

We'll look at both types of annuities. Two programs, ANUIT1.BA and ANU IT2.BA are included to provide some solutions to both types of problems.

In order to fix the concept, let's work through an example and then derive the formulas. Suppose we set \$1,000 aside at the end of each year for the next five years. The money will earn 6 percent interest per year compounded annually. How much will we have at the end of the fifth year? At the end of the first year \$1,000 is deposited and earns 6 percent interest for the next year. Also at the end of the second year we deposit the second \$1,000. The value of our account at the end of the second year is \$1,000 (initial deposit) + \$60 (interest on the first \$1,000) + \$1,000 (the second deposit) = \$2,060. At the end of the third year we deposit the third \$1,000 and

so on.

We can use the same example to demonstrate the difference between an ordinary annuity and an annuity due. Remember that ordinary annuity payments are made at the end of the period; payments for an annuity due are made at the beginning or each period. Thus, if our example problem were for an annuity due, we would make the first deposit at the beginning of the first year. At the end of the first year we would have \$1,000 + \$60 (the interest earned). At the end of the second year we would have \$1,000 (the first deposit) + \$60 (the interest earned for first year) + \$1,000 (the second deposit) + \$123.60 (interest earned during the second year on \$2,060).

These two examples show that the difference between an ordinary annuity and an annuity due is one year's worth of interest.

Although it's possible to work any annuity problem this way, it's easier to use annuity formulas. For an annuity due:

(Text continues on page 67)

```
Listing 1. Annuity due program ANUIT1.BA
1 REM ANNUITY DUE PROGRAM VERSION 1.0
2 REM FOR TRS-80 MODEL 100 BY LES
3 REM ANUITI.BA
5 CLEAR
6 DEFINT J.L
7 CL$=CHR$(27)+"E"
8 C1$=CHR$(27)+"K"
11 A$="1234567890.+-
12 AZ$=CHR$(13)+CHR$(31)+CHR$(30)+CHR$(42)+"M"
    +"m"
14 DIM F$(4),T$(5),X(5)
15 JR=16
  JS=2:
  FORJ=0TO4:
  READF$(J)
  NEXTJ
16 FORJ=0TO4:
  READT$(J)
  NEXTJ
40 J=1
50 CLS:
  JF=0
60 PRINT STRING$ (39,"=")
70 PRINT "ANNUITY DUE PROGRAM FOR MODEL 100"
72 PRINT " version 1.0 by LES."
```

```
80 PRINT" SELECT DESIRED OPTION"
  PRINT" (F)UTURE VALUE OF ANNUITY.
  PRINT" (P) RESENT VALUE OF THE ANNUITY."
  PRINTSTRINGS(39,"=")
86 PRINT 2280, "Please press F OR P. Q QUITS."
90 Y$=INKEY$
  IFY$=""THE N90ELSE J=INSTR("QoFfPo",Y$)
92 IF J=0THEN90
95 IF J <3 THEN CLS
  PRINT:
  FILES:
  END
100 IF J>4THENGOSUB 900 ELSE GOSUB 500
110 GOTO 50
500 REM CALCULATE FUTURE VALUE
510 T$="CALCULATE FUTURE VALUE OF ANNUITY"
520 T$(4)="FUTURE VALUE"
540 NT=4
550 GOSUB 9000
552 IFY$="M"ORY$="m" THEN RETURN
555 PRINT 2280, STRING $ (39," ");
560 REM FIND MISSING ITEM
570 J9=0
572 FORJ=OTONT:
  IFX(J)=0THEN J9=J9+1
```



SOME HISTORIC BREAKTHROUGHS DON'T TAKE AS MUCH EXPLAINING AS COMPUSERVE.

But then, some historic breakthroughs could only take you from the cave to the tar pits and back again.

CompuServe, on the other hand, makes a considerably more civilized contribution to life.

It turns the personal computer into something useful.

CompuServe is an information service. Just subscribe, and 24 hours a day, 7 days a week, a universe of information, entertainment and communications is at your service.

A few of the hundreds of things you can do with CompuServe:

COMMUNICATE

Easyplex™ Electronic Mail puts friends, relatives and business associates in constant, convenient touch.

CB Simulator lets thousands of enthusiastic subscribers "chatter away" on 72 different channels.

Over 100 Forums welcome you to join their online "discussions." They're for everyone from computer owners and gourmet cooks to physicians and game players.

Bulletin Boards let you "post" messages where thousands will see them.

HAVE FUN

Our full range of games includes "You Guessed It!," the first online TV-style game show played for real prizes; Mega-Wars III, the ultimate in interactive excitement; board; parlor; sports and educational games.

SHOP

THE ELECTRONIC MALL™ gives you 'round the clock shopping for name brand goods and services at discount prices from nationally known stores and businesses.

SAVE ON TRIPS

TWA TravelshopperSM lets you scan schedules and fares, find the best bargains and order tickets online.

A to Z Travel/News Service provides latest travel news plus complete information on over 20,000 hotels worldwide.

MAKE PHI BETA KAPPA

Grolier's Academic American Encyclopedia's Electronic Edition is a complete, constantly updated general reference encyclopedia.

The College Board, operated by the College Entrance Examination Board, helps you prepare for the SAT, choose a college and get financial aid.

BE INFORMED

The AP News Wire (covering all 50 states and the nation), the Washington Post, USA TODAY Update and business and trade publications are constantly available. And our electronic clipping service lets us find, clip and file specific news for reading at your convenience.

INVEST WISELY

Comprehensive Investment Help

includes complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 50,000 stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Standard & Poor's. Value Line. And over a dozen other investment tools.

Site II provides demographic and sales potential information by state, county and zip code for the entire country.

And now for the pleasant surprise.

Although CompuServe makes the most of any computer, it's a remarkable value. You get low start-up costs, low usage charges and local-phone-call access in most major metropolitan areas.

Here's how to use CompuServe.

CompuServe is "menu-driven," so beginners can simply read the lists of options on their screens and then type in their selections.

Experts can just type in "GO" followed by the abbreviation for whatever topic they're after.

In case of confusion, typing "H" for help brings immediate instructions.

And you can ask general questions either online through our free Feedback service or by phoning our Customer Service Department.

How to subscribe.

To access CompuServe, you'll need a CompuServe Subscription Kit; a computer, terminal or communicating word processor; a modem and in some cases, easy-to-use communications software.

With your Subscription Kit, you'll receive a \$25 usage credit, a complete hardcover Users Guide, your own exclusive user ID number and preliminary password, and a subscription to CompuServe's monthly magazine, *Online Today*.

Subscription Kits are available in computer stores, electronic equipment outlets, retail stores and catalogs. You can also subscribe with materials you'll find packed right in with many computers and modems sold today.

Make a move of historic proportions. Subscribe to CompuServe today.

To receive our free informative brochure or to order direct, call or write:

CompuServe®

Information Services P.O. Box 20212, 5000 Arlington Centre Blvd. Columbus, OH 43220

800-848-8199 In Ohio, call 614-457-0802 TAKE YOUR PICK.

LOW BATTERY

POWER

OFF

TANDY PORTABLE DISK DRIVE

EJECT

ACTUAL SIZE

RADIO SHACK'S NEW 100K PORTABLE DISK DRIVE CLEARS UP YOUR CASSETTE CLUTTER



If you're like most Model 100 or Tandy 200 owners, you've probably found more uses for your portable computer than you ever imagined. This is great, but it brings up the question of storage. Where do you keep all those great programs you write? All that important data?

Until today it's probably been on cassettes—a lot of cassettes. And cassettes are cumbersome, bulky and, well . . . slow. Now there's a better way.

Our new Portable Disk Drive (26-3808, \$199.95) gives you fast access to 100,000 characters on $3^{1}/2^{n}$ micro floppy diskettes.

A TRULY PORTABLE DISK SYSTEM

The Portable Disk Drive weighs just 13/4 pounds, measures only 2 × 415/16 × 61/8", and runs on batteries or optional AC adapter. It's small enough to fit into a briefcase along with your Model 100 or Tandy 200. Now you can have a full-fledged disk system wherever you go. Initialization software included.

It's perfect for use with your portable's built-in software. Now you can store and update large documents with TEXT word processing and keep easy-to-store micro disks filed and categorized as you need them.

Or, if you have the Tandy 200 with built-in Multiplan spreadsheet analysis (or the Multiplan or Interactive Solutions ROM packs for the Model 100), it's easy to keep many different spreadsheets on diskette for comparison and update.

REAL DISK DRIVE POWER

The Portable Disk Drive features easy menu-driven operation. The operating system lets you list the files on the diskette, and features FORMAT, SAVE, LOAD, KILL and RENAME functions. A disk access lamp lets you know that the disk is in use. Another indicator tells you when batteries are low. If they are, the unit will not function, but will finish a job in progress.

Now you can build your software and data library in a costeffective manner. The micro diskettes are only \$16.95 (package of 3), and cost even less when you buy in quantity. The choice is yours—but we've already stacked the deck. Step up

FLEXIBILITY

Radio Shack COMPUTER CENTERS

to reasonable storage today!

A DIVISION OF TANDY CORPORATION Circle 47 on Reader Service Card

New 1986 Computer Catalog! Send me a copy.

Address ______State __Zip

Portable Disk Drive available Nov. 30, 1985.
Prices apply at Radio Shack Computer Centers and at participating stores and dealers.
Multiplan/TM Microsoft Corp.

Telephone .



Now you can access LUCID, DISK +, WRITE ROM, RAM + and others instantly.

The 6 ROM BANK plus battery pack lets you have the ultimate Model 100 system. When you get your unit just press in up to 6 ROMS into the sockets then push in a simple plug into your Model 100's ROM socket. The ROM bank has two posts on either end that insert into the two little holes on the underside of your Model 100.

The ROM bank props up the Model 100 at the same angle and height as those little legs you've seen. The ROM BANK itself is only about 1½" deep and it runs the width of your Model 100. It only weighs one pound. It not only installs instantly, but it pops free in a second if you need everything to lie flat in a briefcase.

Change from ROM to ROM with the touch of a thumb switch.

You can go from LUCID to WRITE to DISK+ to any other ROMS just by turning the thumb switch at the side of the ROM bank. The 6 ROM BANK is a sturdy well built construction that looks like it is a part of your Model 100.

What is also fantastic is that the ROM bank has a powerful NICAD battery and recharger built right in. This power source supplies up to 30 hours of life to your Model 100 with just 6 hours of recharge. What's nice is that it recharges right from your Model 100's power adapter. This is a quick charge system and if you need power in a hurry, you can get 6 hours of life for your Model 100 by just charging for an hour and half.

Suddenly, the Model 100 is a very powerful computer.

If you have the HOLMES portable disk drive with its powerful bundled database software package or the CRYPTRONICS 128K RAM expansion along with LUCID, WRITE ROM and DISK+ in the 6 ROM bank with its rapid rechargable NICAD power source, you have the ultimate portable system. It's all available only from PCSG.

As usual we don't want you to take our word for it. The 6 ROM BANK is sold on a 30 day trial. If you are not satisfied simply return within thirty days for a full refund. MC, VISA, AM. EX. or C.O.D.

1-214-351-0564

PORTABLE COMPUTER SUPPORT GROUP

11035 Harry Hines Blvd. No. 207, Dallas, Tx. 75229

VISA / MASTER CARD / AM. EXP. / C.O.D.

ANNUITIES (from page 62)

```
574 NEXTJ
                                                          640 PRINT 2280, "FINDING NR. OF PERIODS/YR";
576 IFJ9>1THENCLS:
                                                             I C=0:
  PRINT" ERROR, TOO MANY UNKNOWNS."
                                                             N=1:
  FORJ=0TO500:
                                                          642 R=X(0)/100/N:
  NEXTJ:
                                                             R1=1+R
  GOTO550
                                                             V=X(4)/X(3):
578 J=0
                                                             C=V*R/R1+1
580 IFX(J)=OTHEN600ELSEJ=J+1
                                                          644 XN=LOG(C)/LOG(R1)/X(1)
                                                          646 IF ABS(XN-N)/N(.001THEN650
590 IF J>NTTHENCLS
  PRINT"YOU SPECIFIED EVERYTHING, ERROR.":
                                                          648 N=XN:
  FORJ=1TO400:
                                                             LC=LC+1:
  NEXTJ:
                                                            IFLC>16THEN655 ELSE642
  GOTO550
                                                          650 IF XN<1THEN 657 ELSE X(2)=INT(XN+.5):
595 GOTO 580
                                                             GOTO550LIST657
600 JS=J+2
                                                          655 CLS:
   LC=0:
                                                             PRINT"ERROR, ERROR."
   ONJGOTO630,640,660,680
                                                          656 PRINT "DID NOT CONVERGE. TRY NEW INPUT.":
                                                             FORJ=0T0500:
605 PRINT 2280," FINDING INTEREST RATE.";
610 R=.15/X(2):
                                                            NEXTJ:
                                                            GOTO550
  RL=0:
  RB=1/X(2)
                                                          657 CLS:
612 E1=(1+R)^(X(2)*X(1))
                                                            PRINT"ERROR ERROR.
  C1=X(3)*(E1-1
                                                            PRINT"LESS THAN ONE PAYMENT/YR."
615 R1=(1+R)*C1/X(4)
                                                            FORJ=0T0700:
620 IF ABS((R-R1)/R)<.00001 THEN 628
                                                            NEXTJ
624 IF LC>15THENCLS:
                                                            GOTO550
  PRINT" ERROR WILL NOT CONVERGE"
                                                          660 PRINT 2280, "CALCULATING AMT OF PAYMENT.";
  PRINT" TRY AGAIN":
                                                            R=X(0)/100/X(2)
  FORJ=0T0500:
                                                          665 X(3)=X(4)/(1+R)/((1+R)^(X(2)*X(1))-1)*R
   NEXTJ:
                                                          670 GOTO 550
  GOT0550
                                                          680 PRINT 2280, "CALCULATING FUTURE VALUE.";
625 LC=LC+1
                                                            R = X(0)/100/X(2)
  IFR>RITHENRL=RELSERB=R
                                                          690 X(4)=X(3)*(1+R)*((1+R)^(X(2)*X(1))-1)/R
626 R=(RL+RB)/2
                                                          695 GOTO 550
  GOTO612
                                                          900 CLS:
628 X(0)=R*100*X(2):
                                                            T$="CALCULATE PRESENT VALUE OF ANNUITY."
                                                          910 T$(4)="PRESENTVALUE":
  X(0)=INT(1000*X(0))/1000
  GOTO550
                                                            NT=4:
630 PRINT 2280, "CALCLATING NO. OF YRS.";
                                                            JS=2
  R=X(0)/100/X(2):
                                                          920 GOSUB 9000
  R1=1+R:
                                                          922 IFY = "M" OR Y = "m" THEN RETURN
   V=X(4)/X(3)
                                                          925 PRINT 2280, STRING$ (39," ");
632 C= V*R/R1+1:
                                                          930 J9=0
  X(1) = LOG(C)/LOG(R1)/X(2)
                                                          940 FORJ=OTONT:
638 GOTO 550
                                                            IFX(J)=0THENJ9=J9+1
```

$$FV1 = S[r((1+r)^n - 1)][1+r]$$

where FV1 is the future value of the annuity due (a lump sum), S is the amount of the payment, r is the interest rate per period and n is the number of periods. The equation for the present value of an annuity due is:

 $PV1 = S([r(1 + r)^n)][1 + r]$ where PV1 is the present value of the annuity due. This equation says that if we set aside PV1 dollars now at an interest rate of r per period, we can withdraw

S dollars per period for n periods.

The equation for an ordinary annuity are:

$$FV = S^{\frac{(1+r)n-1}{r}}$$

where FV is the future value of the ordinary annuity and all the other terms are as defined for the annuity due. The present value of an ordinary annuity is given by:

$$PV = S^{\frac{1-(1+r)\cdot 1}{r}}$$

where PV is the present value of an ordinary annuity.

There are two types of annuity problems. The first is the future value problem, which (obviously) uses the future value formulas for solution. The future value problem involves a lump sum that you'll receive in the future, provided that you set aside a given sum at regular intervals. Generally, you either know the lump sum you need and want to know what the regular savings have to be, or you know how much you are setting aside and want to know the value of the lump sum.

The other general problem is the present value problem. In this case you have a lump sum now and want to receive it in the form of regular payments for some time in the future. To solve this type of problem, you use the present value formulas.

Quite often we are interested in both type of problems at the same time. A retirement fund is an example of a case where we may have both a present value and a future value problem: as long as

(Text continues on page 74)

ANNUITIES

```
950 NEXTJ
960 IF J9>1 THE NCLS:
  PRINT:
  PRINT" ERROR ERROR.":
  PRINT" TOO MANY UNKNOWNS."
  FORJ=0T0500:
  NEXTJ:
  GOTO 920
970 J=0
980 IFX(J)=0THEN1010 ELSE J=J+1
990 IF J>NTTHENCLS:
  PRINT" ERROR, YOUR SPECIFIED EVERYTHING."
  PRINT"TRY AGAIN."
  FORJ=0TO500:
  NEXTJ:
  GOT0920
1000 GOTO 980
1010 JS=J+2:
  ON J GOTO 1100,1200,1300,1400
1019 PRINT 2280, "FINDING INTEREST RATE.";
1020 REM FIND INTEREST RATE
1022 RL=0:
  RB=2.0/X(2):
  R=0.12'NOTE LIMITS MAX INTERESTRATE
1024 R1=.12/X(2):
  LC=0:
  C=X(4)/X(3)
1026 E1=(1-(1+R1)^-(X(1)*X(2)))/R1
1030 R=C/E1-1
```

1034 LC=LC+1 1036 IF ABS(R-R1)/R1<.001THEN1042 1038 IF LC>28THENCLS: PRINT"ERROR, ERROR," PRINT" DID NOT CONVERGE TRY NEW DATA." FORJ=0T0500: NEXTJ: **GOTO920** 1039 IFR>RITHENRB=RIELSERL=RI 1040 R1=(RL+RB)/2: GOTO1026 1042 X(0)=R1*100*X(2): GOT0920 1100 PRINT 2280, "calculate no of years."; 1110 R=X(0)/100/X(2) 1120 C=X(4)/(X(3)*(1+R))*R 1122 IF C>=1THENCLS PRINT"MONEY WILL LAST FOREVER & THIS RATE. FORJ=0T0700: NEXTJ: X(1)=9999999999: GOT0920 1130 X(1)=-1*LOG(1-C)/(X(2)*LOG(1+R))1140 GOTO920 1200 PRINT 2280," CALCULATE NO OF PERIODS/YR." 1201 LC=0 1210 N1=6:

PORTABILITY



\$59.95

(Add \$2.50 shipping & handling per case in the continental U.S., Alaska & Hawaii

MADE COMPLETE

The Chip-Tote" PCD-1 makes your TRS-80 Model 100, 200 or comparably sized briefcase portable truly complete. It's the first lightweight soft case that doubles as a desk.

The Chip-Tote™ PCD-1 is constructed of rugged Cordura® nylon and our special closed cell foam, so you can be sure your computer and its accessories will get the maximum in protection. So next time don't leave the office behind — carry it with you!

		Black Smoke Gre
Name	P	Phone ()
Address		
City	State	Zip
Signature		
☐ CHECK/MO (CA res. a	dd 6% tax) ☐ C.O.D. (
□ M/C □ VISA		Exp



KANGAROO VIDEO PRODUCTS, INC.
10845 Wheatlands Ave., Suite "C" • Santee, CA 92071-2856 • (619) 562-9696
ENGINEERED CASES FOR SENSITIVE ELECTRONIC EQUIPMENT

Circle 24 on Reader Service Card

PROMPTEXT, The Prompted Text Writer

PROMPTEXT — for Radio Shack Model 100 users who do repetitive information gathering — the kind requiring standard headings or data field labels that go into the file always in the same order. It's for any standardized data gathering — surveys, logs, medical records, scientific measurements, diaries, customer info —you name it.

PROMPTEXT eliminates the tedium of typing headings or field labels over and over again in TEXT mode and the possibility of forgetting something. The program supplies prompts you have previously created. Each time you enter your response, both the prompt and the response are stored in the destination file. The stored prompts provide convenient "handles" for data retrieval and data processing.

A single keystroke then takes you directly into TEXT mode so you can add comments or make changes. Three keystrokes take you back to PROMPTEXT to continue. Other single keystrokes give you such handy information as the time and the amount of memory left. And one keystroke takes you into TELCOM to upload your file to another computer.

How much is it? Only \$39.95 plus \$3.00 for handling and postage, check or money order.

Life Sciences Editorial Software 3604 Bel Pre Road Silver Spring, Maryland 20906 (301) 949-4226

ANNUITIES

R=X(0)/100 1212 R1=R/N1 C=X(4)/(X(3)*(1+R1))*R1 1214 IF C>=1THEN N1=N1*2: GOTO1212 1220 R1=R/N1 C=X(4)/(X(3)*(1+R1))*R1 1225 IF C>=1THENLC=LC+1: N1=N1+1: IFLC>22THEN1244ELSE1220 1230 N2=-1*LOG(1-C)/(X(1)*LOG(1+R1)) 1235 LC=LC+1 1240 IF ABS(N2-N1)/N1<0.005THEN1250ELSE N1=(N2 +N1)/21244 IFLC>20THENCLS: PRINT" ERROR ERROR" PRINT"DID NOT CONVERGE AFTER ";LC FORJ=0TO600: NEXTJ: GOT0920 1245 GOTO 1220 1250 X(2)=INT(N2+.5): GOTO920 1300 PRINT 3280, "CALCULATING AMOUNT OF PAYMENT. R=X(0)/100/X(2)1310 X(3)=X(4)*R/((1-(1+R)^-(X(2)*X(1))))/(1+R) 1320 GOTO 920 1400 PRINT 2280, "CALCULATING PRESENT VALUE."

R=X(0)/100/X(2): $R1 = (1+R)^{-} - (X(1)*X(2))$ 1410 X(4)=X(3)/R*(1+R)*(1-R1) 1420 GOTO 920 9000 REM DATA INPUT 9001 REM (C) 1983 L.E. SPARKS 9002 REM MAY BE FREELY USED 9010 CLS 9015 PRINT T\$ 9020 PRINT STRING\$(39,"=") 9040 FOR J=OTONT 9050 PRINTTAB(2) T\$(J):TAB(21); PRINTUSINGF \$(J):X(J) 9060 NEXT J 9065 IF JQ=-9THE N9800 9070 PRINT @(JS*40)+JR,"->" 9075 PRINT 2280, "ARROWS MOVE ->, * CALCULATES M RETURNS" 9080 Y\$=INKEY\$: IFY\$=""THEN 9080 9090 IFINSTR(A\$,Y\$)<>0 THEN 9500 9095 IF Ys="M"ORYs="m"THEN JF=-9: 9100 JZ=INSTR(AZ\$,Y\$): IF JZ=OTHE N9080 9110 ON JZ GOTO 9120,9120,9140,9250 9120 PRINT@(40*JS)+JR." 9122 JS=JS+1: IFJS>NT+2THEN JS=2

FX/RX Owners

THIS (Draft Print)



or THIS





Install our new LetterWriter NLQ upgrade kit in your printer and you can choose NLQ (or any of 15 other print features) by simply tapping your printer panel buttons. NLQ print has four times the resolution of draft print. That means finer character detail, no visible dots, and impressive-looking documents. The FX version even adds IBM Graphics printer compatibility. With LetterWriter in your FX or RX, you may never need to buy a letter quality printer. Why not get LetterWriter for your printer today?


NLQ 12345abcdefghiJKLMNOPQRS Draft 12345abcdefghiJKLMNOPQRS



\$79.95 \$59.95 FX RX

For all FX-80/100 and RX-80/100 printers including F/T and + series. Simple plug-in installation. Complete instructions included.

Dresselhaus Computer Products, Glendora, CA Call (818) 914-5831 for dealer nearest you.



CALL FREE: 1-800-433-S-A-V-E

Monday thru Friday - 9:00 a.m. to 5:00 p.m.

(Order inquiries/Customer Service &) IN TEXAS: 817-573-4111

ANNUITIES

```
9124 PRINT@(JS*40)+JR.
9130 GOTO 9080
9140 PRINT @(40*JS)+JR,"
9150 JS = JS-1
  IFJS<2 THEN JS=NT+2
9152 PRINT@(40*JS)+JR,"->"::
  GOTO9080
9250 RETURN
9500 PRINT@(40*JS)+JR,C1$;
9505 PRINT 2280, "ENTER REST OF DATA PRESSENTER
    WHEN DONE";
9510 V$=Y$
9530 PRINTQ(40*JS)+18, V$; CHR$(95);"
9540 Y$=INKEY$
  IF Y$ =""THEN 9540
9550 IF Y$=CHR$(13) THEN 9700
9560 IF Y$ (>CHR$(29) THEN 9600
9570 IF LEN (V$)=0 THEN 9530
9580 V$=LEFT$(V$,LEN(V$)-1):
9590 Y$=""
  GOTO 9530
9600 IF INSTR(A$,Y$)=0 THEN 9530
9610 V$ = V$ + Y$
9620 GOTO 9530
9700 X(JS-2)=VAL(V$
9710 JS=JS+1:
  IF JS>NT+2THE NJS=2
9720 GOTO 9010
9800 JQ=0:
```

```
PRINT 0280, "PRESS * FOR PAY SCH, A FOR ANOT
    HER"
9810 YS=INKEYS:
  IFY$=""THE N9810
9815 IFY$="*"THEN9830ELSEIFY$="A"THEN90
34000 DATA ##.###%, ##. ##, ###, "$$##, #############
    ."55###.#######.##
35000 DATA INTEREST, NUMBER YRS, NOPERIOD/YR, AMT
    PAYMENT, FUTVAL, END
Listing 2. Ordinary annuity program ANUIT2.BA.
I REM ANNUITY PROGRAM VERSION 1.0
2 REM FOR TRS-80 MODEL 100 BY LES
3 REM ORDINARY ANNUITY VERSION
4 CLS
5 CLEAR
6 DEFINT J.L
7 CL$=CHR$(27)+"E"
8 C1$=CHR$(27)+"K"
11 A$="1234567890.+-"
12 AZ$=CHR$(13)+CHR$(31)+CHR$(30)+CHR$(42)+"M
    "+" m"
14 DIM F$(4),T$(5),X(5)
15 JR=16:
  JS=2:
  FORJ=0TO4
  READF$(J):
  NEXTJ
```

Why Handle Files One at a Time? Let XOUT/XIN from BKI do the work for you.

Eliminate tedious (and fault prone) load/save/kill and format procedures on your MODEL 100. XOUT/XIN programs automatically create/read and display RAM and external directories. Resulting free space is displayed as files are selected/deselected to aid in memory management. Menus and prompts provide a safe, easy-to-use file management utility—an amazing productivity tool.

Use XOUT.BA to send multiple copies of selected memory files to the tape (Save); or send them directly (List), or via a formatter (4mat), to either the printer or the screen. Selected files can simply be removed with the Kill command and confirmation. An external directory is automatically created for each copy of a file set that is saved (containing creation date and time, and an ordered list of names and file sizes). Files saved on tape, including the directory, may also be loaded one-by-one by BASIC or TEXT, in the usual way.

Use XIN.BA to automatically Load selected tape files back into memory; or send them directly (List), or via a formatter (4mat), to the printer or the screen.

Typical XOUT.BA Menu



Typical XIN.BA Menu



- XOUT.BA -

- Displays memory contents in memory address order.

 As files are highlighted memory statistics are changed to reflect values if Kill selected.
- · BA files are stored on tape as standard tokenized files

Label line alternatives with statistics line by toggling the label key.
 Any combination of files can be highlighted by positioning the pointer and pressing space or enter. No action is taken until commanded by a function key, and then all highlighted files are affected.
 The 4mat command invokes the BA4MATBA program to format BA files and the DO4MATBA program to format DO files.

Skeleton BA4MAT.BA and DO4MAT.BA programs are provided as examples for interfacing existing formatters. Full featured BA4MAT.BA and DO4MAT.BA programs, already interfaced with the XOUT/XIN programs, are offered as separately priced items. DO4MAT.BA and BA4MAT.BA format a single file if executed from the main menu or multiple files if executed via XOUT or XIN.

- DO4MAT.BA -

- Formas documents using embedded command descriptions for many features, including columns, underlining, **bold print**, filling and adjusting.
- Optional headers and footers may include the date, time and page number

- XIN.BA -

- Displays tape contents in tape position order. As files are highlighted memory statistics are changed to reflect values if **Load** selected
- If the file name exists in both the tape and memory directories, the difference (+, .0) in size is shown.

- Specify printer make and model. (Customizing directions given for printers not yet implemented.)

- BA4MAT.BA -

- Formats BA files so that the individual basic commands are listed one per line indented from the basic line number.
- Additional indentation occurs to diagram the IF-THEN-ELSE structures in the program
 Pagination including the date, time and page number are provided.

XOUT.BA/XIN.BA DO4MAT.BA (skeleton) BA4MAT.BA (skeleton) DO4MAT.BA (full featured) BA4MAT.BA (full featured) 29.95 Buy two programs take \$10 discount. Buy all three take \$20 discount. MD residents add 5% Sales Tax.

All programs come on cassette with documentation.


Send Check or Money Order to: BKI PO Box 218 College Park, MD 20740 Questions and COD call (301) 345-9473



```
16 FORJ=0TO4:
  READT$(J):
 NEXTJ
40 J=1
50 CLS:
 JF=0
60 PRINT STRING$ (39,"=")
70 PRINT "ORDINARY ANNUITY PROGRAM FOR MODEL
   100"
72 PRINT " version 1.0 by LES."
80 PRINT" SELECT DESIRED OPTION":
  PRINT" (F)UTURE VALUE OF ANNUITY."
  PRINT" (P) RESENT VALUE OF THE ANNUITY."
85
  PRINTSTRING$(39,"=")
86 PRINT 2280, "Please press F OR P. Q QUITS."
90 YS=INKEYS:
 IFY = ""THE N90ELSE J=INSTR("QqFfPp",Y$)
92 IF J=OTHEN90
95 IF J <3 THEN CLS:
  PRINT:
  FILES:
  END
100 IFJ>4THENGOSUB 900 ELSE GOSUB 500
110 GOTO 50
500 REM CALCULATE FUTURE VALUE
505 CLS
510 T$="CALCULATE FUTURE VALUE OF ANNUITY"
```

```
520 T$(4)="FUTURE VALUE"
540 NT=4
550 GOSUB 9000
552 IFY$="M"ORY$="m" THEN RETURN
555 PRINT 2280, STRING$ (39," ")
560 REM FIND MISSING ITEM
572 FORJ=OTONT:
 IFX(J)=0THEN J9=J9+1
574 NEXTJ
576 IF J9>1 THE NCLS:
  PRINT" ERROR. TOO MANY UNKNOWNS."
  FORJ=0T0500:
  NEXTJ:
  GOTO550
578 J=0
580 IFX(J)=0THEN600ELSEJ=J+1
590 IF J>NTTHENCLS:
  PRINT"YOU SPECIFIED EVERYTHING, ERROR."
  FORJ=1TO400:
  NEXTJ:
  GOTO550
595 GOTO 580
600 JS=J+2
  LC=0:
  ONJGOTO630,640,660,680
605 PRINT 2280," FINDING INTEREST RATE.";
610 R=.15/X(2):
  RL=0:
```

CONTROL YOUR WORLD



Let your Tandy 100 and our interface board harness your environment. Features user definable jumpers, gold card edge connectors and standard generic parts throughout.

RAINBOW COMPUTERS 8409 ELBOW DR. CALGARY, ALBERTA T2V 1K8 (403) 253-6142



Farmers can control their grain production in minutes by keying in their instructions.



Homeowners can safeguard their homes by controlling electricity whether they're in or out.



Let your imagination be your guide.

```
RB=1/X(2)
612 E1=(1+R)*(X(2)*X(1))
  C1=X(3)*(E1-1)
615 R1=C1/X(4)
620 IF ABS((R-R1)/R) < .00001 THEN 628
624 IF LC>15THENCLS:
  PRINT" ERROR WILL NOT CONVERGE"
  PRINT" TRY AGAIN":
  FORJ=0T0500:
  NEXTJ:
  GOTO550
625 LC=LC+1
  IFR>RITHENRL=RELSERB=R
626 R=(RL+RB)/2:
  GOTO612
628 X(0)=R*100*X(2):
  X(0)=INT(1000*X(0))/1000:
  GOTO550
630 PRINT 2280, "CALCLATING NO. OF YRS.";
  R=X(0)/100/X(2):
  R1=1+R:
   V=X(4)/X(3)
632 C=1+V*R:
  X(1)=LOG(C)/LOG(R1)/X(2)
638 GOTO 550
640 PRINT 2280, "FINDING NR. OF PERIODS/YR";
  LC=0:
   N=4
642 R=X(0)/100/N
```

```
R1=1+R:
  V=X(4)/X(3):
  C=1+V*R
644 XN=LOG(C)/LOG(R1)/X(1)
646 IF ABS(XN-N)/N (.001THE N650
648 N=XN:
  LC=LC+1
  IFLC>16THEN655 ELSE642
650 IF XN<1THEN 657 ELSE X(2)=INT(XN+.5):
  GOTO550LIST657
655 CLS:
  PRINT"ERROR. ERROR."
656 PRINT "DID NOT CONVERGE. TRY NEW INPUT."
  FORJ=0TO500:
  NEXTJ:
  GOTO550
657 CLS:
  PRINT"ERROR ERROR. "
  PRINT"LESS THAN ONE PAYMENT/YR."
  FORJ=OTO700:
  NEXTJ
  GOTO550
660 PRINT 2280, "CALCULATING AMT OF PAYMENT.";
  R=X(0)/100/X(2)
665 X(3)=X(4)/(1+R)/((1+R)^(X(2)*X(1))-1)*R
670 GOTO 550
680 PRINT 2280, "CALCULATING FUTURE VALUE.";
  R=X(0)/100/X(2)
690 X(4)=X(3)*((1+R)^(X(2)*X(1))-1)/R
```

ANNOUNCING the NEW

Portable Micro Floppy PFD 400

Specifications:

- 3.5 inch Disk Drive
- Single Sided/Double Density
- 360 KB Formatted
- Up to 5 Hours Operation using built-in rechargeable Ni-Cad Batteries
- Operate or recharge using your computer's AC adapter Will NOT tie up Centronics/ R\$232 Ports
- 40 or 80 Columns by 25 Lines on a Video Monitor

Software and Hardware for M 100, M10, PX-8, HX-20 Video Interface for HX-20 and PX-8

Developed and Produced By

80 Columns!

Tandy M 100

...

Olivetti M 10

80 x 25 40 x 25



TRULY Portable



Less than $7^{1/2} \times 3 \times 5^{1/3}$ inches

CALL NOW (214) 985-0968

Distributor for USA and Canada: McDonald Micro Products 14902 Preston Road, Suite 212-239 Dallas, Texas 75240

695 GOTO 550 900 CLS: T\$="CALCULATE PRESENT VALUE OF ANNUITY." 910 T\$(4)="PRESENTVALUE": NT=4: JS=2 920 GOSUB 9000 922 IFYS="M" OR YS="m" THEN RETURN 925 PRINT 2280, STRING\$ (39," "); 930 J9=0 940 FORJ=OTONT: IFX(J)=OTHENJ9=J9+1 950 NEXTJ 960 IF J9>1THE NCLS: PRINT: PRINT" ERROR ERROR.": PRINT" TOO MANY UNKNOWNS." FORJ=0T0500: NEXTJ: **GOTO 920** 970 J=0 980 IFX(J)=0THEN1010 ELSE J=J+1 990 IF J>NTTHENCLS: PRINT" ERROR. YOUR SPECIFIED EVERYTHING." PRINT"TRY AGAIN.": FORJ=0TO500: NEXTJ: **GOTO920**

1000 GOTO 930 1010 JS=J+2: ON J GOTO 1100,1200,1300,1400 1019 PRINT 9280, "FINDING INTEREST RATE."; 1020 REM FIND INTEREST RATE 1022 RL=0: RB=2.0/X(2): R=0.12'NOTE LIMITS MAX INTERESTRATE 1024 R1=.12/X(2): LC=0: C = X(3) / X(4)1026 E1=(1-(1+R1)^-(X(1)*X(2))) 1030 R=C*E1 1034 LC=LC+1 1036 IF ABS(R-R1)/R1<.0001THEN1042 1038 IF LC>38THENCLS: PRINT"ERROR. ERROR.": PRINT" DID NOT CONVERGE TRY NEW DATA,": FORJ=0T0500: NEYT.I GOT0920 1039 R1=R 1040 GOTO1026 1042 X(0)=R1*100*X(2): GOT0920 1100 PRINT 2280, "calculate no of years."; 1110 R=X(0)/100/X(2) 1120 C=X(4)/(X(3))*R (Listing continues on page 76)

MEASUREMENT & CONTROL

INTERFACE WITH MODEL 100 SOFTWARE

MEASURE VOLTAGE SPEED LIGHT **TEMP**

CONTROL ALARMS MOTORS LIGHTS **HEATERS**

and hundreds of others

RS 232C VOLTMETER •

8 Channel, 41/2 Digit, AC/DC Voltmeter & Controller, SENSATROL talks your computer's language! Sensors hook up easily to differential inputs with 100 uV resolution (15 bits). Special RS 232C tri-state serial output allows networking. Includes seven binary control outputs. Uses simple Print and Input with Basic. Detailed manual guides users in sensor hookup & applications. 9-12V DC operation.

MODEL 412 - \$385.00





SOFTWARE **FOR MODEL 100/200** DATA LOGGER/CONTROLLER - \$75.00

- Data logging on timer
- Sensor calibration routine
- Thermostat control routine
- · Screen and printer graphics
- X-Y plotter graphics routine
- Data upload on RS 232C or modem



PO BOX 33 FRANCESTOWN, NH 03043 603-588-3746

STILL HUNGRY?



LISTINGS, HERE! HEY, GET YOUR LISTINGS!

Spicy programs pepper the world of Tandy portable users . . . more than can be included in the pages of Portable 100/200 magazine. The magazine will continue to include listings—and for those with heightened cravings, the Editors are pleased to offer a monthly supplement of rich desserts.

The Portable Program Review will tempt you each month with a more'ish diet; more listings to run on the Model 100, Tandy 200 and NEC . . . more games . . . more utilities . . . more graphics . . . and home-cooked favorites.

Popular *pièces de resistance* from former issues will be brought back to savor. And all offerings, old and new, will be served by the Portable 100/200 magazine's technical staff who will be on hand to answer your questions.

Your 12-issue newsletter subscription will enhance the benefits of both a valuable magazine and computer \cdot

So if you feel the need to snack between meals, supplement your Portable 100/200 appetite with The Portable Program Review. Here's how to make the newsletter's next seating:

- 1. Locate the Portable 100/200 Reader Service Card in this issue.
- 2. Check the letter for The Portable Program Review newsletter.
- 3. Enclose the card with your check or money order in the amount of \$29.97 for One Year (12 issues) of The Portable Program Review newsletter. Or you may pay by MasterCard or Visa. (Please be sure to include the card number and expiration date.)

Bon Appétit

ANNUITIES (from page 67)

we are paying into the fund, we have a future value problem, but if we want to know how much to withdraw from the retirement fund, we have a present value problem. The two programs ANU IT1.BA and ANUIT2.BA can be used to solve both the present value and future value problems. ANUIT1.BA is for annuity due problems, ANUIT2.BA is for ordinary annuity problems. The two programs require the same information to run.

Because ordinary annuities are more common, the remaining discussion will cover ANUIT2.BA

As soon as you run ANUIT2.BA you see the display shown in Figure 1. The

Figure 1: Introductory display for ordinary annuity program.

ORDINARY ANNUITY PROGRAM FOR MODEL 100
version 1.0 by LES.
SELECT DESIRED OPTION
<F>UTURE VALUE OF ANNUITY.
<P>RESENT VALUE OF THE ANNUITY.

Please press F OR P. Q QUITS.

program needs to know if you are working a future or present value problem. Answer the question by typing P for present or F for future. If you want to quit and return to BASIC, press Q. If you type any other key, the program will reject your answer, ask you to press either F, P or Q and then wait for your response.

As soon as you answer the question, the computer displays the data entry form (Figure 2). You move from item to

Figure 2: Annuity data entry form.

CALCULATE FUTURE VALUE OF ANNUITY

INTEREST -> 0.000%
NUMBER YRS 0.00
NOPERIOD/YR 0
AMT PAYMENT \$0.00
FUTURE VALUE \$0.00
ARROWS MOVE ->.* CALCULATES M RETURNS

item by pressing the up and down arrow keys. You can also move to the next item by hitting the Return key.

Enter the data for the items you know and enter zero for the item you wish to solve. As soon as all the data is entered, press the * key to start calculations. If you entered zero for more than one item, an error message will be displayed and you'll be returned to the data entry form to fill in the missing information. If you entered data for all the items, another error message appears and you'll be returned to enter a zero in the appropriate place. While the program is calculating the answer, it displays the item that it's calculating.

When the calculations are complete, the answer is printed on the screen. If you want to send the results to a printer, simply hit the Print key. The advantage to doing the print this way is that all the input data and the answer are shown. Some time later you'll be able to figure out what problem you were working on and not have to depend on remembering the data.

If you wish to do additional calculations, simply enter new data. If you want to quit or you want to work on a different *type* of annuity problem, press M and you'll be returned to the first menu.

LOANS

Many loans are a form of annuity. Mortages, car loans and other loans where regular payments of principal and interest are made to pay off the loan can all be defined as such. The program LOAN.BA is designed to calculate the amount of the payment, and if you want, to print out a payment schedule that shows how much of each payment goes to interest and principal and the remaining balance. (This program provides explicit line printer output.) The data entry form is shown in Figure 3.

Figure 3: Data entry form for loan calculation.

LOAN CALCULATOR PROGRAM BY LES

AMTLOAN -> \$0.00
INTEREST 0.000%
PAYMTS/YR 0
NO.YRS 0.00
\$PER PERIOD \$0.00
ARROWS MOVE ->, * CALCULATES

Once all your data has been entered on the screen, press * to begin calculations. The answer will appear on the same screen.

If you want a printout of the entire loan schedule, press * again. If you want to run another loan hit A. The loan schedule is brought up on the display one screen at a time. Scroll the screen by hitting any key. At the end, you can get hard copy by typing H.

If you don't want the entire loan schedule printed to the screen, press * again. You are then asked if you want hard copy. So it is possible to get hard copy without having to scroll through several screen fulls of loan payments.

So now you've got it if you need. Next time you do battle with a bank, go in prepared and knowing what to expect.

Please help us rate this article's value. If you've found it very valuable, circle 176 on the Reader Service Card. If it was moderately valuable, circle 177—and if it wasn't valuable to you, circle 178.

POWER-100 POWER-200

THE IN TECHNOLOGY

60 day money back guarantee — love it or

return it!

Recharge with Standard AC adapter — No

extra recharger needed!

Attaches securely to computer — Nothing

extra to carry

Computer still fits in case with batteries

attached — As portable as ever Recharge while in use — No Downtime! Powers NEC, Olivetti, Chipmunk, and

Normally pays for itself in a few months!

FEATURES

	POWER 100	POWER 20
RUN TIME: MODEL 100	10 HRS	13 HRS
MODEL 200	8 HRS	11 HRS
WEIGHT:	5 OZ	7 OZ
LENGTH:	10 IN	10 IN
RECHARGE 50%:	4 HRS	4 HRS
RECHARGE 100%:	16 HRS	16 HRS
PRICE:	\$39.95	\$49.95

CALL 1-804-794-6675 or write to: A.R.M.S.

12131 Old Buckingham Rd. Midlothian, VA 23113

New PORTA-PRO



The **PORTA-PRO** is a light weight adjustable frame for lap computers. At last, true mobility. The **PORTA-PRO** is a must for the professional who has already recognized the convenience of a lap computer. The **PORTA-PRO** lets you use your lap computer anywhere.

The **PORTA-PRO** is fully adjustable. The padded, metal frame and secure computer mount is

designed for maximum comfort. Available for the Model 100. Adaptable for other models.

Send \$99.95 plus \$5.00 for shipping.

HEARTHSIDE ENTERPRISES, P.O. Box 609, No. Amherst, MA 01059

Name _____ Street

City _____ State ____ Zip ____

ANNUITIES (from page 73)

```
1122 IF C>= 1THENCLS:
  PRINT"MONEY WILL LAST FOREVER @ THIS RATE
  FORJ=0T0700:
  NEXTJ:
  X(1)=9999999999
  GOT0920
1130 X(1)=-1*LOG(1-C)/(X(2)*LOG(1+R))
1140 GOTO920
1200 PRINT 2280," CALCULATE NO OF PERIODS/YR.
1201 LC=0
1210 N1=6:
  R=X(0)/100
1212 R1=R/N1:
  C=X(4)/X(3)*R1
1214 IF C>=1THEN N1=N1*2:
  GOTO1212
1220 R1=R/N1:
  C=X(4)/(X(3)*(1+R1))*R1
1225 IF C>=1THENLC=LC+1:
  N1=N1+1:
  IFLC>22THEN1244ELSE1220
1230 N2=-1*LOG(1-C)/(X(1)*LOG(1+R1))
1235 LC=LC+1
1240 IF ABS(N2-N1)/N1<0.005THEN1250ELSE N1=(N
    2+N1)/2
1244 IFLC>20THENCLS
  PRINT" ERROR ERROR":
```

```
PRINT"DID NOT CONVERGE AFTER ":LC:
  FORJ=0TO600:
  NEXTJ:
  GOTO920
1245 GOTO 1220
1250 X(2)=INT(N2+.5):
  GOT0920
1300 PRINT 2280, "CALCULATING AMOUNT OF PAYMENT
  R=X(0)/100/X(2)
1310 X(3)=X(4)*R/((1-(1+R)^{-}(X(2)*X(1))))/(1+
    R)
1320 GOTO 920
1400 PRINT 2280, "CALCULATING PRESENT VALUE." ::
   R=X(0)/100/X(2):
  R1 = (1+R)^{-}(X(1)*X(2))
1410 X(4)=X(3)/R*(1-R1)
1420 GOTO 920
9000 REM DATA INPUT
9001 REM (C) 1983 L.E. SPARKS
9002 REM MAY BE FREELY USED
9010 CLS
9015 PRINT T$
9020 PRINT STRING$(39,"=")
9040 FOR J=OTONT
9050 PRINTTAB(2) T$(J); TAB(21);
  PRINTUSINGF$(J);X(J)
9060 NEXT J
9065 IF JQ=-9THE N9800
```

Civilize the DISK/VIDEO INTERFACE MAKE SAVAGE THE MODEL 100


NOW AVAILABLE FOR THE MODEL 200

With DISK-BUDDY software for your D/VI, only function keys need touch your disk files!

Twelve programs for one low price, work together to give the TRS-80 Model 100 unique disk file handling abilities. Access disk files from menu, just like a RAM file. Commands you were tediously typing become simple function key selections. And that's just part of the power of the DISK-BUDDY PAK. It does things you can't:

- Create "superfiles" the length of the disk, over 170,000 bytes!
- Print out, or display on either screen, or copy to disk or other device, a disk data file of any length, WITHOUT USING ANY ADDI-TIONAL RAM!
- Furthermore, transfer records can be "filtered," an example:

An address file on disk can contain more than 1300 entries. You can



move to RAM, or screen, or printer, etc., those records which contain "California" and "Tennis" or whatever. Four logical modes of search are available.

 Also: Features to run, load, save, sort, kill, measure, append, and name, disk files and RAM files, and much more: PCM Magazine (March, '85) said: "... an excellent buy"... "manual is extremely well written"... "will substantially increase the speed and ease of operation of the M-100 with the D/VI."

That was the idea in the first place.

TO ORDER THE DISK-BUDDY PAK (disk and manual): Send name, address, and check or money order for \$39.95 plus \$2.00 postage and handling to the address below. (For COD's call: 212-243-2129)



BuddySystems

220 West 24th Street New York, NY 10011

9070 PRINT @(JS*40)+JR,"-9075 PRINT 0280, "ARROWS MOVE ->, * CALCULATES M RETURNS" 9080 Y\$=INKEY\$ IFY\$=""THEN 9080 9090 IFINSTR(A\$,Y\$)<>0 THEN 9500 9095 IF Y\$="M"ORY\$="m"THEN JF=-9 RETURN 9100 JZ=INSTR(AZ\$,Y\$) IFJZ=OTHEN9080 9110 ON JZ GOTO 9120,9120,9140,9250 9120 PRINT@(40*JS)+JR," 9122 JS=JS+1: IFJS>NT+2THEN JS=2 9124 PRINT@(JS*40)+JR." 9130 GOTO 9080 9140 PRINT 2(40*JS)+JR, 9150 JS = JS-1 IFJS<2 THEN JS=NT+2 9152 PRINT@(40*JS)+JR,"-GOT09080 9250 RETURN 9500 PRINT@(40*JS)+JR.C1\$ 9505 PRINT 2280, "ENTER REST OF DATA PRESENTER WHEN DONE" 9510 V\$=Y\$ 9530 PRINT@(40*JS)+18, V\$; CHR\$(95);" 9540 Y\$=INKEY\$ IF Y\$ =""THEN 9540

9550 IF Y\$=CHR\$(13) THEN 9700 9560 IF Y\$<>CHR\$(29) THEN 9600 9570 IF LEN (V\$)=0 THEN 9530 9580 V\$=LEFT\$(V\$,LEN(V\$)-1) 9590 Y\$=" **GOTO 9530** 9600 IF INSTR(A\$,Y\$)=0 THEN 9530 9610 Vs = Vs + Ys 9620 GOTO 9530 9700 X(JS-2)=VAL(V\$) 9710 JS=JS+1: IFJS>NT+2THENJS=2 9720 GOTO 9010 9800 JQ=0: PRINT 2280," PRESS * FOR PAY SCH, A FOR ANO 9810 Y\$=INKEY\$ IFY\$=""THE N9810 9815 IFY\$="*"THEN9830ELSEIFY\$="A"THEN90 "\$\$###,#######" 35000 DATA INTEREST, NUMBER YRS, NOPERIOD/YR, AM T PAYMENT, FUTVAL, END

Listing 3. Loan payment program LOAN.BA

1 REM LOAN PAYMENT PROGRAM VERSION 1.1

2 REM 10/83 BY L. E. SPARKS


3 REM FOR TRS-80 MODEL 100

24K Expansion RAM

For the Model 200 \$125. each \$240. for two

8K Expansion RAM

For the Model 100 & 8201 \$27. each \$75. set of 3





These Modules are easily user installable and they feature:

- Low Power CMOS Static RAM
- 30 Day Satisfaction Full Refund Policy
- High Quality Sockets

- Instructions Include Test Program Listing
- One Year Warranty

M/C, VISA, Check or Money Order Shipping-Add \$1.50 UPS Ground or \$4.00 2nd Day Air. CA Residents add 6% Sales Tax



Cryptronics, Inc.

11711 Coley River Circle, Suite 7 Fountain Valley, CA 92708 Phone: (714) 540-1174

REM WRITTEN IN MICROSOFT BASIC 5 REM FOR TAB BOOKS 9 DEFINTJ.N.I: CLS 10 CLS 11 A\$="1234567890.+-12 AZ\$=CHR\$(13)+CHR\$(31)+CHR\$(30)+CHR\$(42) 14 PRINT STRING\$ (40." PRINT"LOAN PROGRAM BY LES." 15 JR=16 30 DIM T\$(5),X(5),F\$(5),P(90),PI(90),B(90) 35 FORJ=1T05 READF\$(J): NEXTJ 40 J=1 50 READTS IFT\$="END"THEN70ELSE T\$(J)=T\$ 60 J=J+1 GOTO 50 70 NT=J-1 80 J1=2: JS=J1 90 GOSUB 9000 100 REM CHECK TO SEE WHAT IS MISSING 105 JC=0 110 FOR J=1TONT IFX(J)=OTHENJF=J: JC=JC+1

120 NEXTJ 130 IF JC=OTHEN CLS PRINT'ERROR YOU HAVE SPECIFIED ALL PRINT"REENTER DATA" FORJ=1TO1000: NEXT GOTO90 140 IF JC >1 THE NCLS PRINT"ERROR. TOO MANY UNKNOWNS. PRINT"REENTER DATA," FOR J=1TO1000: NEXTJ: GOTO90 150 ONJFGOTO200,300,400,500,700 200 R=X(2)/100/X(3) 210 R1=1-(1+R)^-(X(3)*X(4)) 220 R2=R/R1 X(1)=INT(X(5)/R2*100)/100230 GOTO90 300 R=12/X(3)/100 305 IFX(5)*X(3)*X(4)<X(1)THE NR=0 GOTO312 310 R1=X(5)*(1-(1+R)^(-X(3)*X(4)))/X(1) 312 IFR OTHEN 320ELSECLS PRINT"CANNOT MAKE THIS LOAN. 314 PRINT"INTEREST RATE IS 0 OR LESS. 316 PRINT"PRESS ANYKEY TO CONTINUE! 318 IFINKEY\$=""THEN318ELSE90

DON'T MISS

THE LATEST ADVANCE IN MODEL 100/TANDY 200 SOFTWARE

by the creators of TELECOMMUTER"

- Use TEXT while online in TELCOM: Download letters and upload a reply in one terminal session
- Exchange .CO, .BA and .DO files with other computers, bulletin boards, and information utilities
- Standard XMODEM error-checking protocol
- List and Kill Files online in TELCOM
- Compatible with Telecommuter and other desktop communications software supporting XMODEM

Specify Radio Shack Model 100 or Tandy 200 computer Price: \$50 on MS-DOS diskette or cassette

MasterCard and Visa accepted.

Please call or write for further information.

Sigea Systems, Inc.

19 Pelham Road Weston, MA 02193 (617) 647-1099



REAL WORLD CON

Use the CIP/35A and your MODEL 100/200 for control of home, office, business, security, environment, classroom lab, process control and data acquisition. Plugs into serial port and is easily controlled from BASIC or TELCOM. The CIP/35A is the most cost effective input/output board on the market today and the easiest to use!


SPECIFICATIONS:

- . 8 RELAY OUTPUTS, HIGH CURRENT
- 8 INPUTS, GROUND FOR OPERATION
- 1 8 BIT A/D WITH PROVISIONS FOR UP TO 8
- 1 8 BIT COUNTER INPUT
- · AC OR DC POWER SUPPLY
- SOFTWARE EXAMPLES PROVIDED
- . INDUSTRIAL OHALITY
- · SHIPPED WITHIN 48 HOURS . 6 MONTH WARRANTY ON ALL PARTS

\$199.95

SIAS Engineering, Inc.

RURAL ROUTE 1, SALINA, KANSAS 67401 / (913) 823-8027



535 IFA1>0THEN540ELSECLS 536 PRINT"YOU CAN NOT MAKE SUCH A LOAN." 538 PRINT"PRESS ANYKEY TO CONTINUE." 539 INKEYS IFINKEY\$=""THE N539ELSE90 540 X(4)=-LOG(A1)/LOG(1+R)/X(3) 550 GOTO 90 700 REM CALCULATE MONTHLY PAYMENT 710 R=X(2)/100/X(3) 720 R2=1-(1+R)^-(X(3)*X(4)) 730 R2=R2/R 740 X(5)=X(1)/R2 750 X(5)=INT(X(5)*100)/100 'ROUND TO CENT 760 JQ=-9 770 GOTO 90 9000 REM DATA INPUT 9001 REM (C) 1983 L.E. SPARKS 9002 REM MAY BE FREELY USED 9010 CLS 9015 PRINT" LOAN CALCULATOR PROGRAM BY LES" 9020 PRINT STRING\$(39."=") 9040 FOR J-ITONT 9050 PRINTTAB(2) T\$(J); TAB(20); PRINTUSINGF \$(J); X(J) 9060 NEXT J 9065 IF JQ=-9THE N9800 9070 PRINT @(JS*40)+JR."->" 9075 PRINT 2280, "ARROWS MOVE ->, * CALCULATES";

NEC Starlet ™ MEMORY SYSTEMS 31/2" FLOPPY DISK DRIVE \$395

• 300K USER CAPACITY, CP/M FORMAT

COMPLETE 8431A EMULATION

 FAST SINGLE/DUAL DRIVE FILE BACKUP AND COPY PROGRAM

DISK/DRIVE VERIFY PROGRAM

COMPACT: 2.2" x 4.1" x 6.4"

POWER AUTOSWITCHED FROM STARLET

SUPPLIES DC POWER TO STARLET

128K DATAPAC® CARTRIDGE \$179 64K DATAPAC® CARTRIDGE \$119

 3 YEAR, USER REPLACEABLE BACKUP BATTERY

32K VERSION, 8401A OR 8201A

8K MODULE FOR MODEL 100 8201A AND M-10 \$22.25 @ 3

Thousands sold, easy installation

NODE POLICY: • 30 day money-back guarantee

12 month warranty — 3 day air service

\$89

\$25

Free UPS 2ND DAY AIR shipping

· Quantity discounts start at 3 units

PAYMENT: VISA OR MASTERCARD, Checks held 14 days, C.O.D. add \$2, California residents

add 6% tax.





Call for immediate delivery (408) 462-3773




STARLET™ is a registered trademark of NEC



```
9080 Y$=INKEY$
  IFY$=""THEN 9080
9090 IFINSTR(A$,Y$)<>0 THEN 9500
9100 JZ=INSTR(AZ$,Y$)
  IF JZ=OTHEN9080
9110 ON JZ GOTO 9120,9120,9140,9250
9120 PRINT@(JS*40)+JR,"
9122 JS=JS+1
  IFJS>NT+J1-1THEN JS=J1
9124 PRINT@(JS*40)+JR,"-
9130 GOTO 9080
9140 PRINT@(40*JS)+JR,
9150 JS = JS-1
  IF JS< J1 THEN JS=NT+J1-1
9152 PRINT@(40*JS)+JR,"-
  GOTO9080
9250 RETURN
9500 PRINT @(40*JS)+JR,
9505 PRINT 2280, "ENTER REST OF DATA PRESSENTER
   WHEN DONE
9510 V$=Y$
9530 PRINT@(40*JS)+18, V$; CHR$ (95);
9540 Y$=INKEY$
 IF Y$ =""THEN 9540
9550 IF Y$=CHR$(13) THEN 9700
9560 IF Y$<>CHR$(29) THEN 9600
9570 IF LEN (V$)=0 THEN 9530
9580 V$=LEFT$(V$,LEN(V$)-1)
9590 Ys="
```

```
GOTO 9530
9600 IF INSTR(A$,Y$)=0 THEN 9530
9610 V$ = V$ + Y$
9620 GOTO 9530
9700 X(JS-1)=VAL(V$)
9710 JS=JS+1
  IFJS>NT+J1-1THENJS=J1
9720 GOTO 9010
9800 JQ=0
  PRINT 3280, "PRESS * FOR PAY SCH, A FOR ANOT
    HER"
9810 Y$=INKEY$
  IFY$=""THE N9810
9815 IFY$="*"THEN9830ELSEIFY$="A"THEN90
9820 GOTO 9810
9830 REM FIGURE PAYMENT SCHEDULE
9840 REM P(I)=PRINCIPLE PAID/PER
9850 REM PI(I)=INTEREST PAID/PER
9860 REM B(I) = BALANCE LEFT PER PER.
9870 B=X(1):
  PT=0:
  PI=0
   FOR J=1TO X(3)*X(4)
9880 PI(J)=R*B:
  P(J)=X(5)-INT(PI(J)*100)/100
  PI=PI+PI(J)
  PT=PT+P(J)
  B(J)=B-P(J)
9885 B=B(J)
```

66 It transforms a rough draft notebook into an elegant machine for generating professional-looking final copy. There is nothing else on the market that comes close to it for speed, size, and power. At \$49.95 plus \$2 shipping, it is an incredible bargain. PC 8200 User Monthly



Keyboard Cover \$19.95 + \$2.00 shipping and handling

Program features: Graph mode, Mail merge, Hanging indents, Page numbering, works on any printer. More than 30 features. 3,240-3,297 bytes.

TO ORDER:

Send check or money order for \$49.95 plus \$2 for shipping and handling to The Covington Group. Visa and MasterCard accepted. No purchase orders. N.Y. State residents add local sales tax.





The Covington Group 310 Riverside Drive Suite 916 New York, NY 10025 (212) 678-0064

9890 NEXT J 9900 CLS 'NOW PRINT IT OUT 9910 PRINT" LOAN SCHEDULE 9920 PRINTO41,"PER PAYS, INT PRIN BA 9930 FOR J=1TOX(3)*X(4) 9935 PRINTUSING"###";J; 9940 PRINTX(5);TAB(12);INT(PI(J)*100)/100;TAB (19);P(J);TAB(27); 9960 PRINTUSING"##,##^^^~";B(J) 9970 IFINT(J/5)-J/5<>OTHE N9990 9975 PRINT 2280," PRESS ANY KEY TO CONTINUE * RETURNS" 9980 Y\$=INKEY\$: IFY\$=""THE N9980 9982 IFY\$="*"THEN 10000 ELSE CLS 9984 PRINTO41,"PER PAYS, INT PRIN BAL 9990 NEXTJ 10000 PRINT 2280, "PRESS H FOR HARDCOPY * RETURN 10010 Y\$=INKEY\$: IFY\$=""THEN10010ELSEIFY\$="*"THEN90ELSEIFY\$ (>"H"THE N10010 10020 CLS 10030 PRINT" READY PRINTER: 10040 LPRINT" OUTPUT FROM LOAN PROGRAM." 10050 LPRINT

10060 LPRINT"SUMMARY DATA." 10070 LPRINT 10080 FOR J=1TONT: LPRINTTAB(5); T\$(J); TAB(25); X(J): NEXTJ: LPRINT 10090 LPRINTUSING" TOTAL INTEREST PAID \$\$#### .###.##":PI 10110 LPRINT 10120 LPRINT"LOAN SCHEDULE" 10130 LPRINT"PERIOD"; TAB(12)"PAYMENT"; TAB(22)" INTEREST"; TAB(33); "PRINCIPLE"; TAB(45);" BALANCE! 10140 FOR J=1TOX(3)*X(4) 10150 LPRINTTAB(3); J; TAB(12); 10160 LPRINTUSING"\$\$###,######";X(5); LPRINTTAB(25); 10170 LPRINTUSING"\$\$##,###,##":PI(J): LPRINTTAB(38);: LPRINTUSING"\$\$###,###,##";P(J);: LPRINTTAB(55); 10180 LPRINTUSING"\$\$##,#######";B(J) 10190 NEXTJ 10200 GOTO 90 19999 DATA "\$\$###,##########,##,###,###,###. ##,"\$\$###,#######" 20000 DATA AMTLOAN, INTEREST, PAYMTS/YR, NO. YRS, \$ PER PERIOD, END

Limited Time Offer!

8K EXPANSION RAM

TRS-80 model 100, NEC 8201

\$24.95

Set of three \$59.95

90 Day Warranty
Instruction Included
Easy Installation
Shipping Included U.P.S.
C.O.D. Money Order
Cash only. No charges.
WA Residents add 8.1% sales tax

AMERICAN MICRO SUPPLY, INC.

2316 - 187th Ave. N.E. Redmond, WA 98052 (206) 746-6158

MAMERICAN TECHNOLOGIES INC.

STATIMATE ON-FLOOR SPC SYSTEM UNDER \$1000

For software AND hardware*

- 1. Up to 16 control charts simultaneously
- 2. Direct gage input
- 3. All types of control charts
- 4. Capability Analysis
- 5. Display screen
- 6. User friendly
- 7. Portable
- 8. Durable
- 9. Flexible non dedicated hardware
- 10. Easy interface with most micros

*Statimate software from American Technologies Inc. designed to run on Radio Shack Model 100 32K Ram portable computer. Statimate software available separately for \$300.00.

> 123 South Jefferson • Marshall, Michigan 49068 (616) 781-3014

portable

MARKETPLACE

A Classified Ad Section to serve 100/200/600 users

Hardware

FOR SALE — PG Design 32K RAM module, works perfectly, with documentation, \$180. R. Whitehead, 1 Quorn Hunt Road, West Simsbury, CT 06092.

Software

8K MEMORY EXPANSION: \$22 each. Model 100, PC-8201. Large stock, fast delivery. S/H Free! Warranty. Send check/M.O.: Solid Devices, Box 42332-R, Portland, Oregon 97242, (503) 231-7607.

EPROM CAPABILITY FOR MODEL 100 prototypes available. ROM socket to 27C256 Translator. Bare board for loaded, test clip for on-board programming from your programmer. Technology First, 9235 Chesapeake St., Suite B, San Diego, CA 92123.

User Groups

Custom medical software for 100/200. Clinical & business programs. Priced from \$39.95. Richard Elliott, MD, 42 Walnut Lane, Davis, CA 95616.

MARKETPLACE Portable 100/200/600 P.O. Box 250 Highland Mill Camden, ME 04843 207-236-4365


TELCOM (from page 6)

T	813-877-1127		Louisville	502-589-3820	
Tampa	813-877-6515		Owensboro	502-685-3125	S
Tampa		S	Owensboro	002-000-0120	O
Vero Beach	305-562-1674	5	T!-!		
West Palm Beach	305-471-9505		Louisiana	FO4 000 0140	
C			Baton Rouge	504-292-8140	
Georgia	104 540 0510	0	Lafayette	318-233-4510	
Athens	404-549-8513	S	Lake Charles	318-439-3681	0
Atlanta	404-325-7293		Monroe	318-322-0599	S
Columbus	404-324-7314	_	New Orleans	504-887-7335	
Dalton	404-226-3400	S	Shreveport	318-227-9592	
Macon	912-745-9281	S			
Rome	404-235-6031	S	Maine		
Savannah	912-232-4481		Augusta	207-622-9341	
			Bangor	207-947-5231	S
Hawaii			Brunswick	207-729-5106	0
Hilo	808-935-6494	S	Lewiston	207-784-5701	S
		5			D
Honolulu	808-524-8750	S	Portland	207-775-6593	
Maui	808-244-3188	5	**		
7.1-1			Maryland	001 500 5544	
Idaho	000 011 5050		Baltimore	301-583-7541	~
Boise	208-344-5876		Hagerstown	301-797-5640	S
Kellogg	208-784-1111	S	Rockville	301-340-4800	
Nampa	208-467-3326	S	Rockville	301-340-5096	
			Salisbury	301-543-2686	S
Illinois					
Bloomington	309-827-3861		Massachusetts		
Chicago	312-726-0350		Attleboro	617-226-3119	S
Chicago	312-750-0501		Beverly	617-927-7047	S
Decatur	217-429-0192		Boston	617-868-2500	~
Deerfield	312-945-5730	S	Boston	617-868-2830	
Effingham	217-342-9772	S			
		O	Fitchburg	617-345-7544	
Elgin	312-931-4550	0	Framingham	617-877-7800	
Freeport	815-233-2621	S	Lynn	617-598-7172	
Kankakee	815-933-3974	S	Milford	617-478-3160	S
Macomb	309-833-3530	S	North Adams	413-664-6787	S
Morrison	815-772-7251	S	Pittsfield	413-494-2351	
Peoria	309-637-4033	- 10	Springfield	413-781-5854	
Quincy	217-223-6569	S	Worcester	617-757-3862	
Rockford	815-962-5062				
Rolling Meadow	312-259-5890	S	Michigan		
Schaumburg	312-529-6284	S	Adrian	517-263-7587	S
Springfield	217-753-8631	S	Ann Arbor	313-663-6866	~
opringitora	227 100 0001	~	Battle Creek	616-968-0275	S
Indiana				517-892-0261	S
	317-643-1292	S	Bay City		S
Anderson			Benton Harbor	616-925-9645	5
Bloomington	812-332-4584	S	Detroit	313-862-0500	
Bluffton	219-824-4900	S	Detroit	313-862-1040	
Columbus	812-378-1919	~	Flint	313-235-1661	
Crane	812-854-7392	S	Grand Rapids	616-459-2205	
Elkhart	219-295-1550	S	Holland	616-392-1982	
Evansville	812-464-9376		Jackson	517-750-4115	S
Ft. Wayne	219-456-4471		Kalamazoo	616-343-0333	
Ft. Wayne	219-745-5616		Lansing	517-484-4999	
Gary	219-884-6320	S	Muskegon	616-725-9255	S
Indianapolis	317-631-2635		Pontiac	313-681-4291	S
Indianapolis	317-634-7200		Saginaw	517-752-4195	
Lafayette	317-742-8031	S			
Muncie	317-289-6386		Minnesota		
New Castle	317-521-3904	S	Duluth	218-722-1855	S
Richmond	317-962-8556	S	Mankato	507-388-1605	S
South Bend	219-234-2931	U	Minneapolis	612-835-0680	D
Tell City	812-547-6404	S		612-835-3496	
		5	Minneapolis		0
Terre Haute	812-235-6021	S	Owatonna	507-455-1224	S
Valparaiso	219-462-7527	5	St. Cloud	612-253-9706	S
Iowa		~	Mississippi		
Belmond	515-444-3894	S	Aberdeen	601-369-6141	S
Burlington	319-754-8481	S	Bay St. Louis	601-467-9228	S
Carroll	712-792-9072	S	Gulfport	601-864-9244	S
Cedar Falls	319-277-4741	S	Jackson	601-948-3193	
Cedar Rapids	319-364-3136		Meriden	601-693-5425	S
Davenport	319-324-0590				100
Des Moines	515-280-8861				
Dubuque	319-556-7413	S	Missouri		
Marshalltown	515-752-6776	S	Kansas City	816-472-4425	
Sioux City	712-255-9550	S	Maryville	816-562-2721	S
DIOUX CITY	112-200-3000	5	Springfield	417-881-2560	i.
Kansas			St. Louis	314-534-7000	
	913-628-1704	S	St. Louis	014-004-7000	
Hayes		S	Mantan		
Hesston	316-327-4171		Montana	100 000	~
Independence	316-331-2120	S	Billings	406-252-4430	S
Leavenworth	913-682-3317	0	Butte	406-494-3320	
McPherson	316-241-0346	S			
Wichita	316-262-0415		Nebraska		
			Kearny	308-234-6589	S
Kentucky			Lincoln	402-474-7084	
Bowling Green	502-842-6136	S	Omaha	402-344-0700	
Lexington	606-253-1556		Omaha	402-344-7840	
-					

ADVERTISERS INDEX

RS# ADVERTISER PG#

- A & J Micro Drive
- 75 5 ARMS
- 17 2 Acroativ
- 81 American Micro Supply
- 81 48 American Technologies
- 36 3 Axonix
- 70 6 BKI
- 76 **Buddy System** 4
- 55 CISS
- 10 8 CSA Software
- 52 11 Cabbage Cases
- 53 67 Charge-On
- 37 61 Compu-Charger
- 63 CompuServe 10
- 50 9 Coriolis
- 80 69 Covington
- 50 12 Covington Group
- 77 13 Cryptronics
- 49 Custom Software
- 29 Custom Software
- 63
- 8 DCM Data Products
- 51 DFW Computer Center 15
- 53 Data Transfer
- 73 Data World Products 26
- 69 Dresselhaus
- 58 23 **Economy Computers**
- 49 Elexor
- 51 21 Encompass
- CII 11 FACS
- 69 20 Fort Worth Computers
- 75 Hearthside Enterprises 74
- 68 Kangaroo
- 68 Life Sciences Software 18
- 54 25 Loguor
- 48 64 MCI Mail
- 37 MU-PSI 43
- 48 27 Merritt
- Micro Peripheral CIII 58 Nictrix
- 79 31 Node
- 33 P.C.S.G.
- 37 P.C.S.G.
- 18 25 P.C.S.G. 35
- 33 36 P.C.S.G.
- 66 32 P.C.S.G.
- 60 P.C.S.G.
- P.C.S.G. 43 41
- CII 39 PG Design
- 83 38 PG Design
- 4 PIC 40
- 79 45 Paramount Marketing
- 12 44 Polar 59
 - 53 Pomerieau
- 26 42 Portable Basics
- 35 17 Prairie Power
- 30 Purple Computing
- 55 Purple Computing
- 52 RMD & Associates 39 54
- Radio Shack 65 Radio Shack 47
- 46 Radio Shack
- 71 59 Rainbow Computers 78 71 Sias
- 78 50 Sigea
- 22 51 Sigea
- 56 Softmate
- Tab Books 57 66
- 59 Technology First 60
- 72 65 Time-Soft
- 15 55 Touchbase CIV 72 Traveling Software
- 21 Traveling Software 58
- 57 Traveling Software
- 57 73 United Management





MODEL 100 64K RAM MODULE MODEL 100 8K RAM MODULE TANDY 200 24K RAM MODULE When you purchase any PG Design RAM module, you're buy when you purchase any Po Design RAIN module, you're out ing directly from the people who design, manufacture and service the module. We develop the most advanced products of their kind by using

the latest technology and the highest quality components available. Before we bring any product to market, it is carefully evaluable. uated in the field by professionals. If it doesn't meet their uated in the neid by professionals. If it doesn't meet their standards, it doesn't meet ours. And when we finally bring our standards, it doesn't meet ours. And when we imany oring our product to market, it's the finished product. It works as we say product to market, it's the tinished product, it works as we say it will, and it will keep on working reliably. "Our reputation for excellence is riding on each and every RAM module we ship."

Whether it's an ak or 64K RAM module to excellence whether it's an ak or 64K RAM module to excellence." Whether it's an 8K or 64K RAM module to expand the memory of your Model 100 or a 24K RAM module for your pc

200, be assured you are buying the best when you buy PG

Model 100
64K RAM module—\$375 ea. 32K RAM module—\$250 ea. 32K upgrade—\$150 64K RAM module—\$375 ea. 32K RAM module—\$250 ea. 32K upgrade—\$8K RAM modules—\$29,95 ea. Set of three \$84.00 (ayailable for NEC 8201A)

24K RAM modules-\$139 ea. \$135 ea. two or more

We absolutely guarantee the quality and perfect performance of all PG Design RAM We supply easy to follow instructions with each of our products. And, we are eaget assist you on the phone if you should need help with the installation or operation. We supply easy to lollow instructions with each of our products. And, we are eager to assist you on the phone if you should need help with the installation or operation of your RAM module.

your RAM module.
To order, call us [313/727-2744], or write. All orders are shipped within five working days after receiving your order. We accept VISA. Master Card, personal checks or money orders.

PG Design Electronics, Inc. 66040 Gratiot, Richmond, Michigan 48062 [313] 727-2744

Dealer inquiries invited.

TANDY is a registered trademark of TANDY CORP.

TELCOM

						٠.			
N 1			G) 1 1	214 222 222		D	400 000 7301	0	
Nevada Las Vegas	702-382-6810		Cleveland Cleveland	216-362-8300 216-362-8350		Bryan Commerce	409-822-7391 214-886-2148	S	
Reno	702-323-1671		Columbus	614-263-5282		Corpus Christi	512-888-4421	U	
10110			Coshocton	614-622-0011		Dallas	214-638-0123		
New Hampshire			Dayton	513-223-7174		Dallas	214-638-1227		
Concord	603-224-1916 S		Elyria	216-323-5902	S	El Paso	915-532-1631		
Keene	603-352-1678 S		Hicksville	419-542-8535	S	Fort Worth	817-831-0461		
Manchester	603-668-7671 S		Lorain	216-933-4600	S	Galveston	409-763-6414	S	
Nashua	603-889-3450		Middletown	513-424-5358	S	Harlingen	512-425-7183	S	
N. Y			Newark	614-345-6622	S S	Houston Houston	713-223-5474 713-229-0154		
New Jersey Basking Ridge	201-766-5282 S		Sandusky Seville	419-625-4746 216-769-4487	S	Levelland	806-894-1553	S	
Hackensack	201-489-0220		Springfield	513-323-3037	S	Longview	214-757-9490	S	
Hackensack	201-489-0570		Toledo	419-255-6516	5	Lubbock	806-763-2351		
Heightstown	609-448-6100	3	Troy		S	Midland	915-683-9744		
Kearney	201-997-7735			010 000 2001	~	Pampa	806-665-5705	S	
Merchantville	609-234-9588					Port Lavaca	512-552-7535	S	
Moorestown	609-234-9588		Oklahoma			Port Neches	409-727-3591	S	
Mooristown	201-285-1715		Bartlesville	918-336-1493		San Angelo	915-653-2408	S	
Morristown	201-285-1870		Duncan	405-255-8489	S	San Antonio	512-225-8787		
Morristown	201-326-7002 201-249-4187		Oklahoma City	405-521-8577 405-525-9512		San Antonio Seminole	512-226-6513		
New Brunswick New Brunswick	201-846-8560		Oklahoma City Pryor	918-825-5185	S	Snyder	915-758-9258 915-573-1685	S	
Pitman	609-589-6874	3	Tulsa	918-664-1090	5	Terminal	915-563-3970	S	
Plainfield	201-755-0774		Tulsa	918-664-4510		Tyler	214-595-2465	U	
Princeton	609-924-6960	_	Tubu	010 001 1010		Victoria	512-576-1123		
Rahway	201-381-5044		Oregon			Waco	817-776-5860		
Summit	201-522-0300		Eugene	503-485-2343					
			Portland	503-287-9045		Y74 - 1			
New Mexico	No. 100 of the second					Utah	001 704 0400	C	
Albuquerque	505-843-7790	G.	Pennsylvania	015 100 0050		Brigham City Clearfield	801-734-9423 801-773-9690	S	
Carlsbad		S S	Allentown	215-439-0278	C	Lindon	801-785-7273	S	
Hobbs		S	Brookville Butler	814-849-5289 412-283-1111	S S	Salt Lake City	801-363-5503	S	
Santa Fe	303-362-4233		Coatesville	215-384-6050	S	out mus only	001 000 0000		
New York			Erie	814-453-3641		Vermont			
Amsterdam	518-842-4720	S	Harrisburg	717-233-1465		Brattleboro	802-254-8764		
Auburn	315-255-2761		Lancaster	717-299-1022	S	Burlington	802-658-0110		
Binghamton	607-772-8200		New Kensington	412-339-5500	S				
Buffalo	716-882-0112		Norristown	215-277-4030		Virginia		~	
Corning	607-937-8391	_	Philadelphia	215-284-9310		Blacksburg	703-552-7668	S	
East Hampton		S	Philadelphia	215-284-9343		Bristol Charlottesville	703-466-5952 804-971-3641	S	
Elmira		S	Pittsburgh	412-261-3465		Charlottesville	804-748-6373	S	
Maybrook		S	Pittsburgh	412-261-5035	0	Fredricksburg	703-371-4902	S	
Mineola	516-294-9170 212-766-9701		Scranton	717-348-2121	S S	Herndon	703-437-8600	S	
New York New York	212-766-9701		Selinsgrove Williamsport	717-374-1104 717-327-8242	S	Lynchburg	804-528-3626	J	
Niagara Falls	716-284-3771		York	717-846-3154	S	Newport News	804-244-3066	S	
Norwich		S	TOTA	111-040-0104	D	Norfolk	804-625-3079		
Oneonta		S	Rhode Island			Richmond	804-359-6940		
Port Chester	914-939-6226		Providence	401-351-0840		Roanoke	703-774-2427		
Port Jefferson		S	en on the			Waynesboro	703-949-7411		
Poughkeepsie	914-454-0890		South Carolina			Washington			
Rochester	716-546-7600		Aiken	803-648-2694		Washington Everett	206-355-2511	S	
Rochester	716-546-8200		Anderson	803-225-4393		Kennewick	509-735-3579	3	
Schenectady	518-385-0241 518-385-1931		Charleston Clemson	803-722-2781 803-654-9232	S	Olympia	206-943-0641		
Schenectady Syracuse	315-478-7005		Columbia	803-256-9642	D	Seattle	206-292-6770		
Utica	315-797-6550		Duncan	803-877-6660	S	Seattle	206-292-6930		
West Babylon	516-789-2450		Florence	803-662-4519	D	Spokane	509-534-1830		
Woodstock		S	Greenville	803-235-8871		Tacoma	206-272-2035		
			Greenwood	803-223-3827	S	Vancover	206-693-3029	S	
North Carolina		2	Spartanburg	803-585-7952		331 4 371 1- 1			
Asheville	704-258-8396	S	Sumter	803-773-5425	S	West Virginia Beckley	304-255-5226	S	
Brevard	704-883-8275	S	C A D L			Charleston	304-345-3150	5	
Burlington Charlotte	919-227-9031 704-372-0500	S	South Dakota Rapid City	605-348-8545		Shepardstown	304-876-2537	S	
Durham	919-683-1924	S	Sioux Falls	605-334-7727		Wheeling	304-232-8600	S	
Elon College	919-584-7025	S	GIOUX FAIIS	000-004-1121			200 0000		
Gastonia	704-867-1285	S	Tennessee			Wisconsin			
Greensboro	919-275-0940		Brownsville	901-772-4500	S	Appleton	414-739-0244		
Hendersonville	704-692-0517	S	Chattanooga	615-265-2920		Green Bay	414-432-4144	S	* -x
High Point	919-886-5038	S	Clarksville	615-648-0621	S	Lacrosse	608-782-0095	S	
Monroe	704-289-5591	S	Elizabethton	615-543-3662	S	Madison	608-271-8708		
N. Wilkesboro	919-838-2461	S	Jackson	901-423-4404	_	Marinette	715-735-6604	S	
Raleigh	919-834-5747	0	Jefferson City	615-475-3808	S	Milwaukee Racine	414-769-5700 414-637-9721		
Salisbury	704-637-6073	S	Johnson City	615-928-7196	S	nacine	414-037-9721		
Wilmington Winston-Salem	919-763-3605 919-788-6727		Kingsport Knoxville	615-247-7444 615-546-7595		Wyoming			
winston-Salem	313-100-0121		Memphis	901-527-2636		Gillette	307-686-2178		
North Dakota			Nashville	615-383-6631		Glen Rock	307-436-8977		100
Underwood	701-442-3261		- 146001 1 1110	213 000 0001		Sheridan	307-672-5845		-
2 11444			Texas			0.1.		,	F
Ohio			Abilene	915-695-1900		5 denotes surcha	rges of \$2.00 per l	nour.	1
Akron	216-535-1594	~	Amarillo	806-372-2403				/	~
Alliance	216-821-9980	S	Austin	512-476-6046				MZ	198
Athens	614-592-3058	S S	Big Springs	915-267-5257			/		9
Canton	216-453-3374 513-721-5599	o	Bishop	512-584-3557	S	1	/	444	******
Cincinnati	010-121-0099		Brownsville	512-542-9175				er)	(

PORTABLE 100/200/600 DECEMBER 1985

.



the Black Jack"

For OEM/Dealer/Distributor pricing, Contact:

the microperipheral corporation

2565 152nd Avenue NE Redmond, WA 98052 (206) 881-7544

1 The Microperipheral Corporation.

DON'T GAMBLE ON ANYTHING ELSE!

Have you ever been dealt out of telecommunications in hotels, offices, and other locations while on the road?

Why gamble on finding a modular (RJ-11C) phone jack that accepts your direct connect modem?

Deal yourself a winning hand with the Black Jack, the portable modular jack for modems on the go.

- 0-9600 baud
- Fits standard telephone handsets
- Preserves line sensitivity
- Direct connection, not acoustical
- Improved telecommunications
- Insensitive to environmental noise
- Weighs less than 1/4 lb.
- Fits easily into a briefcase
- Compatible with Group 3 facsimile equipment

Circle 28 on Reader Service Card

Did you think we were content to stop with the ULTIMATE ROM?

Introducing . . .

THE ULTIMATE ROM II









IN TEXT. TELCOM DISPLAY
AND BASIC

WE SET THE STANDARD!

With the Ultimate ROM, Traveling Software set the standard for packing the most powerful software applications into a single ROM chip. Now with the ULTIMATE ROM II, we are pushing that standard to a new limit.

INTRODUCING T-WORD AND ROM-VIEW 80 The ULTIMATE

ROM II offers T-Word, a complete word processing system--the fastest yet produced for the Model 100/200 or the NEC PC-8201--and our new ROM-VIEW 80 display-enhancement program.* ROM-VIEW 80 provides an 80-column display option that works with BASIC, TEXT, and TELCOM. And yes, ROM-VIEW 80 does provide full text-editing functions while in 80-column model Also included are turbo- charged versions of our popular T-base relational database (rated the number one database for the Model 100 and NEC PC-8201) and the best-selling IDEA! outline processor.

\$49 UPGRADE POLICY! If you already own the amazing ULTIMATE ROM, you may return it for the ULTIMATE ROM II for only \$49. There are two easy ways to upgrade. Call us on our toll-free number for details.

\$100 ROM TRADE-IN ALLOWANCE If you are not totally satisfied with a ROM product purchased from someone else, Traveling Software will allow you a full \$100 credit toward the purchase of the ULTIMATE ROM II. Just give us a call toll-free to see if the product you own qualifies. (Offer good only until January 31, 1986)

30-DAY MONEY-BACK GUARANTEE Traveling Software is so sure you'll like the ULTIMATE ROM II we are offering a 30-day money- back guarantee--no questions asked. If you are not completely satisfied with the ULTIMATE ROM II, just send it back and we will give you a full refund.

Order now to take advantage of our holiday special of only \$199.95. After January 31, 1986, the price goes to \$229.85. To order, call us toll-free:

1-800-343-8080

On ULTIMATE ROM II

ROM-VIEW 80

Works with TEXT, TELCOM, BASIC Full text-editing in 80 columns Right margin can be set 10-80 columns 60-column window with scrolling to 80 columns

Allows 80-column communications in TELCOM

T-WORD

Fast text-editing enhancements like overwrite, word count, search and replace

Fast text-formatting with page plotting Merges up to 99 items into boilerplate documents

Allows entry of printer controls like boldface, underline, condensed, etc.

IDEA!

Fast new version! New features, including optional IBM import/export ThinkTank converter

T-BASE

Dramatic new speed for file borrowing and calculations

New features, including advanced math calculations

TANDY PORTABLE DISK DRIVE GATEWAY

Built-in support for T-Word to access the new \$199 Tandy portable disk drive



Traveling Software, Inc. 11050 Fifth Ave. NE Seattle, WA 98125

Also available at Radio Shack Stores through Express Order. Ask for catalog number 90-0409 [Model 100] or 90-0410 [Model 200]. * ROM-VIEW 80 is not available at this time for the Tandy Model 200. A T-base database builder has been added in its place. Trademarks: ThinkTank, Living Videotext, Inc.; Guardian ROM, PEAC Engineering.